

مصادر الكتاب

- Abdoul Hakim, A. C. Purvis, and B. G. Mullinix. 1999. Difference in chilling sensitivity of cucumber varieties depends on storage temperature and physiological dysfunction evaluated. *Postharvest Biol. Technol.* 17(2): 97-104.
- Agar, I. T., K. Abak, and G. Yarsi. 1994. Effect of different maturity genes on the keeping quality of Nor (non ripening), Rin (ripening-inhibitor) and normal type tomatoes. *Acta Horticulturae* No. 258: 742-753.
- Agar, T., F. Bangerth, and J. Streif. 1995. Effect of high CO₂ and controlled atmosphere concentrations on the ascorbic acid, dehydroascorbic acid and total vitamin C content of berry fruits. *Acta Horticulturae* No. 398: 93-100.
- Aggelis, A., I. John, and D. Grierson. 1997. Analysis of physiological and molecular changes in melon (*Cucumis melo* L.) varieties with different rates of ripening. *Journal of Experimental Botany* 48(308): 769-778.
- Aguayo, E., V. H. Escalona, and F. Artés. 2008. Effect of hot water treatment and various calcium salts on quality of fresh-cut 'Amarillo' melon. *Postharvest Biology and Technology* 47(3): 397-406.
- Aharoni, Y. and R. Barkai-Golan. 1987. Pre-harvest fungicide sprays and polyvinyl wraps to control *Botrytis* rot and prolong the post-harvest storage life of strawberries. *J. Hort. Sci.* 62(2): 177-181.
- Aharoni, Y. and A. Copel. 1995. The control of postharvest decay in Galia melons using preparations other than Imazalil. *Tropical Science* 35: 17-21.
- Aharoni, Y., A. Copel, H. Davidson, and R. Barkai-Golan. 1992. Fungicide application in water and in wax for decay control in 'Galia' melons. *New Zealand Journal of Crop and Horticultural Science* 20: 177-179.
- Aharoni, Y., A. Copel, and E. Fallik. 1993. Storing 'Galia' melons in a controlled atmosphere with ethylene absorbent. *HortScience* 28: 725-726.
- Aharoni, Y., A. Copel, M. Gil, and E. Fallik. 1996. Polyolefin stretch films maintain the quality of sweet corn during storage and shelf-life. *Postharvest Biology and Technology* 7(1/2): 171-176.
- Aharoni, Y., E. Fallik, A. Copel, M. Gil, S. Grinberg, and J. D. Klein. 1997. Sodium bicarbonate reduces postharvest decay development on melons. *Postharvest Biology and Technology* 10(3): 201-206.

- Amigo Martin, P. and J. Mingot Marcilla. 1996. Vacuum cooling of strawberries. (In Spanish with English summary). *Alimentacion Equipos y Tecnologia* 15(2): 71-76. c. a. Hort. Abstr. 67(10): 8368; 1997.
- Andrews, J. 1995. The climacteric respiration rise in attached and detached tomato fruit. *Postharvest Biology and Technology* 6(3/4): 287-292.
- Archbold, D. D., T. R. Hamilton-Kemp, B. E. Langlois, and M. M. Barth. 1997. Natural volatile compounds control *Botrytis* on strawberry fruit. *Acta Horticulturae* No. 439(II): 923-930.
- Arima, S., N. Kondo, and H. Nakamura. 1996. Development of robotic system for cucumber harvesting. *JARQ, Japan Agricultural Research Quarterly* 30(4): 233-238.
- Artés, F. and A. J. Escriche. 1994. Intermittent warming reduces chilling injury and decay of tomato fruit. *Journal of Food Science* 59(5): 1053-1056.
- Artés, F., M. A. Conesa, S. Hernandez, and M. I. Gil. 1999. Keeping quality of fresh-cut tomato. *Postharvest Biol. Technol.* 17(3): 153-162.
- Artés-Hernández, F., P. A. Robles, P. A. Gómez, A. Tomás-Callejas, and F. Artés. 2010. Low UV-C illumination for keeping overall quality of fresh-cut watermelon. *Postharvest Biol. Technol.* 55(2): 114-120.
- Arthey, V. D. 1975. *Quality of horticultural products*. Butterworths. London. 228 p.
- Arvayo-Ortiz, R. M., S. Garza-Ortega, and E. M. Yahia. 1994. Postharvest response of winter squash to hot-water treatment, temperature, and length of storage, *HortTechnology* 4(3): 253-255.
- Atta-Aly, M. A. and A. S. El-Beltagy. 1992. Effect of the cationic chelator EDTA on the ripening of normal tomato fruit and the non-ripening mutants nor, rin, and Nr. *Postharvest Biol. Technol.* 1: 283-293.
- Atta-Aly, M. A., G. S. Riad, Z. E. S. Lacheene, and A. S. El-Beltagy. 1999. Dynamic exposure to ethanol vapor delays tomato fruit ripening via reversible inhibition of ethylene biosynthesis and action. *Egypt. J. Appl. Sci.* 14(8): 228-254.
- Avery, G. S., Jr., E. B. Johnson, R. N. M. Addoms, and B. F. Thompson. 1947. *Hormones and horticulture*. McGraw-Hill Book Co., N. Y. 326 p.
- Avigdor-Avidov, H. 1986. Strawberry, pp. 419-448. In: S. P. Monselise (ed.).

- CRC handbook of fruit set and development. CRC Press, Inc., Boca Raton, Florida.
- Ayranci, E. and S. Tunc. 1997. Cellulose-based edible films and their effects on fresh beans and strawberries. *Zeitschrift für Lebensmittel-Untersuchung und-Forschung* 205(6): 470-473. c. a. Hort. Abstr. 68(8): 6720; 1998.
- Ayub, R., M. Guis, M. Ben Amor, L. Gillot, J. P. Roustan, A. Latche, M. Bouzayen, and J. C. Pech. 1996. Expression of ACC oxidase antisense gene inhibits ripening of cantaloupe melon fruits. *Nature Biotechnology* 14: 862-866.
- Baka, M., J. Mercier, R. Corcuff, F. Castaigne, and J. Arul. 1999. Photochemical treatment to improve storability of fresh strawberries. *J. Food Sci.* 64(6): 1068-1072.
- Bakr, A. A. and R. A. Gawish. 1993. Technology aspects of keeping and pickling qualities of cucumbers as influenced by fertilizers. *Plant Foods for Human Nutrition* 44(1): 17-28.
- Bai, J. H., R. A. Saftner, A. E. Watada, and Y. S. Lee. 2001. Modified atmosphere maintains quality of fresh-cut cantaloupe (*Cucumis melo* L.). *J. Food Sci.* 66(8): 1027-1211.
- Bai, J., R. A. Saftner, and A. E. Watada. 2003. Characteristics of fresh-cut honeydew (*Cucumis melo* L.) available to processors in winter and summer and its quality maintenance by modified atmosphere packaging. *Postharvest Biol. Technol.* 28: 349-359.
- Baldwin, E. A. 2004. Flavor. In: ARS, USDA Agric. Handbook 66 revised. The Internet.
- Barker, A. V. and K. M. Ready. 1994. Ethylene evolution by tomatoes stressed by ammonium nutrition. *J. Amer. Soc. Hort. Sci.* 119(4): 706-710.
- Barros, J. C. da S. M. de, A. de Goes, and K. Minami. 1994. Postharvest storage conditions for sweet pepper fruit (*Capsicum annum* L.) (In Portuguese with English summary). *Scientia Agricola* 51(2): 363-368. c. a. Hort. Abstr. 67(1): 427, 1997.
- Barth, M. M., H. Zhuang, and M. E. Saltveit. 2004. Fresh-cut vegetables. In: ARC, USDA Handbook 66 revised. The Internet.
- Bartz, J. A., C. G. Eayre, M. J. Concelmo, J. K. Brecht, and S. A. Sargent. 2001. Chlorine concentration and the inoculation of tomato fruit in packinghouse dump tanks. *Plant Dis.* 85: 885-889.

- Batu, A. and A. K. Thompson. 1998. Effects of modified atmosphere packaging on post harvest qualities of pink tomatoes. *Turkish J. Agr. Forestry* 22(4): 365-372.
- Baxter, L. and L. Waters, Jr. 1990a. Controlled atmosphere effect on physical changes and ethylene evolution in harvested okra. *HortScience* 25(1): 92-95.
- Beaulieu, J. C. 2006. Volatile changes in cantaloupe during growth, maturation, and in stored fresh-cut cubes prepared from fruit harvested at various maturities. *J. Amer. Soc. Hort. Sci.* 131(1): 127-139.
- Behboudian, M. H. and C. Tod. 1995. Postharvest attributes of 'Virosa' tomato produced in an enriched carbon dioxide environment. *HortScience* 30(3): 490-491.
- Ben Amor, M., J. M. Lelièvre, M. Bouzayen, A. Latche, J. C. Pech, B. Flores, and F. Romojaro. 1998. Ethylene-inhibited cantaloupe charantais melons exhibit resistance to chilling injury, p. 31. In: COST 915, Consumer oriented quality improvement of fruit and vegetable products. Polytechnic University of Madrid, Spain.
- Ben-Moualem, D., L. Gusev, O. Dvir, E. Pesis, S. Meir, and A. Lichter 2004. The effects of ethylene, methyl jasmonate and 1-MCP on abscission of cherry tomatoes from the bunch and expression of endo-1,4- β -glucanases. *Plant Science* 167(3): 499-507.
- Ben-Yehoshua, S., V. Rodov, S. Fishman, J. Peretz, R. de la Asuncion, P. Burns, J. Sornsrivichai, and T. Yantarasri. 1996. Perforation effects in modified-atmosphere packaging: model and applications to bell pepper and mango fruits, p. 143-162. In: Proceedings of the Australasian postharvest horticulture conference 'Science and technology for the fresh food revolution'. Department of Natural Resources and Environment, Victoria, Australia. c. a. Hort. Abstr. 67(7): 5986, 1997.
- Ben-Yehoshua, S., V. Rodov, S. Fishman, and J. Peretz. 1998. Recent developments in modified-atmosphere packaging of fruit and vegetables: reducing condensation of water in bell peppers and mangoes, pp. 495-404-. In: Ben-Yehoshua. (ed.). 14 th International congress on plastic in agriculture. Laser Pages Publishing, Jerusalem, Israel. c. a. Hort. Abstr. 69(4): 3160, 1999.

- Bergevin, M., G. P. L'Heureux, and C. Willemot. 1993. Tomato chilling tolerance in relation to internal atmosphere after return to ambient temperature. *HortScience* 28(2): 138-140.
- Bhagwan, A., Y. N. Reddy, and P. V. Rao. 2000. Postharvest application of polyamines to improve the shelf-life of tomato fruit. *Indian J. Hort.* 133-138.
- Bhatnagar, D. K. and N. K. Sharma. 1997. Storage studies in different bottle gourd cultivars. *Haryana Agricultural University Journal of Research* 27(1): 15-18. c. a. *Hort. Abstr.* 68(4): 3138; 1997.
- Bi, Y., S. P. Tian, Y. R. Guo, Y. H. Ge, and G. Z. Qin. 2006. Sodium silicate reduces postharvest decay on hami melons: induced resistance and fungistatic effects. *Plant Dis.* 90(3): 279-283.
- Biles, C. L., M. M. Wall, and K. Blackstone. 1993. Morphological and physiological changes during maturation of New Mexican type peppers. *J. Amer. Soc. Hort. Sci.* 118(4): 476-480.
- Blanke, M. M. and P. A. Holthe. 1997. Bioenergetics, maintenance respiration and transpiration of pepper fruits. *J. Plant Phys.* 150(3): 247-250.
- Bokshi, A. I., S. C. Morris, R. M. McConchie, and B. J. Deverall. 2006. Preharvest application of 2,6-dichloroisonicotinic acid, β -aminobutyric acid or benzothiadiazole to control post-harvest storage diseases of melons by inducing systemic acquired resistance (SAR). *J. Hort. Sci. Biotechnol.* 81(4): 700-706.
- Bosland, P. W. and E. J. Votava. 2000. *Peppers: vegetable and spice capsicums*. CABI Publishing, Wallingford UK.
- Bourgeois, G., S. Jenni, H. Laurence, and N. Tremblay. 2000. Improving the prediction of processing pea maturity based on the growing-degree day approach. *HortScience* 35(4): 611-614.
- Bower, J., P. Holford, A. Latché, and J.-C. Pech. 2002. Culture conditions and detachment of the fruit influence the effect of ethylene on the climacteric respiration of melon. *Postharvest Biol. Technol.* 26: 135-146.
- Bower, J. H., W. V. Biasi, and E. J. Mitcham. 2003. Effects of ethylene and 1-MCP on the quality and storage life of strawberries. *Postharvest Biol. Technol.* 28: 417-423.

- Boyette, M. D., L. G. Wilson, and E. A. Estes. 1990. Postharvest cooling and handling of sweet corn. The North Carolina Agricultural Extension Service. Ag-413-4. The Internet.
- Boyette, M. D., J. R. Schultheis, E. A. Estes, W. C. Hurst, and P. E. summer. 1994. Postharvest cooling and handling of green beans and field peas. North Carolina Cooperative Extension Service. AG-413-8. The Internet.
- Brecht, J. K. 1987. Locular gel formation in developing tomato fruit and the initiation of ethylene production. HortScience 22: 476-479.
- Brecht, J. K. 1995. Physiology of lightly processed fruit and vegetables. HortScience 30(1): 18-22.
- Brecht, J. K. 2003. Harvesting and handling techniques, pp. 383-412. In: J. A. Bartz and J. K. Brecht (eds). Postharvest physiology and pathology of vegetables. Marcel Dekker, NY.
- Brecht, J. K. 2004. Sweetcorn. In: ARS, USDA, Agric. Handbook 66 revised. The Internet.
- Brecht, J. K., W. X. Chen, S. A. Sargent, K. Cordasco, and J. A. Bartz. 1999. Exposure of green tomatoes to hot water affects ripening and reduces decay and chilling injury. Proc. Florida State Hort. Soc. 112: 138-143.
- Buescher, R. W. and K. Adams. 1979. Influence of packaging and storage on quality of pre-snipped and cut snap beans. Arkansas Farm Res. 28(4): 14.
- Buescher, R. W. and J. Henderson. 1977. Reducing discoloration and quality deterioration in snap beans (*Phaseolus vulgaris*) by atmospheres enriched with CO₂. Acta Horticulturae 62: 55-59.
- Buescher, R. W., C. Reitmeier, and W. A. Sistrunk. 1974. Association of phenylalanine ammonia lyase, catecholase, peroxidase, and total phenolic content with brown-end discoloration in snap bean pods. HortScience 9: 585.
- Burger, Y. and A. A. Schaffer. 2007. The contribution of sucrose metabolism enzymes to sucrose accumulation in *Cucumis melo*. J. Amer. Soc. Hort. Sci. Vol. 132: 704-712.
- Bycroft, B. L., V. K. Corrigan, and D. E. Irving. 1999. Heat treatments increase sweetness and flesh colour of buttercup squash. New Zealand J. Crop Hort. Sci. 27(4): 265-271.

- Cabrera, R. M. and M. E. Saltveit, Jr. 1990. Physiological response to chilling temperatures of intermittently warmed cucumber fruit. *J. Amer. Soc. Hort. Sci.* 115: 256-261.
- Cabrera, R. M. and M. E. Saltveit. 1993. Characterization of fruit exudates on the chilling injury of cucumber fruits. *Acta Hort.* No. 343: 290-292.
- Cano, M. P., M. Monreal, B. de Ancos, and R. Alique. 1997. Controlled atmosphere effects on chlorophylls and carotenoids changes in green beans (*Phaseolus vulgaris* L. cv. Perona), pp. 46-52. In: Saltveit (ed.). International Controlled Atmosphere Research Conference. University of California, Davis, California.
- Cao, S. F., Z. C. Hu, and H. O. Wang. 2009. Effect of salicylic acid on the activities of anti-oxidant enzymes and phenylalanine ammonia lyase in cucumber fruit in relation to chilling injury. *J. Hort. Sci. Biotechnol.* 84(2): 125-130.
- Cantwell, M. 1996. Case study: quality assurance for melons. *Perishable Handling Newsletter* Issue No. 85: 10-12.
- Cantwell, M. 2004. Tomatillo. In: ARS, USDA Agric. Handbook 66 revised. The Internet.
- Cantwell, M. 2007. Bell pepper: recommendation for maintaining postharvest quality. *Produce Facts, Postharvest Technology Research & Information Center, University of California, Davis.*
- Cantwell, M. 2007. Tomatillo (husk tomato) – Recommendations for maintaining postharvest quality. *Postharvest Technology Research & Information Center, University of California, Davis. The Internet.*
- Cantwell, M. and S. Portela. 1998. The importance of raw material quality for fresh-cut products: the impact of melon defect as an example. *Perishables Handling Quarterly* Issue No. 96: 2-3.
- Cantwell, M. and T. V. Suslow. 2007. Eggplant: recommendations for maintaining postharvest quality. *Postharvest Technology Research & Information Center, University of California, Davis. The Internet.*
- Cantwell, M. T. Suslow. 2007. Okra: recommendations for maintaining postharvest quality. *Postharvest Technology Research & Information Center. University of California, Davis. The Internet.*

- Cantwell, M. and T. Suslow. 2007. Snap beans: recommendations for maintaining postharvest quality. Postharvest Technology Research & Information Center, UC, Davis. The Internet.
- Cantwell, M. and A. Thangaiah. 2001. Delays to cool affect visual quality, firmness and gloss of bell peppers and eggplants. *Perishables Handling Quarter*. Issue No. 107: 17-20.
- Cantwell, M., T. Flores-Minutti, and A. Trejo-González. 1992. Developmental changes and postharvest physiology of tomatillo fruits (*Physalis ixocarpa* Brot.). *Scientia Horticulturae* 50: 59-70.,
- Catalano, A. E., A. Schiliro, A. Todaro, R. Palmeri, and G. Spagna. 2007. Enzymatic degradations on fresh-cut eggplants differently packaged. *Acta Hort.* No. 746.
- Chaiprasart, P., C. Hansawasdi, and N. Pipattanawong. 2006. The effect of chitosam coating and calcium chloride treatment on postharvest qualities of strawberry fruit (*Fragaria ×ananassa*). *Acta Hort.* 708: 337-342.
- Charles, M. T., J. Mercier, J. Makhlof, and J. Arul. 2008a. Physiological basis of UV-C-induced resistance to *Botrytis cinerea* in tomato fruit. I. Role of pre- and post-challenge accumulation of the phytoalexin-riřitin. *Postharvest Biol. Technol.* 47(1): 10-20.
- Charles, M. T., N. Benhamou, and J. Arul. 2008b. Physiological basis of UV-C-induced resistance to *Botrytis cinerea* in tomato fruit. III Ultrastructural modifications and their impact on fungal colonization. *Postharvest Biol. Technol.* 47(1): 27-40.
- Charles, M. T., A. Goulet, and J. Arul. 2008c. Physiological basis of UV-C-induced resistance to *Botrytis cinerea* in tomato fruit. IV. Biochemical modifications of structural barriers. *Postharvest Biol. Technol.* 47(1): 41-53.
- Charles, M. T., K. Tano, A. Asselin, and J. Arul. 2009. Physiological basis of UV-C - induced resistance to *Botrytis cinerea* in tomato fruit. Constitutive defence enzymes and inducible pathogenesis-related proteins. *Postharvest Biol. Technol.* 51(3): 414-424.
- Chen, F. H., W. Y. Zhang, and G. B. Wu. 1994. Physiological response of alternating-temperature treated sweet peppers to chilling stress. (In Chinese with English summary). *Acta Hort. Sinica* 21(4): 361-356. c. a. Hort. Abstr. 65(9): 8019, 1995.

- Cheng, J., H. Shen, X. Yang, S. Yu, L. Yuan, Z. Sun, and X. Sun. 2009. Changes in biochemical characteristics related to firmness during fruit development of pepper (*Capsicum annuum* L.). *European J. Hort. Sci.* Vol. 74.
- Cho, M. A., B. M. Hurr, J. Jeong, C. Lim, and D. J. Huber. 2008. Postharvest senescence and deterioration of 'Thoroughbred' and 'Carlo' green beans (*Phaseolus vulgaris* L.) in response to 1-methylcyclopropene. *HortScience* Vol. 43: 427-430.
- Choi, S. T. and D. J. Huber. 2008. Influence of aqueous 1-methylcyclopropene concentration, immersion duration, and solution longevity on the postharvest ripening of breaker-turning tomato (*Solanum lycopersicum* L.) fruit. *Postharvest Biol. Technol.* 49(1): 147-154.
- Choi, S. T., O. Tsovaltzis, C. I. Lim, and D. J. Huber. 2008. Suppression of ripening and induction of asynchronous ripening in tomato and avocado fruits subjected to complete or partial exposure to aqueous solutions of 1-methylcyclopropene. *Postharvest Biol. Technol.* 48(2): 206-214.
- Choi, S. T., D. J. Huber, J. G. Kim, and Y. P. Hong. 2009. Influence of chlorine and mode of application on efficacy of aqueous solutions of 1-methylcyclopropene in delaying tomato (*Solanum lycopersicum* L.) fruit ripening. *Postharvest Biol. Technol.* 53(1-2): 16-21.
- Chomchalow, S., N. M. El Assi, S. A. Sargent, and J. K. Brecht. 2002. Fruit maturity and timing of ethylene treatment affect storage performance of green tomatoes at chilling and nonchilling temperatures. *HortTechnology* 12(1): 104.
- Civello, P. M., G. A. Martinez, A. R. Chaves, and M. C. Anon. 1997. Heat treatments delay ripening and postharvest decay of strawberry fruit. *J. Agric. Food Chem.* 45(12): 4589-4594.
- Cliff, M., S. Lok, C. Lu, and P. M. A. Toivonen. 2009. Effect of 1-methylcyclopropene on the sensory, visual, and analytical quality of greenhouse tomatoes. *Postharvest Biol. Technol.* 53(1-2): 11-15.
- Cohen, J. D. 1996. In vitro tomato fruit cultures demonstrate a role for indole-3-acetic acid in regulating fruit ripening. *J. Amer. Soc. Hort. Sci.* 121(3): 520-524.
- Costa, M. A. C., J. K. Brecht, S. A. Sargent, and D. J. Huber 1994. Tolerance of snap beans to elevated CO₂ levels. *Proc. Florida State Hort. Soc.* 107: 271-273.

- Coté, F., J. E. Thompson, and C. Willemot. 1993. Limitation to the use of electrolyte leakage for the measurement of chilling injury in tomato fruit. *Postharvest Biology and Technology* 3(2): 103-110.
- Craft, C. C. and P. H. Heinze. 1954. Physiological studies of mature-green tomatoes in storage. *Proc. Amer. Soc. Hort. Sci.* 64: 343-350.
- Czapski, J. and M. Saniewski. 1992. Stimulation of ethylene production and ethylene-forming enzyme activity in fruits of the non-ripening nor and rin tomato mutants by methyl jasmonate. *Journal of Plant Physiology* 139(3): 265-268.
- Dal Bell, G., C. Mónaco, M. C. Rollan, G. Lampugnani, N. Arteta, C. Abramoff, L. Ronco, and M. Stocco. 2008. Biocontrol of Postharvest grey mould on tomato by yeasts. *J. Phytopathol.* 156(5): 257-263.
- Daood, H. G., M. Vinkler, F. Markus, E. A. Eebshi, and P. A. Biacs. 1996. Antioxidant vitamin content of spice red pepper (paprika) as affected by technological and varietal factors. *Food Chemistry* 55(4): 365-372.
- Davis, J. M., and R. G. Gardner. 1994. Harvest maturity affects fruit yield, size, and grade of fresh-market tomato cultivars. *HortScience* 29(6): 613-615.
- DeEll, J. R. 2004. Leek. In: *ARS, USDA Agric. Handbook 66 revised. The Internet.*
- DeEll, J. R., C. Vigneault, and S. Lemerre. 2000. Water temperature for hydrocooling field cucumbers in relation to chilling injury during storage. *Postharvest Biol. Technol.* 18: 27-32.
- De León-Sánchez, F. D. et al. 2009. Effect of refrigerated storage on aroma and alcohol dehydrogenase activity in tomato fruit. *Postharvest Biol. Technol.* 54(2): 93-100.
- Deswarte, C. J., M. A. Martinez-Tellez, A. A. Gardea, J. N. Mercado, and I. Vargas. 1995. Thermal conditioning to reduce chilling injury in zucchini and its effect on phenol metabolism enzymes. (In Spanish with English summary). *Proceedings of the Interamerican Society for Tropical Horticulture* 39: 33-38.
- de Wild, H. P. J., P. A. Balk, E. C. A. Fernandes, and H. W. Peppelenbos. 2005. The action site of carbon dioxide in relation to inhibition of ethylene production in tomato fruit. *Postharvest Biol. Technol.* 36: 273-280.

- Diaz-Pérez. J. C. 1998. Packaging of 'Classic' and 'Japanese' aubergines (*Solanum melongena* L.) with polyethylene films (In Spanish with English summary). *Agrociencia* 32(1): 71-74. c. a. Hort. Abstr. 69(4): 3165, 1999.
- Dodds. G. T., L. Trenholm, and C. A. Madramootoo. 1996. Effects of watertable and fertilizer management on susceptibility of tomato to chilling injury. *J. Amer. Soc. Hort. Sci.* 121(3): 525-530.
- Dostal, H. C. and G. E. Wilcox. 1971. Chemical regulation of fruit ripening of field-grown tomatoes with (2-chloroethyl) phosphonic acid. *J. Amer. Soc. Hort. Sci.* 96: 656-660.
- Dris, R., R. Niskanen, and S. M. Jain. 2001. Crop management and postharvest handling of horticultural products. Vol. 1. Quality management. Science Publishers, Inc., Enfield, NH, USA. 364 p.
- Du, J. H., M. R. Fu, M. M. Li, and W. Xia. 2007. Effects of chlorine dioxide gas on postharvest physiology and storage quality of green bell pepper (*Capsicum frutescens* L. var. *longrum*). *Agr. Sci. China* 6(2): 214-219.
- Dvir, O. et al. 2009. Low humidity after harvest changes abscission site in bunch cherry tomatoes. *Sci. Food Agric.* 89(9): 1519-1525.
- Edelstein, M., H. Nerson, and H. S. Paris. 1989. Quality of spaghetti squash as affected by fruit maturity, storage period, and cooking duration. *Acta Horticulturae* No. 258: 543-545.
- Edmond, J. B., T. L. Senn, F. S. Andrews, and R. G. Halfacre. 1975. *Fundamentals of horticulture*. (4th ed.). McGraw-Hill Book Co., N. Y. 560 p.
- Edwards, M. and R. Blennerhassett. 1994. Evaluation of wax to extend the postharvest storage life of honeydew melons (*Cucumis melo* L. var. *inodorus* Naud.). *Australian Journal of Experimental Agriculture* 34(3): 427-429.
- El Assi, N., D. J. Huber, and J. K. Brecht. 1997. Irradiation-induced changes in tomato fruit pericarp firmness, electrolyte efflux, and cell wall enzyme activity as influenced by ripening stage. *J. Amer. Soc. Hort. Sci.* 122(1): 100-106.
- El Ghouth, A., J. Arul, and R. P. M. Boulet. 2007. Use of chitosan coating to reduce water loss and maintain quality of cucumber and bell pepper fruits. *J. Food Proc. Preservation* 15(5): 359-368.

- Elkashif, M. E., D. J. Huber, and J. K. Brecht. 1989. Respiration and ethylene production in harvested watermelon fruit: evidence for nonclimacteric respiratory behavior. *J. Amer. Soc. Hort. Sci.* 114: 81-85.
- Erkan, M., S. Y. Wang, and C. Y. Wang. 2008. Effect of UV treatment on antioxidant capacity in strawberry fruit. *Postharvest Biology and Technology* 48(2): 163-171.
- Ezura, H. and W. O. Owino. 2008. Melon, an alternative model plant for elucidating fruit ripening. *Plant Sci.* 175(1-2): 121-129.
- Fallik, E., J. Klein, S. Grinberg, E. Lomaniec, S. Lurie, and A. Lalazar. 1993. Effect of postharvest heat treatment of tomatoes on fruit ripening and decay caused by *Botrytis cinerea*. *Plant Disease* 77(10): 985-988.
- Fallik, E., N. Temkin-Gorodeiski, S. Grinberg, I. Rosenberger, B. Shapiro, and A. Apelbaum. 1994. Bulk packaging for the maintenance of eggplant quality in storage. *J. Hort. Sci.* 69(1): 131-135.
- Fallik, E., Y. Aharoni, S. Grinberg, A. Copel, and J. D. Klein. 1994. Postharvest hydrogen peroxide treatment inhibits decay in eggplant and sweet red pepper. *Crop Protection* 13(6): 451-454.
- Fallik, E., N. Temkin-Gorodeiskin, S. Grinberg, and H. Davidson. 1995. Prolonged low-temperature storage of eggplants in polyethylene bags. *Pastharvest Biology and Technology* 5(1/2): 83-89.
- Fallik, E., S. Grinberg, S. Alkalai, and S. Lurie. 1996. The Effectiveness of postharvest hot water dipping on the control of grey and black moulds in sweet red pepper (*Capsicum annum*). *Plant Pathology* 45(4): 644-649.
- Fallik, E., S. Grinberg, and O. Ziv. 1997. Potassium bicarbonate reduces postharvest decay development on bell pepper fruit. *J. Hort. Sci.* 72(1): 35-41.
- Fallik, E., S. Grinberg, S. Alkalai, O. Yekutieli, A. Wiseblum, R. Regev, H. Beres, and E. Bar-Lev. 1999. A unique rapid hot water treatment to improve storage quality of sweet pepper. *Postharvest Biology and Technology* 15(1): 25-32.
- Fallik, E. A. et al. 2000. Reduction of postharvest losses of galia melon by short hot-water rinse. *Plant Pathology* 49(3): 333-338.
- Fallik, E., Z. Ilic, S. Alkalai-Tuvia, A. Copel, and Y. Polevaya. 2002. A short hot water rinsing and brushing reduces chilling injury and enhances

- resistance against *Botrytis cinerea* in fresh harvested tomato. Adv. Hort. Sci. 16(1): 3-6.
- Fallik, E., Y. Polevoya, S. Tuvia-Alkalai, Y. Shalom, and H. Zuckermann. 2003. A 24-h anoxia treatment reduces decay development while maintaining tomato fruit quality. Postharvest Biology and Technology 29: 233-236.
- Fallik, E., Y. Shalom, S. Alkalai-Tuvia, O. Larkov, E. Brandies, and U. Ravid. 2005. External, internal and sensory traits in Galia-type melon treated with different waxes. Postharvest Biol. Technol. 36: 69-75.
- Fallik, E., V. Rodov, B. Horev, S. Sela, S. Alkalai-Tuvia, and Y. Vinokur. 2007. Hot water rinsing and brushing technology for the fresh-cut industry. Acta Hort. 746: 229-239.
- Fan, H., S. Q. Feng, and Y. M. Zhao. 1996. The correlation of polyamines with chilling injury of cucumber and tomato and the treatments for alleviating chilling injury. (In Chinese with English summary). Journal of China Agricultural University 1(1): 108-112. c. a. Hort. Abst. 67(11): 9486, 1997.
- Fan, Y., Y. Xu, D. Wang, L. Zhang, J. Sun, L. Sun, and B. Zhang. 2009. Effect of alginate coating combined with yeast antagonist on strawberry (*Fragaria ×ananassa*) preservation quality. Postharvest Biol. Technol. 53(1-2): 84-90.
- Farag, K. M. and J. P. Palta. 1993. Use of natural lipids to accelerate ripening and enhance storage life of tomato fruit with and without ethephon. HortTechnology 3(1): 62-65.
- Felkey, K., D. L. Archer, J. A. Bartz, R. M. Goodrich, and K. R. Schneider. 2006. Chlorine disinfection of tomato surface wounds contaminated with *Salmonella* spp. HortTechnology 16(2): 253-256.
- Fernández-Trujillo, J. P., J. F. Nock, and C. B. Watkins. 1999. Fermentative metabolism and organic acid concentrations in fruit of selected strawberry cultivars with different tolerances to carbon dioxide. J. Amer. Soc. Hort. Sci. 124(6): 696-701.
- Ferrante, A., A. Spinardi, T. Maggiore, A. Testoni, and P. M. Gallina. 2008. Effect of nitrogen fertilization levels on melon fruit quality at the harvest time and during storage. J. Sci. Food Agr. 88(4): 707-713.

- Ferreira, M. D., J. K. Brecht, S. A. Sargent, and J. J. Aracena. 1994. Physiological responses of strawberry to film wrapping and precooling methods. *Proceedings of the Florida State Horticultural Society* 107: 265-269.
- Ferreira, M. D., J. B. Brecht, S. A. Sargent, and C. K. Chandler. 2006. Hydrocooling as an alternative to forced-air cooling for maintaining fresh-market strawberry quality. *HortTechnology* Vol. 16: 659-666.
- Flores, F., C. Martinez, F. Romojaro, M. Guis, M. Ben Amor, J. C. Pech, and A. Latché. 1998. Biochemical features of antisense ACC oxidase cantaloupe charantais melons, p. 110. In: COST 915, consumer oriented quality improvement of fruit and vegetable products. Polytechnic University of Madrid, Spain.
- Flores, F. et. al. 2002. Role of ethylene in the biosynthetic pathway of aliphatic ester aroma volatiles in charantais cantaloupe melons. *J. Exp. Bot.* 53(367): 201-206.
- Fonseca, J. M., J. W. Rushing, and R. F. Testin. 2004. The anaerobic compensation point for fresh-cut watermelon and implications for postprocess handling. *HortScience* 39(3): 562-566.
- Freire, J. R. M. and C. F. Robbs. 2000. Isolation and identification of pathogenic bacteria in minimal processed hydroponic lettuce. *Alimentaria* 37(309): 55-60. c. a. Hort. Abstr. 70(8): 6732; 2000.
- Frezza, D., S. Moccia, G. Trinchero, A. Frascina, and A. Chiesa. 1998. MAP: polyolefin and PVC films on the quality and shelf life of tomatoes (1), pp. 513-520. In: S. Ben-Yehoshua (ed.). Fourteenth International Congress on Plastics in Agriculture. Laser Pages Publishing, Jerusalem, Israel.
- Fuchs, Y., A. Weksler, I. Rot, E. Pesis, and E. Fallik. 1995. Keeping quality of cherry tomatoes designated for export. *Acta Hort.* No. 398: 257-264.
- Gaffe, J., D. M. Tieman, and A. K. Handa. 1994. Pectin methylesterase isoforms on tomato (*Lycopersicon esculentum*) tissues. Effects of expression of a pectin methylestrase antisense gene. *Plant Physiology* 105 (1): 199-203.
- Gal, S., S. Alkalai-Tuvia, Y. Elkind, and E. Fallik. 2006. Influence of different concentrations of 1-methylcyclopropene and times of exposure

- on the quality of □Galia□- type melon harvested at different stages of maturity. J. Hort. Sci. Biotechnol. 81 (6): 975-982.
- Garcia, J. M., J. M. Ballesteros, and M. A. Albi. 1995. Effect of foliar applications of CaCl₂ on tomato stored at different temperatures. J. Agric. Food Chem. 43 (1): 9-12.
- Garcia, J. M. and M. Olias. 1998. Strawberry packing for the fresh market. (In Spanish). Horticultura Internacional 6 (20): 33-36, 38. c.a. Hort. Abstr. 69(4): 2948; 1999.
- Garcia, J. M., C. Aguilera, and A. M. Jiménez. 1996. Gray mold infection and quality of strawberry fruit following postharvest heat treatment. HortScience 31(2): 255-257.
- Garcia, M. A., M. N. Martino, and N. E. Zaritzky. 1998. Plasticized starch-based coatings to improve strawberry (*Fragaria xananassa*) quality and stability. Journal of Agricultural and Food Chemistry 46(9): 3758-3767.
- Garcia, J. M., R. J. Medina, and J. M. Olias. 1998. Quality of strawberries automatically packed in different plastic films. Journal of Food Science 63(6): 1037-1041.
- Gersch, K. P., C. E. Motsembocker, and G. A. Long. 1998. Anatomical description of the fruit-receptacle detachment area in cayenne pepper. J. Amer. Soc. Hort. Sci. 123(4): 550-555.
- Gherbin, P., K. Gulfo, and E. Tarantino. 2000. Growth pattern of okra pods: biometric and qualitative aspects. (In Italian with English summary). Italus Hortus 7(5): 8-16. c. a. Hort. Abstr. 71(3): 2400; 2001.
- Ghaouth, A. E., J. Arul, C. Wilson, and N. Benhamou. 1997. Biochemical and cytochemical aspects of the interactions of chitosan and *Botrytis cinerea* in bell pepper fruit. Postharvest Biology and Technology 12(2): 183-194.
- Gichohi, E. G. and M. K. Pritchard. 1995. Storage temperature and maleic hydrazide effects on sprouting, sugars, and fry color of Shepody potatoes. Amer. Potato J. 72(12): 737-747.
- Gladon, R. J., C. A. Reitmeier, M. L. Gleason, G. R. Nonnecke, N. H. Agnew, and D. G. Olson. 1997. Irradiation of horticultural crops at Iowa State University. HortScience 32(4): 582-585.
- Gómez, P. et al. 2009. Structural changes, chemical composition and

- antioxidant activity of cherry tomato fruits (cv. Micro-Tom) stored under optimal and chilling conditions. *J. Sci. Food Agric.* 89(9): 1543-1551.
- Gomcz-Ladron de Guevara, R., V. Parra-Lopez, J. E. Pardo-Gonzalez, M. L. A. Saus, and R. Varon-Castellanos. 1998. Influence of storage conditions on pigment degradation in paprikas from different greenhouse pepper cultivars. *J. Sci. Food Agric.* 78(3): 321-328.
- Gonnella, M. et al. 2009. Yield and quality of early potato cultivars in relation to the use of glufosinate-ammonium as desiccant *J. Sci. Food Agr.* 89(5): 855-860.
- González-Aguilar, G. A. 2004. Pepper. In: ARS, USDA Agric. Handbook 66 revised. The Internet.
- Gonzalez, G. and M. Tiznado. 1993. Postharvest physiology of bell peppers stored in low density polyethylene bags. *Lebensmittel-Wissenschaft & Technologie* 26(5): 450-455.
- González-Aguilar, G. A., R. Cruz, R. Baez, and C. Y. Wang. 1999. Storage quality of bell peppers pretreated with hot water and polyethylene packaging. *J. Food Quality* 22(3): 287-299.
- González-Aguilar, G. A., L. Gayosso, R. Cruz, J. Fortiz, R. Báez, and C. Y. Wang. 2000. Polyamines induced by hot water treatments reduce chilling injury and decay in pepper fruit. *Postharvest Biology and Technology* 18: 19-26.
- Gould. W. A. 1974. Tomato production, processing and quality evaluation. The AVI Pub. Co., Inc.. Westport. Conn. 445. p.
- Grevsen, K. and J.N. Sorensen. 2004. Sprouting and yield in bulb onions (*Allium cepa* L.) as influenced by cultivar, plant establishment methods, maturity at harvest and storage conditions. *J. Hort. Sci. Biotechnol.* 79(6): 877-884.
- Grierson, D. and A. A. Kader. 1986. Fruit ripening and quality. p. 241-280. In: J. G. Atherton and J. Rudich (eds.) The tomato crop. Chapman and Hall, London.
- Gross, K. C. and S. J. Wallner. 1979. Degradation of cell wall polysaccharides during tomato fruit ripening. *Plant Physiology* 63: 117-120.
- Grzegorzewska, M., F. Adamicki, and K. Elkner. 1998. Comparison of

- storage ability of some Chinese cabbage cultivars (*Brassica rapa* L. var. *pekinensis* (Lour.) Olsson) from spring, summer and autumn production. Vegetable Crops Research Bulletin 49: 95-106. c. a. Hort. Abstr. 69(7): 5939; 1999.
- Guis, M., R. Botondi, A. Ben-Amor, R. Ayub, M. Bouzayen, J. C. Pech, and A. Latché. 1997. Ripening-associated biochemical traits of cantaloupe charantais melons expressing an antisense ACC oxidase transgene. J. Amer. Soc. Hort. Sci. 122(6): 748-751.
- Guo, X., J. Chen, R. E. Bracket, and L.R. Beuchat. 2002. Survival of *Salmonella* on tomatoes at high relative humidity, in soil, and in tomatoes in contact with soil. J. Food Prot. 65(2): 274-279.
- Guzmán, I.L. 1997. Food safety and fresh-cut cantaloupe. Preshables Handling Quarterly (UC, Davis) 91: 13-14.
- Hakim, A., I. Voipio, and E. Kaukovirta. 1995. Heat stress and chilling sensitivity of different ripening classes of tomatoes. Acta Hort. No. 412: 209-214.
- Hakim, A., E. Kaukovirta, E. Pehu, and I. Voipio. 1996. Qualities of heat treated tomatoes after storage. Acta Hort. No. 429: 473-479.
- Hakim, A., E. Kaukovirta, E. Pehu, and L. Voipio. 1997. Effect of hot water, immersion time, and length of storage on chilling injury of tomato fruit. J. Veg. Crop Prod. 3(2): 17-27.
- Hakim, A., E. Kaukovirta, E. Pehu, I. Voipio, and A. C. Purvis. 1997. Reducing chilling injury of cold-stored tomato fruit by intermittent warming. Adv. Hort. Sci. 11(3): 142-146.
- Hall, R. H. 1968. Fruit & vegetable facts & pointers: sweet corn. United fresh Fruit and Vegetable Association. Alexandria, Virginia. 22p.
- Hamaizu. Y., Y. Miyamoto, and K. Chachin. 1994. Effect of high temperatures on the change of carotenoid contents in tomato fruit after harvest. (In Japanese with English summary). J. Jap. Soc. Hort. Sci. 63(3): 675-684. (c. a. Hort. Abstr. 65(8): 7129;1995).
- Han, C., Y. Zhao, S. W. Leonard, and M. G. Traber. 2004. Edible coatings to improve storability and enhance nutritional value of fresh and frozen strawberries (*Fragaria × ananassa*) and raspberries (*Rubus ideaus*). Postharvest Biology and Technology 33: 67-78.

- Hancock, J. F. 1999. Strawberries. CABI Publishing, CAB International, Wallingford. UK 237 p.
- Harker, F. R., J. J. Elgar, C. B. Watkins, P. J. Jackson, and I. C. Hallett. 2000. Physical and mechanical changes in strawberry fruit after high carbon dioxide treatments. *Postharvest Biol. Technol.* 19: 139-146.
- Harvey, E. M. 1931. A Preliminary report on the vegetable growth of okra in relation to the production of varying amounts of reproduction tissue. *Oreg. Exp. Sta. Bull.* 284.
- Harvey, W. J., D. G. Grant, and J. P. Lammerink. 1997. Physical and sensory changes during the development and storage of buttercup squash. *New Zealand Journal of Crop and Horticultural Science* 25(4): 341-351.
- Hawthorn, L. R. and L. H. Pollard. 1954. Vegetable and flower seed production. The Blakiston Co., Inc., N. Y. 626 p.
- Heinze, P. H. and C. C. Crall. 1953. Effectiveness of ethylene for ripening tomatos. *Proc. Amer. Soc. Hort. Sci.* 62: 397-404.
- Henderson, J. R. and R. W. Buescher. 1977. Effects of sulfur dioxide and controlled atmospheres on broken-end discoloration and processed quality attributes in snap beans. *J. Amer. Soc. Hort. Sci.* 102(6): 768-770.
- Henderson, J. R., R. W. Buescher, and T. E. Morelock. 1997. Influence of genotype and CO₂ on discoloration, phenolic content, peroxidase, and phenolase activities in snap beans. *HortScience* 12(5): 453-454.
- Henz, G. P. and C. Silva. 1995. Conservation of aubergine fruits, cv. Cica, by refrigeration and film-wrapping. (In Portuguese with English summary). *Pesquisa Agropecuária Brasileira* 30(2): 157-162. c. a. *Hort. Abstr* 67(6): 5004; 1997.
- Hetzroni, A., J. E. Simon, M. Benady, and B. Bordelon. 1994. Electronic sensing of aromatic volatiles for quality sorting in strawberries. Paper - American Society of Agricultural Engineers No. 946029. 7 p.
- Hobson, G. E. 1987. Low-temperature injury and the storage of ripening tomatoes. *J. Hort. Sci.* 62: 55-62.
- Hodges, D. M. and G. E. Lester. 2006. Comparisons between orange- and green-fleshed non-netted and orange-fleshed netted muskmelons: antioxidant changes following different harvest and storage periods. *J. Amer. Soc. Hort. Sci.* 131(1).

- Hoerberichts, F. A., L. H. W. van der Plas, and E. J. Woltering. 2002. Ethylene perception is required for the expression of tomato ripening-related genes and associated physiological changes even at advanced stages of ripening. *Postharvest Biol. Technol.* 26: 125-133.
- Hoffman, J. C. 1971. Injury of snap bean pods associated with machine harvesting and handling. *J. Amer. Soc. Hort. Sci.* 96: 21-24.
- Holcroft, D. M. and A. A. Kader. 1999a. Carbon dioxide-induced changes in color and anthocyanin synthesis of stored strawberry fruit. *HortScience* 34(7): 1244-1248.
- Holcroft, D. M. and A. A. Kader. 1999b. Controlled atmosphere induced changes in pH and organic acid metabolism may affect color of stored strawberry fruit. *Postharvest Biology and Technology* 17(1): 19-32.
- Hong, J. H. and K. C. Gross. 1998. Surface sterilization of whole tomato fruit with sodium hypochlorite influence subsequent postharvest behavior of fresh-cut slices. *Postharvest Biol. Technol.* 13(1): 51-58.
- Hong, J. H. and K. C. Gross. 2000. Involvement of ethylene in development of chilling injury in fresh-cut tomato slices during cold storage. *J. Amer. Soc. Hort. Sci.* 125(6): 736-741.
- Hong, J. H. and S. K. Lee. 1995. Changes in cell wall materials of tomato fruits during ripening. (In Korean with English summary). *J. Korean Soc. Hort. Sci.* 36(1): 57-61. (c. a. Hort. Abstr. 65: 6072; 1995).
- Hong, J. H. and S. K. Lee. 1996. Effect of ethanol treatment on the ripening of tomato fruit. *J. Korean Soc. Hort. Sci.* 37(2): 193-196.
- Hong, H. H. S. J. Hong, S. K. Lee, and J. K. Kim. 1995. Effect of nutrient calcium on the ripening of tomato fruit. (in Korean with English summary). *J. Korean Soc. Hort. Sci.* 36(5): 595-600/ (c. a. Hort. Abstr. 66: 1473, 1996).
- Hong, J. H., S. K. Lee, and J. K. Kim. 1995. Ethanol inhibits ripening of tomato fruit. *Acta Hort.* No. 398: 147-157.
- Hong, S. J., S. K. Lee, and J. K. Kim. 1996. Changes in cell wall carbohydrates and glycanase activity and their relationship to the ripening of tomato fruits. *J. Korean Soc. Hort. Sci.* 37(3): 380-385.
- Hong, J. H., D. J. Mills, C. B. Coffman, J. D. Anderson, M. J. Camp, and K.

- C. Gross. 2000. Tomato cultivation systems affect subsequent quality of fresh-cut fruit slices. *J. Amer. Soc. Hort. Sci.* 125(6): 729-735.
- Howard, L. R. and C. Hernandez-Brenes. 1998. Antioxidant content and market quality of jalapeno pepper rings as affected by minimal processing and modified atmosphere packaging *J. Food Quality* 21(4): 317-327.
- Huang, Y., B. J. Deverall, W. H. Tang, W. Wang, and F. W. Wu. 2000. Foliar application of acibenzolar-S-methyl and protection of postharvest rock melons and Hami melons from disease. *Europ. J. Plant Pathol.* 106: 651-656.
- Hwang, Y. S., Y. A. Kim, and W. S. Lee. 1999. Effect of postharvest CO₂ application time on the flesh firmness and quality in 'Nyoho' strawberries (In Korean with English summary). *J. Korean Soc. Hort. Sci.* 40(2): 179-182. *c. a. Hort. Abstr.* 69(10): 8524; 1999.
- Idle, L. E. 1950. Factors affecting the objective and organoleptic evaluation of quality in raw and canned peas. *Food Technology* 4(4): 1-9.
- Imani, Y., A. Ait-Oubahou, and M. El-Otmani. 1995. Characterization and control of chilling injury in cucumbers, pp. 241-249. In: A. Ait Oubahou and M. El-Otmani (eds.). *Postharvest physiology, pathology and technologies of horticultural commodities: recent advances.* Institut Agronomique et Veterinaire Hassan II, Agadir, Morocco. *c. a. Hort. Abstr.* 66(8): 6837; 1996.
- Inaba, M. and K. Chachin. 1998. Influence of and recovery from high-temperature stress on harvested mature green tomatoes. *HortScience* 23: 190-192.
- Inaba, M. and P. G. Crandall. 1988. Electrolyte leakage as an indicator of high-temperature injury to harvested mature green tomatoes. *J. Amer. Soc. Hort. Sci.* 133: 96-99.
- Irving, D. E., P. I. Hurst, and J. S. Ragg. 1997. Changes in carbohydrates and carbohydrate metabolizing enzymes during the development, maturation, and ripening of buttercup squash (*Cucurbita maxima* D. 'Delica'). *J. Amer. Soc. Hort. Sci.* 122(3): 310-314.
- Irving, D. E., G. J. Shingleton, and P. L. Hurst. 1999. Starch degradation in buttercup squash (*Cucurbita maxima*). *J. Amer. Soc. Hort. Sci.* 124(6): 589-590.

- Islam, M. S., T. Matsui, and Y. Hoshida. 1995. Effect of preharvest carbon dioxide enrichment on the postharvest quality of tomatoes. *J. Japanese Soc. Hort. Sci.* 64(3): 649-655. (c. a. Hort. Abstr. 66: 3269; 1996).
- Iwahori, S. and J. M. Lynos. 1970. Maturation and quality of tomatoes with preharvest treatments of 2-chloroethylphosphonic acid. *J. Amer. Soc. Hort. Sci.* 95: 88-91.
- Iwahori, Y., Y. Kanetsune, Y. Ueda, and K. Chachin 2000. Changes in hydrogen peroxide content and antioxidative enzyme activities during the maturation of sweet pepper (*Capsicum annuum* L.) fruit. *J. Jap. Soc. Hort. Sci.* 69(6): 690-695.
- Jackman, R. L., A. G. Marangoni, and D. W. Stanley. 1990. Measurement of tomato fruit firmness. *HortScience* 25: 781-783.
- Janssens, M. F. M. 1994. Development of intelligent CA storage systems for fruit and vegetables: CA containers, pp. 89-93. In: P. Eccher Zerbini et al. (eds.). *The post-harvest treatment of fruit and vegetables: controlled atmosphere storage of fruit and vegetables*. Commission of the European Communities, Brussels, Belgium. c. a. Hort. Abstr. 66(9): 7782, 1996.
- Jennings, P. and M. E. Saltveit. 1994. Temperature and chemical shocks induce chilling tolerance in germinating *Cucumis sativus* (cv. Poinsett 76) seeds. *Physiologia Plantarum* 91(4): 703-707.
- Jeong, J., J. Lee, and D. J. Huber. 2007. Softening and ripening of 'Athena' cantaloupe (*Cucumis melo* L. var. *reticulatus*) fruit at three harvest maturities in response to the ethylene antagonist 1-methylcyclopropene. *HortScience* 42: 1231-1236.
- Jeong, J., J. K. Brecht, D. J. Huber, and S. A. Sargent. 2008. Storage life and deterioration of intact cantaloupe (*Cucumis melo* L. var. *reticulatus*) fruit treated with 1-methylcyclopropene and fresh-cut cantaloupe prepared from fruit treated with 1-methylcyclopropene before processing. *HortScience* vol. 43: 435-438.
- Jiang, Y., D. C. Joyce, and L. A. Terry. 2001. 1-Methylcyclopropene treatment affects strawberry fruit decay. *Postharvest Biology and Technology* 23: 227-232.
- Jolliffe, P. A. and W. C. Lin. 1997. Predictors of shelf life in long English cucumber. *J. Amer. Soc. Hort. Sci.* 122(5): 686-690.

- Jones, H. A. and J. T. Roza. 1928. Truck crop plants. McGraw-Hill Book Co., Inc., N. Y. 538 p.
- Kader, A. A. 1991. Quality and its maintenance in relation to the postharvest physiology of strawberry, pp. 145-152. In: A. Dale and J. J. Luby (eds). The strawberry into the 21st century. Timber Press, Portland, Oregon.
- Kader, A. A., M. A. Sreves, M. Albright-Holton, L. L. Morris, and M. Algazi. 1977. Effect of fruit ripeness when picked on flavor and composition in fresh market tomatoes. J. Amer. Soc. Hort. Sci. 102(6): 724-731.
- Kader, A. A., R. F. Kasmire, F. G. Mitchell, M. S. Reid, N. F. Sommer, and J. F. Thompson. 1985. Postharvest technology of horticultural crops. Univ. Calif., Div. Agric. Natural Resources. 192 p.
- Kagan-Zur, V. and Y. Mizrahi. 1993. Long shelf-life small sized (cocktail tomatoes may be picked in bunches. Scientia Horticulturae 56(1): 31-41.
- Kahn, B. A., J. E. Motes, and N. O. Maness. 1997. Use of ethephon as a controlled abscission agent on paprika pepper. HortScience 32(2): 251-255.
- Kan, E. E. L., S. A. Sargent, A. Simonne, N. L. Shaw, and D. J. Cantliffe. 2007. Changes in the postharvest quality of Datil hot peppers as affected by storage temperature. Proc. Fla. State Hort. Sci. 120: 246-250.
- Karakurt, Y. and D. J. Huber. 2008. Cloning and characterization of differentially expressed genes in ethylene-treated watermelon fruit. Postharvest Biol. Technol. 48(3): 372-377.
- Kaynas, K., N. Surmeli, and N. Türkes. 1992. Effects of preharvest treatments of ethrel and postharvest treatments of ethrel., calcium carbide, and potassium permanaganate on ripening of some tomato varieties. (In Turkish with English summary). Bahçe 21(1-2): 13-20. (c. a. Hort. Abstr. 64: 9627; 1994).
- Kaynas, K., S. Ozelkok, N. Surmeli, and K. Abak. 1995. Controlled and modified atmosphere storage of eggplant (*Solanum melongena* L.) fruits. Acta Horticulturae No. 412: 143-151.
- Kesta, S. and B. Chutichudet. 1994. Pod growth, development, biochemical changes and maturity indices of okra cv. OK#2. Acta Hort. No. 369: 368-377.

- Kim, G. H. and R. B. H. Wills. 1998. Interaction of enhanced carbon dioxide and reduced ethylene on the storage life of strawberries. *J. Hort. Sci. Biotechnol.* 73(2): 181-184.
- Khosroshahi, M. R. Z., M. Esna-Ashari, and A. Ershadi. 2007. Effect of exogenous putrescine on post-harvest life of strawberry (*Fragaria ananassa* Duch. fruit, cultivar Selva. *Sci. Hort.* 114(1): 27-32.
- Klee, H. J., M. B. Hayford, K. A. Kretzmer, G. F. Barry, and G. M. Kishore. 1991. Control of ethylene synthesis by expression of a bacterial enzyme in transgenic tomato plants. *Plant Cell* 3(11): 1187-1193.
- Klieber, A., W. C. Lin, P. A. Jolliffe, and J. W. Hall. 1993. Training systems affect canopy light exposure and shelf life of long English cucumber. *J. Amer. Soc. Hort. Sci* 118(6): 786-790.
- Kim, H. J., J. M. Fonseca, C. Kubota, M. Kroggel, and J. H. Choi. 1969. Quality of fresh-cut tomatoes as affected by salt content in irrigation water and post-processing ultraviolet-C treatment. *J. Sci. Food Agr.* 88(11): 1969-1974.
- Kluge, R. A., V. A. Modolo, A. P. Jacomino, J. A. Scarpate Folho, J. Tessarioli Neto, and K. Minami. 1998. Behavior of three vegetable fruits subjected to intermittent warming during cold storage. (In Portuguese with English summary). *Scientia Agricola* 55(3): 473-479. *c. a. Hort. Abstr.* 69(6): 4881; 1999.
- Knowles, L., M. R. Trimble, and N. R. Knowles. 2001. Phosphorus status affects postharvest respiration, membrane permeability and lipid chemistry of European seedless cucumber fruit (*Cucumis sativus* L.). *Postharvest Biol. Technol.* 21: 179-188.
- Kondo, N., T. Fujiura, M. Monta, Y. Shibano, K. Mohri, and H. Yamada. 1995. End-effectors for cherry-tomato harvesting robot. *Acta Horticulturae* No. 399: 239-245.
- Koseki, S. and K. Itoh. 2002. Effect of nitrogen gas packaging on the quality and microbial growth of fresh-cut vegetables under low temperatures. *J. Food Prot.* 65(2): 326-332.
- Koutsos, T. V., C. A. M. Portas, E. Paroussis, and G. Paraskevopoulou-Paroussi. 1994. Changes in pH, titratable acidity and total soluble solids of processing tomato varieties in relation to fruit storage until processing. *Acta Horticulturae* No. 376: 155-162.

- Kramer, G. F. and C. Y. Wang. 1989. Reduction of chilling injury in zucchini squash by temperature management. HortScience 24: 955-996.
- Kramer, M., R. Sanders, H. Bolkan, C. Waters, R. E. Sheehy, and W. R. Hiatt. 1992. Postharvest evaluation of transgenic tomatoes with reduced levels of polygalacturonase: processing, firmness and disease resistance. Postharvest Biology and Technonogy 1(3): 241-255.
- Krumbein, A., P. Peters, and B. Bruckner. 2004. Flavour compounds and a quantitative descriptive analysis of tomatoes (*Lycopersicon esculentum* Mill.) of different cultivars in short-term storage. Postharvest Biol. Technol. 32: 15-28.
- Ku, V. V. V., R. B. H. Wills, and S. Ben-Yehoshua. 1999. 1-Methylcyclopropene can differentially affect the postharvest life of strawberries exposed to ethylene. HortScience 34(1): 119-120.
- Lacheene, Z. E. S. 1999. Reducing tomato fruit postharvest chilling sensitivity by dipping in hot calcium chloride solution. Egypt. J. Appl. Sci. 14(3): 254-275.
- Lalaguna, F. 1998. Response of 'Galia' muskmelon to irradiation as a quarantine treatment. HortScience 33(1): 118-120.
- Lamikanra, O., J. C. Chen, D. Banks, and P. A. Hunter. 2000. Biochemical and microbial changes during the storage of minimally processed cantaloupe. J. Agr. Food Chem. 48(12): 5955-5961.
- Lamont, W. J., Jr. 1999. Okra - a versatile vegetable crop. HortTechnology 9(2): 179-184.
- Lee, S. K. and A. A. Kader. 2000. Preharvest and postharvest factors influencing vitamin C content of horticultural crops. Postharvest Biol. Technol. 20: 207-220.
- Lee, S. G. and K. D. Ko. 2008. Ethophon application induces symptoms of fruit tissue degeneration in watermelon. J. Plant Biol. 51(5): 337-340.
- Lee, K. A. and Y. J. Yang. 1998. Effects of low temperature and CA on quality changes and physiological characteristics of chilling injury during storage of squash (*Cucurbita moschata*) (In Korean with English summary). J. Korean Soc. Hort. Sci. 39(4): 402-407. c. a. Hort. Abstr. 69(1): 425; 1999.
- Lee, K. A. and Y. L. Yang. 1999. Effect of prestorage temperature

- manipulations on reduction of chilling and quality retention during storage of squash (*Cucurbita moschata*). J. Korean Soc. Hort. Sc. 40(4): 416-418.
- Lee, Y. and Y. J. Yang. 1999. Effect of chemical treatments on reduction of chilling injury and physiological changes during cold storage of squash (*Cucurbita moschata*) (In Korean with English summary). J. Korean Soc. Hort. Sci. 40(6): 669-672. c. a Hort. Abstr. 70(6): 5030; 2000.
- Lee, Y. and Y. J. Yang. 1999. Physiological characteristic of chilling injury and CA effect on quality retention during cold storage of squash. Acta Hort. No. 483: 339-347.
- Lee, G. H., J. M. Bunn, Y. J. Han, and G. D. Christenbury. 1997. Ripening characteristics of light irradiated tomatoes. J. Food Sci. 62(1): 138-140.
- L'Heureux, G. P., M. Bergevin, J. E. Thompson, and C. Willenmot. 1993. Molecular species profile of membrane lipids of tomato pericarp during chilling. Acta Horticulturae No. 343: 286-287.
- Lee, E., S. A. Sargent, and D. J. Huber. 2007. Physiological changes in Roma-type tomato induced by mechanical stress at several ripening stages. HortScience 42: 1237-1242.
- Lerdthanangkul, S. and J. M. Krochta. 1996. Edible coating effects on postharvest quality of green bell peppers. J. Food Sci. 61(1): 176-179.
- Lester, G. 1998. Diurnal Growth measurements of honeydew and muskmelon fruits, HortScience 33(1): 156.
- Lester, G. E. and M. A. Grusak. 1999. Postharvest application of calcium and magnesium of honeydew and netted muskmelons: effects on tissue ion concentrations, quality, and senescence. J. Amer. Soc. Hort. Sci. 124(5): 545-552.
- Lester, G. E. and M. A. Grusak. 2004. Field application of chelated calcium: Postharvest effects on cantaloupe and honeydew fruit quality. HortTechnology 14(1): 29-38.
- Lester, G. E. and D. M. Hodges. 2008. Antioxidants associated with fruit senescence and human health: Novel orange-fleshed non-netted honey dew melon genotype comparisons following different seasonal production and cold storage durations. Postharvest Biol. Technol. 48(3): 347-354.
- Lester, G. E. and R. A. Saftner. 2008. Marketable quality and phytonutrient

- concentrations of a novel hybrid muskmelon intended for the fresh-cut industry and its parental lines: whole-fruit comparisons at harvest and following long-term storage at 1 or 5°C. *Postharvest Biol. Technol.* 48(2): 248-253.
- Lester, G. and K. Shellie. 2004. Honey dew melon. In: ARS, USDA Agric. Handbook No. 66 revised. The Internet.
- Lster, G. E., R. A. Saftner, and D. M. Hodges. 2007. Market quality attributes of orange-fleshed, non-netted honey dew melon genotypes following different growing seasons and storage temperature durations. *HortTechnology*. 17: 346-352.
- Le Strange, M., W. L. Schrader, and T. K. Hartz. 2000. Fresh-market tomato production in California. University of California, Division of Agriculture and Natural Resources. Publication 8017. 8 p.
- Lichter, A., O. Dvir, E. Fallik, S. Cohen, R. Golan, Z. Shemer, and M. Sagi. 2002. Cracking of cherry tomatoes in solution. *Postharvest Biol. Technol.* 26: 305-312.
- Lim, C. S., S. M. Kang, J. L. Cho, K. C. Gross, and A. B. Woolf. 2007. Bell pepper (*Capsicum annuum* L.) fruit are susceptible to chilling injury at the breaker stage of ripeness. *HortSciences* 42: 1659-1664.
- Lim, C. S., S. M. Kang, and J. L. Cho. 2009. Antioxidizing enzyme activities in chilling-sensitive and chilling-tolerant pepper fruit as affected by stage of ripeness and storage temperature. *J. Amer. Soc. Hort. Sci.* 134: 156-163.
- Lin, W. C. and D. L. Ehret. 1991. Nutrient concentration and fruit thinning affect shelf life of long English cucumber. *HortScience* 26: 1299-1300.
- Lin, W. C. and P. A. Jolliffe. 1995. Canopy light affects shelf life of long English cucumber. *Acta Hort.* 398: 249-255.
- Lin, W. C. and P. A. Jolliffe. 1996. Light intensity and spectral quality affect fruit growth and shelf life of greenhouse-grown long English cucumber. *J. Amer. Soc. Hort. Sci.* 121(6): 1168-1173.
- Lin, W. C. and M. E. Saltveit. 1997. Quality of winter squash affected by storage air composition and temperature. *Postharvest Horticulture Series – Department of Pomology, University of California No. 18: 78.*
- Lin, W. C., J. W. Hall, and M. E. Saltveit. 1993a. Fruit ripening affects

- chilling injury of greenhouse peppers. *Acta Horticulturae* No. 343: 225-229.
- Lin, W. C., J. W. Hall, and M. E. Saltveit. 1993b. Ripening stage affects the chilling sensitivity of greenhouse-grown peppers. *J. Amer. Soc. Hort. Sci.* 118(6): 791-795.
- Lipton, W. J. and C. Y. Wang. 1987. Chilling exposures and ethylene treatment change the level of ACC in 'Honey Dew' melons. *J. Amer. Soc. Hort. Sci.* 112: 109-112.
- Lipton, W. J., S. J. Peterson, and C. Y. Wang. 1987. Solar radiation influences solar yellowing, chilling injury, and ACC accumulation in 'Honey Dew' melons. *J. Amer. Soc. Hort. Sci.* 112: 503-505.
- Lorenz, O. A. and D. N. Maynard. 1980. (2nd ed.). *Knott's handbook for vegetable growers*, Wiley-Interscience, N. Y. 390 p.
- Lougheed, E. C. 1987. Interactions of oxygen, carbon dioxide, temperature, and ethylene that may induce injuries in vegetables. *HortScience* 22(5): 791-794.
- Lownds, N. K., M. Banaras, and P. W. Bosland. 1993. Relationship between postharvest water loss and physical properties of pepper fruit (*Capsicum annuum* L.). *HortScience* 28(12): 1182-1184.
- Lownds, N. K., M. Banaras, and P. W. Bosland. 1994. Postharvest water loss and storage quality of nine pepper (*Capsicum*) cultivars. *HortScience* 29(3): 191-193.
- Lu, C. G., H. L. Xu, and L. X. Zhou. 1995. Effect of PG activity, ACC and ethylene production in fruit ripening of tomato. (In Chinese with English summary). *Acta Horticulturae Sinica* 22(1): 57-60. (c. a. Hort. Abstr. 66: 539; 1966).
- Lu, C. G., H. L. Xu, R. C. Yang, and W. G. Yu. 1994. Storage-linked physiological characters of tomato carrying fruit ripening mutant genes and their implications in breeding (In Chinese with English summary). *Jiangsu Journal of Agricultural Sciences* 10(3): 5-10. (c. a. Plant Breed. Abstr. 65: 7626; 1995).
- Luna-Guzmán, I. and D. M. Barrett. 2000. Comparison of calcium chloride and calcium lactate effectiveness in maintaining shelf stability and quality of fresh-cut cantaloupes. *Postharvest Biol. Technol.* 19: 61-72.

- Luna-Guzmán, I., M. Cantwell, and D. M. Barrett. 1999. Fresh-cut cantaloupe: effects of CaCl₂ dips and heat treatments on firmness and metabolic activity. *Postharvest Biology and Technology* 17: 201-213.
- Luo, Y. and L. J. Mitzel. 1996. Extension of postharvest life of bell peppers with low oxygen. *J. Sci. Food Agric.* 70(1): 115-119.
- Lurie, S. and D. Klein. 1991. Acquisition of low-temperature tolerance in tomatoes by exposure to high temperature stress. *J. Amer. Soc. Hort. Sci.* 116: 1007-1012.
- Lurie, S., and R. Ronen. 1993. The effects of synthetic growth regulators on chilling injury in pepper fruit during low temperature storage. *Acta Horticulturae* No. 329: 275-277.
- Luric, S., J. D. Klein, C. Watkins, G. Ross, P. Boss. And I. F. Ferguson. 1993. Prestorage heat treatment of tomatoes prevents chilling injury and reversibly inhibits ripening. *Acta Horticulturae* No. 343: 283-285.
- Lurie, S. and A. Sabehat. 1997. Prestorage temperature manipulations to reduce chilling injury in tomatoes. *Postharvest Biology and Technology* 11(1): 57-62.
- Lurie, S., R. Ronen, and B. Aloni. 1995. Growth-regulator-induced alleviation of chilling injury in green and red bell pepper fruit during storage. *HortScience* 30(3): 558-559.
- Lurie, S., M. Laamim, Z. Lapsker, and E. Fallik. 1997. Heat treatments to decrease chilling injury in tomato fruit. Effects on lipids, pericarp lesions and fungal growth. *Physiologia Plantarum* 100(2): 297-302.
- Lurie, S., J. D. Klein, E. Fallik, and L. Varjas. 1998. Heat treatment to reduce fungal rots, insect pests and to extend storage. *Acta Hort.* No. 464: 309-313.
- Lutz, J. M. and R. E. Hardenburg. 1968. The commercial storage of fruits, vegetable and florist and nursery stocks. U. S. Dept. Agric., Agric. Handbook No. 66. 94 p.
- Madrid, R., F. Navarro, I. Collados, C. Egea, and A. L. Alarcon. 1999. Development of colour in red pepper fruits in soilless culture. *J. Hort. Sci. Biotechnol.* 74(2): 175-180.
- MAFF, Ministry of Agriculture, Fisheries and Food, UK. 1998. EC quality standards for horticultural produce: Fresh vegetables. London.

- Maharaj, R., J. Arul, and P. Nadeau. 1999. Effect of photochemical treatment in the preservation of fresh tomato (*Lycopersicon esculentum* cv. Capello) by delaying senescence. *Postharvest Biology and Technology* 15(1): 13-23.
- Mahovic, M., S. A. Sargent, and J. A. Bartz. 2007. Identifying and controlling postharvest tomato diseases in Florida. University of Florida, IFAS Extension. The Internet.
- Mahovic, M. J., R. Shukla, R. M. Goodrich-Schneider, M. V. Wood, J. K. Brecht, and K. R. Schneider. 2008. *Bacillus atrophaeus* spore survival on netted muskmelon surfaces after moist heat treatment. *HortTechnology* 18.
- Makus, D. J. and J. R. Morris. 1998. Preharvest calcium applications have little effect on mineral distribution in ripe strawberry fruit. *HortScience* 33(1): 64-66.
- Manzano, J. E. and J. Zambrano. 1995. Effect of wax coatings on the behavior of pepper at different storage temperatures. (In Spanish with English summary). *Proceedings of the Interamerican Society for Tropical Horticulture* 39: 39-45. c. a. Hort. Abstr. 67(6): 4998; 1997.
- Marshall, D. E. 1995. Mechanical pepper harvesting. 1995. *Acta Horticulturae* No. 412: 285-292.
- Marshall, D. E. and R. C. Brook. 1999. Reducing bell pepper bruising during postharvest handling. *HortTechnology* 9(2): 254-258.
- Martinez, C., G. Ros, M. J. Periago, G. Lopez, J. Ortuno, and F. Rincon. 1995. Physico-chemical and sensory quality criteria of green beans (*Phaseolus vulgaris* L.). *Lebensmittel-Wissenschaft & Technologie* 28(5): 515-520. c. a. Hort. Abstr. 67(10): 8563; 1997.
- Massey, L. M., Jr. and B. R. Chase. 1971. The effect of (2-chloroethyl) phosphonic acid on the yield and quality of processing tomatoes for juice. *HortScience* 6: 570-571.
- Mattsson, K. 1993. ACC-Levels during growth of parthenocarpic glasshouse cucumbers (*Cucumis sativus* L.). *Acta Hort.* No. 343: 1-5.
- Mayberry, K. S. and T. K. Hartz. 1992. Extension of muskmelon storage life through the use of hot water treatment and polyethylene wraps. *HortScience* 27: 324-326.
- McCollum, T. G. 1990. Gene B influence susceptibility to chilling injury in

- Cucurbita pepo*. J. Amer. Soc. Hort. Sci. 115: 618-622.
- McCollum, T. G. and R. E. McDonald. 1993. Tolerance of cucumber fruit to immersion in heated water and subsequent effects on chilling tolerance. Acta Hort. No. 343: 233-237.
- McCollum, T. G., H. Doostdar, R. T. Mayer, and R. E. McDonald. 1995. Immersion of cucumber fruit in heated water alters chilling-induced physiological changes. Postharvest Biology and Technology 6(1/2): 55-64.
- McCollum, T. G., P. J. Stoffella, C. A. Powell, D. J. Cantliffe, and S. Hanif-Khan. 2004. Effects of silverleaf whitefly feeding on tomato fruit ripening. Postharvest Biology and Technology 31: 183-190.
- McDonald, R. E., T. G. McCollum, and E. A. Baldwin. 1996. Prestorage heat treatments influence free sterols and flavor volatiles of tomatoes stored at chilling temperature. J. Amer. Soc. Hort. Sci. 121(3): 531-536.
- McDonald, R. E., T. G. McCollum, and E. A. Baldwin. 1998. Heat treatment of mature-green tomatoes: differential effects of ethylene and partial ripening. J. Amer. Soc. Hort. Sci. 123(3): 457-462.
- McGarvey, B. D., A. A. Reyes, and M. Chiba. 1994. Decline of oxamyl residues in tomatoes in cool, modified-atmosphere storage. HortScience 29(4): 297-298.
- Meir, S., I. Rosenberger, Z. Aharon, S. Grinberg, and E. Fallik. 1995. Improvement of the postharvest keeping quality and color development of bell pepper (cv. 'Maor') by packaging with polyethylene bags at a reduced temperature. Postharvest Biology and Technology 5(4): 303-309.
- Meir, S., S. Philosph-Hadas, S. Lurie, S. Droby, M. Akerman, G. Zauberman, B. Shapiro, E. Cohen, and Y. Fuchs. 1996. Reduction of chilling injury in stored avocado, grapefruit, and bell pepper by methyl jasmonate. Canad. J. Bot. 74(6): 870-874.
- Mekwatanakarn, W. and D. G. Richardson. 1997. Snap bean varietal storage life in modified atmosphere packages, pp. 59-65. In: M. E. Saltveit (ed.). International Controlled Atmosphere Research Conference. University of California, Davis, California.
- Mencarelli, F. 1987. Effect of high CO₂ atmosphere on stored zucchini squash. J. Amer. Soc. Hort. Sci. 112(6): 985-988.
- Mencarelli, F., F. Fontana, and R. Massantini. 1991. Postharvest practices to reduce chilling injury (CI) on eggplants, pp. 49-55. In: Proceedings of the

- fifth international controlled atmosphere research conference, Wenatche, Wash., U.S.A., 14-16. June, 1989. Vol. 2. Washington State University, Pullman, Washington.
- Mencarelli, F., B. Ceccantoni, A. Bolini, and G. Anelli. 1993. Influence of heat treatment on the physiological response of sweet pepper kept at chilling temperature. *Acta Horticulturae* No. 343: 238-243.
- Mercado, J. A., M. A. Quesada, V. Valpuesta, M. Reid, and M. Cantwell. 1995. storage of bell peppers in controlled atmospheres at chilling and nonchilling temperatures. *Acta Horticulturae* No. 412: 134-142.
- Miccolis, V. and M. E. Saltveit. 1995. Influence of storage period and temperature on the postharvest characteristics of six melon (*Cucumis melo* L., Inodorus Group) cultivars. *Postharvest Biology and Technology* 5(3): 211-219.
- Miller, C. H. and G. R. Hughes. 1969. Harvest indices for pickling cucumbers in once-over harvested systems. *J. Amer. Soc. Hort. Sci.* 94: 485-487.
- Minges, P. A., A. A. Muka, A. F. Sherf, and R. F. Sandsted. 1971. Vegetable production recommendations: Cornell Univ., Ithaca, N. Y. 36 p.
- Mir, N., M. Canoles, R. Beaudry, E. Baldwin, and C. P. Mehla. 2004. Inhibiting tomato ripening with 1-methylcyclopropene. *J. Amer. Soc. Hort. Sci.* 129(1): 112-120.
- Miszczak, A., C. F. Forney, and R. K. Prange. 1995. Development of aroma volatiles and color during postharvest ripening of 'Kent' strawberries. *J. Amer. Soc. Hort. Sci.* 120(4): 650-655.
- Mitcham, B. 1996. quality assurance of strawberries: a case study. *Preishables Handling Newsletter* Issue No. 85: 6-9. The Internet.
- Mitcham, E. J., C. H. Crisosto, and A. A. Kader. 2007. Strawberry: recommendations for maintaining postharvest quality. *Postharvest Technology Research & Information Center, University of California, Davis.*
- Mitchell, F. G., E. Mitcham, J. F. Thompson, and N. Welch. 1996. Handling strawberries for fresh market. University of California, Division of Agriculture and Natural Resources. Pub. 2442. 14 p.
- Moa, L., Y. Karakurt, and D. J. Huber. 2004. Incidence of water-soaking and

- phospholipids catabolism in ripe watermelon (*Citrullus lanatus*) fruit: induction by ethylene and prophylactic effects of 1-methylcyclopropene. *Postharvest Biol. Technol.* 33: 1-9.
- Moelich, D. H., M. C. Dodd, and M. Huysamer. 1996. Fruit maturity studies in 'Galia 5' and 'Doral' melons. I. temperature relations between chemical, physical and physiological maturity indices. *J. South African Soc. Hort. Sci.* 6(2): 59-63.
- Moelich, D. H., M. C. Dodd, and M. Huysamer. 1996. Fruit studies in 'Galia 5' and 'Doral' melons. II. The effect of harvest maturity on the postharvest quality after simulated shipping. *J. South African Soc. Hort. Sci.* 6(2): 64-68.
- Monreal, M., B. De Ancos, and M. P. Cano. 1998. Effects of critical low-oxygen atmospheres on oxydoreductases enzyme activities of cold stored green bean (*Phaseolus vulgaris* L., cv. Perona), p. 81. In: COST 915, Consumer Oriented Quality Improvement of Fruit and Vegetable Products. Polytechnic University of Madrid, Spain.
- Moretti, C. L., E. A. Baldwin, S. A. Sargent, and D. J. Huber. 2002. Internal bruising alters aroma volatile profiles in tomato fruit tissues. *HortScience* 37(2): 378-382.
- Morris, J. R. 1999. Developing mechanized system for producing, harvesting, and handling brambles, strawberries, and grapes. *HortTechnology* 9(1): 22-31.
- Morris, S. and J. Jobling. 2004. Pea. In: ARS. USDA Agric. Handbook 66 revised. The Internet.
- Motsenbocker, C. E. 1996. Detachment force and fruit characteristics of tabasco pepper at several stages of development. *HortScience* 31(7): 1231-1233.
- Moyls, A. L., P. L. Sholberg, and A. P. Gaunce. 1996. Modified-atmosphere packaging of grapes and strawberries fumigated with acetic acid. *HortScience* 31(3): 414-416.
- Mukkun, L, and Z. Singh. 2009. Methyl jasmonate plays a role in fruit ripening of 'Pajaro' strawberry through stimulation of ethylene biosynthesis. *Sci. Hort.* 123(1): 5-10.
- Murray, A. J., G. E. Hobson, W. Schuch, and C. R. Bird. 1993. Reduced

- ethylene tomatoes has differential effects on fruit processes. *Postharvest Biology and Technology* 2(4): 301-313.
- Nagao, A., T. Indou, and H. Dohi. 1991. Effects of curing conditions and storage temperature on postharvest quality of squash fruit. (In Japanese with English summary). *J. Jap. Soc. Hort. Sci.* 60(1): 175-181. *c. a. Hort. Abstr.* 64(6): 4513; 1994.
- Narciso, J. A., E. A. Baldwin, A. Plotto, and C. M. Ference. 2007. Preharvest peroxyacetic acid sprays slow decay and extend shelf life of strawberries. *HortScience* 42: 617-621.
- Navazio, J. P. and J. E. Staub. 1994. Effects of soil moisture, cultivar, and postharvest handling on pillowy fruit disorder in cucumber. *J. Amer. Soc. Hort. Sci.* 119(6): 1234-1242.
- Nelson, A. I. and M. P. Steinberg. 1970. Sweet cron, pp. 314-349. In: G. E. Inglett (ed.). *Corn: culture, processing, products*. The Avi Pub. Co., Inc., Westport, Connecticut.
- Nilsson, T. 2005. Effects of ethylene and 1-MCP on ripening and senescence of European seedless cucumbers. *Postharvest Biol. Technol.* 36: 113-125.
- Ng, T. J. and E. C. Tigchelaar. 1997. Action of the non-ripening (nor) mutant on fruit ripening of tomato. *J. Amer. Soc. Hort. Sci.* 102(4): 504-509.
- Nichols, M. A. 2006. Towards 10 t/ha brix. *Acta Hort.* 724: 217-223.
- Nigro, F., A. Ippolito, V. Lattanzio, D. D. Venere, and M. Salerno. 2000. Effect of ultraviolet-C light on postharvest decay of strawberry. *J. Plant Path.* 82(1): 29-37.
- Nothmann, J. 1986. Eggplant, pp. 145-152. In: S. P. Monselise (ed.). *CRC handbook of fruit set and development*. CRC Press, Inc., Boca Raton, Florida.
- Ntahimpera, N., L. L. Wilson, M. A. Ellis, and L. V. Madden. 1999. Comparison of rain effects on splash dispersal of three *Colletotrichum* species infecting strawberry. *Phytophology* 89: 555-563.
- Nunes, M. C. N. and J. P. Emond. 1999. Chlorinated water treatment affects postharvest quality of green bell peppers. *J. Food Quality* 22(3): 353-361.
- Nunes, M. C. N., J. K. Brecht, A. M. M. B. Morais, and S. A. Sargent. 1996. Controlling temperature and water loss maintain vitamin C levels in strawberry during postharvest handling, pp. 322-326. In: M. P. Pritts, C.

- K. Chandler, and T. E. Crocker (eds.). Proceedings of the IV North American strawberry conference. University of Florida, Gainesville.
- Nunes, M. C. N., J. K. Brecht, A. M. M. B. Morais, and S. A. Sargent 1998. Controlling temperature and water loss to maintain ascorbic acid levels in strawberries during postharvest handling. *Journal of Food Science* 63(6): 1033-1036.
- Nunes, M. C. N., A. M. M. B. Morais, J. K. Brecht, S. A. Sargent, and J. A. Bartz. 2005. Prompt cooling reduces incidence and severity of decay caused by *Botrytis cinerea* and *Rhizopers stolonifer* in strawberry. *HortTechnology* 15(1): 153-156.
- Nunes, M. C. N., A. M. M. B. Morais, J. K. Brecht, and S. A. Sargent. 2002. Fruit maturity and storage temperature influence response of strawberries to controlled atmospheres. *J. Amer. Soc. Hort. Sci.* 127(5): 836-842.
- Obando-Ulloa, J. M. et al. 2008. Aroma volatiles associated with the senescence of climacteric or non-climacteric melon fruit. *Postharvest Biol. Technol.* 52(2): 146-155.
- Obando-Ulloa, J. M. et al. 2008. Climacteric or non-climacteric behavior in melon fruit. 1. Aroma volatiles. *Postharvest Biol. Technol.* 49(1): 27-37.
- Oeller, P. W., M. W. Lu, L. P. Taylor, D. A. Pike, and A. Thoelgis. 1991. Reversible inhibition of tomato fruit senescence by antisense R.N.A. *Science (Washington)* 254: 437-439.
- Ohta, K., N. Ito, T. Hosoki, and K. Endo. 1992. Studies on whole truss-harvesting method of cherry tomato by ethrel and abscisic acid treatments. (In Japanese with English summary). *J. Japanese Soc. Hort. Sci.* 61(1): 49-53. (c. a. Hort. Abstr. 64(10): 7989; 1994).
- Omar, S. A. and A. L. E. Mahmoud. 1994. Post-harvest of tomato in relation to lyases and mycotoxin production *in vitro* and *in vivo*. *Cryp-togamic, Mycologie* 15(4): 273-281. (c. a. Rev. Plant Path. 74: 5024; 1995).
- Ontai, S. L., R. E. Paull, and M. E. Saltveit, Jr. 1992. Controlled-atmosphere storage of sugar peas. *HortScience* 27(1): 39-41.
- Palau, E. and A. Torregrosa. 1997. Mechanical harvesting of paprika peppers in Spain. *J. Agric. Eng. Res.* 66(3): 195-201.
- Palevitch, D. 1970. Defoliation of snap beans with pre-harvest treatment of 2-chloroethylphosphonic acid. *HortScience* 5: 224-226.

- Pariasca, J. A. T., T. Miyazaki, H. Hisaka, H. Nakagawa, and T. Sato. 2000. Effect of modified atmosphere (MAP) and controlled atmosphere (CA) storage on the quality of snow pea pods (*Pisum sativum* L. var. *saccharatum*). *Postharvest Biol. Technol.* 21: 213-223.
- Park, W. P. and S. H. Cho. 1997. Effect of modified atmosphere packaging conditions on storage quality of zucchini. *Postharvest Horticulture Series - Department of Pomology, University of California No. 18:* 84-88.
- Park, K. W. and H. M. Kang. 1998. Effects of the sources and thickness of plastic films on the shelf life and quality of cucumber during modified atmosphere storage. (In Korean with English summary). *J. Korean Soc. Hort. Sci.* 39(4): 397-401. *c. a. Hort. Abstr.* 69(1): 419-1999.
- Park, H. J., M. S. Chinnan, and R. L. Shewfelt. 1994. Edible coating effects on storage life and quality of tomatoes. *Journal of Food Science* 59(3): 568-570.
- Paz, O., H. W. Janes. B. A. Prevost, and C. Frenkel. 2006. Enhancement of fruit sensory quality by post-harvest applications of acetaldehyde and ethanol. *J. Food Sci.* 47(1): 270-273.
- Pelayo-Zaldivar, C., J. Ben Abda, S. E. Ebeler, and A. A. Kader. 2007. Quality and chemical changes associated with flavor of 'Camarosa' strawberries in response to a CO₂-enriched atmosphere. *HortScience* 42(2): 299-303.
- Pérez, A. G., C. Sanz, R. Olias, J. J. Rios, and J. M. Olias. 1997. Effect of modified atmosphere packaging on strawberry quality during shelf-life. *Postharvest Horticulture Series - Department of Pomology, University of California, Davis No. 17:* 153-159.
- Perkins, D. L., J. C. Miller, and S. L. Dallyn. 1952. Influence of pod maturity on the vegetable and reproductive growth of okra. *Proc. Amer. Soc. Hort. Sci.* 60: 311-314.
- Perkins-Veazie, P. 1995. Growth and ripening of strawberry fruit. *Hort. Rev.* 17: 267-297.
- Perkins-Veazie, P. 1996. Strawberry physiology and maintenance of quality pp. 19-26. In: M. P. Pritts, C. K. Chandler, and T. E. Crocker (eds.). *Proceedings of the IV North American strawberry conference.* University of Florida, Gainesville.

- Perkins-Veazie, P. 2004. Okra: In: ARS, USDA Agric. Handbook 66 revised. The Internet.
- Perkins-Veazie, P. and J. K. Collins. 1995. Strawberry fruit quality and its maintenance in postharvest environments. *Adv. Strawberry Res.* 14: 1-8.
- Perkins-Veazie, P. and J. K. Collins. 2004. Fresh quality and lycopene stability of fresh-cut watermelon. *Postharvest Biol. Technol.* 31: 159-166.
- Perry, K. B., D. C. Sanders, D. M. Granberry, J. T. Garrett, D. R. Decoteau, R. T. Nagata, R. J. Dufault, K. D. Batal, and W. J. McLaurin. 1993. Heat units, solar radiation and daylength as pepper harvest predictors. *Agricultural and Forest Meteorology* 65(3-4): 197-205.
- Picha, D. H. 1986. Postharvest fruit conditioning reduces chilling injury in watermelons. *HortScience* 21: 1407-1409.
- Picha, D. H. 1987. Physiological factors associated with yellow shoulder expression in tomato fruit. *J. Amer. Soc. Hort. Sci.* 112: 798-801.
- Picha, D. 1997. Strategic option for the development of the Egyptian strawberry export industry. *Agricultural Technology Utilization and Transfer Project, Ministry of Agriculture and Land Reclamation, Egypt.*
- Polderdijk, J. J., H. A. M. Boerriqter, E. C. Wilkinson, J. G. Meijer, and M. F. M. Janssens. 1993. The effects of controlled atmosphere storage at varying levels of relative humidity on weight loss, softening and decay of red bell peppers. *Scientia Horticulturae* 55(3-4): 315-321.
- Poovaliah, B. W. and A. Nukaya. 1979. Polygalacturonase and cellulase enzymes in the normal Rutgers and mutant rin tomato fruits and their relationships to the respiratory climacteric. *Plant Physiol.* 64: 534-537.
- Portela, S. I. and M. I. Cantwell. 2001. Cutting blade sharpness affects appearance and other quality attributes of fresh-cut cantaloupe melon. *J. Food Sci.* 66(9): 1265-1270.
- Prabha, T. N., Bhagyalakshmi, Neelwarne, and R. N. Tharanathan. 1998. Carbohydrate changes in ripening *Capsicum annum* in relation to textural degradation. *Zeitschrift fur Lebensmittel-Untersuchung und-Forschung* 206(2): 121-125. c. a. Hort. Abstr. 68(6): 5046; 1998.
- Produce Marketing Association and United Fresh Fruit and Vegetable Association. 2005. Commodity specific food safety guidelines for the melon supply chain. Pima, Newark, DE and United, Wash., DC. The Internet.

- Protrade. 1995. Melons export manual. GTZ, Eschborn, Germany. 36 p.
- Purvis, A. C. 1994. Interaction of waxes and temperature in retarding moisture loss from and chilling injury of cucumber fruit during storage. Proceedings of the Florida State Horticultural Society 107: 257-260.
- Purvis, A. C. 2002. Diphenylamine reduces chilling injury of green bell pepper fruit. Postharvest Biology and Technology 25: 41-48.
- Radulovic, M., D. Ban, S. Sladonja, and V. Lusetic-Bursic. 2007. Changes of quality parameters in watermelon during storage. Acta Hort. 731: 451-456.
- Raffo, A., I. Baiamonte, N. Nardo, and F. Paoletti. 2007. Internal quality and antioxidants content of cold-stored red sweet peppers as affected by polyethylene bag packaging and hot water treatment. Europ. Food Res. Technol. 225(3-4): 395-405.
- Rahman, A. A., D. J. Huber, and J. K. Brecht. 1993. Respiratory activity and mitochondrial oxidative capacity of bell pepper fruit following storage under low-oxygen atmosphere. J. Amer. Soc. Hort. Sci. 118(4): 470-475.
- Ramos-Clamont, M. G. et al. 1997. Reduction of chilling injury susceptibility by polyamines application in zucchini squash (*Cucurbita pepo* L.). Proc. Interamerican Soc. Trop. Hort. 41: 18-23.
- Read, P. E. 1982. Plant growth regulator use in field-scale vegetable crops, pp. 285-296. In: J. S. McLaren (ed.). Chemical manipulation of crop growth and development. Butterworth Scientific, London.
- Reddy, M. V. B., P. Angers, F. Castaigne, and J. Arul. 2000. Chitosan effects on blackmold rot and pathogenic factors produced by *Alternaria alternata* in postharvest tomatoes. J. Amer. Soc. Hort. Sci. 125(6): 742-747.
- Reddy, M. V. B., K. Belkacemi, R. Corcuff, F. Castaigne, and J. Arul. 2000. Effect of pre-harvest chitosan sprays on post-harvest infection by *Botrytis cinerea* and quality of strawberry fruit. Postharvest Biology and Technology 20: 39-51.
- Redit, W. H. and A. A. Hamer. 1961. Protection of rail shipments of fruits and vegetables. U. S. Dept. Agr., Agr. Handbook No. 195. 108 p.
- Risse, L. A. and R. E. McDonald. 1990. Quality of supersweet corn film-wrapped in trays. HortScience 25(3): 322-324.

- Risse, L. A., D. Chun, R. E. McDonald, and W. R. Miller. 1987. Volatile production and decay during storage of cucumbers waxed, imazalil-treated and film-wrapped. *HortScience* 22: 274-276.
- Risse, L. A., J. K. Brecht, S. A. Sargent, S. J. Locascio, J. M. Crall, G. W. Elmstrom, and D. N. Maynard. 1990. Storage Characteristics of small watermelon cultivars. *J. Amer. Soc. Hort. Sci.* 115: 440-443.
- Ritenour, M. and J. A. Narciso. 2006. Postharvest calcium chloride dips of whole tomato fruit reduce postharvest decay under commercial conditions. *HortScience* 41(4): 1016-1017.
- Robinson, R. W. and D. S. Decker-Walters. 1997. Cucurbits. CAB International, Wallingford, U. K.
- Rodov, V., S. Ben-Yehoshua, T. Fierman, and D. Fang. 1995. Modified-humidity packaging reduces decay of harvested red bell pepper fruit. *HortScience* 30(20): 299-302.
- Rodov, V., A. Copel, Y. Aharoni, N. Aharoni, M. Nir, A. Shapira, and G. Gur. 1998. Modified atmosphere packaging of cucurbit vegetables. p. 19. In: COST 915, Consumer oriented quality improvement of fruit and vegetable products. Polytechnic University of Madrid, Spain.
- Rodov, V., B. Horev, Y. Vinokur, A. Copel, Y. Aharoni, and N. Aharoni. 2002. Modified-atmosphere packaging improves keeping quality of charantais-type melons. *HortScience* 37(6): 950-953.
- Rodov, V., A. Copel, N. Aharoni, Y. Aharoni, A. Wiseblum, B. Horev, and Y. Vinokur. 2000. Nested modified atmosphere packages maintain quality of trimmed sweet corn during cold storage and the shelf life period. *Postharvest Biology and Technology* 18: 259-266.
- Rodriguez, S. del C., B. Lopez, and A. R. Chaves. 1999. Changes in polyamines and ethylene during the development and ripening of eggplant fruits (*Solanum melongena*). *J. Agric. Food Chem.* 47(4): 1431-1434.
- Román-Hernandez, O. and J. S. Beaver. 1996. Optimum stage of development for harvesting green-shelled beans. *Journal of Agriculture of the University of Puerto Rico* 80(3): 89-94.
- Rosen, J. C. and A. A. Kader. 1989. Postharvest physiology and quality maintenance of sliced pear and strawberry fruits. *J. Food Sci.* 54(3): 656-659.

- Ruan, R. R., P. L. Chen, and S. Almaer. 1999. Nondestructive analysis of sweet corn maturity using NMR. *HortScience* 34(2): 319-321.
- Rubatzky, V. E. and M. Yamaguchi. 1999. *World vegetables: principles, production, and nutritive values* (2nd ed.). Aspen Pub., Inc., Gaithersburg, Maryland, USA. 843 p.
- Rushing, J. W. 2004. Watermelon. In: ARS, USDA Handbook 66 revised. The Internet.
- Russo, V. M. 1996. Delaying harvest improves bell pepper yield. *HortScience* 31(3): 345-346.
- Rylski, I. 1986. Pepper (*Capsicum*), pp. 341-354. In: S. P. Monselise (ed.). *CRC handbook of fruit set and development*. CRC Press, Inc., Boca Raton, Florida.
- Sabehat, A., D. Weiss, and S. Lurie. 1995. Persistence of heat shock proteins in heated tomato fruit and the resistance to chilling injury of the fruit. *Acta Hort.* No. 398: 11-21.
- Sabehat, A., D. Weiss, and S. Lurie. 1996. The correlation between heat-shock protein accumulation and persistence and chilling tolerance in tomato fruit. *Plant Physiology* 110(2): 531-537.
- Sacks, Y., A. Capel, and R. Barkai-Golan. 1996. Improvement of harvested strawberry quality by illumination: colour and *Botrytis infection*. *Postharvest Biol. Tech.* 8(1): 19-27.
- Saftner, R. A. and G. E. Lester. 2009. Sensory and analytical characteristics of a novel hybrid muskmelon fruit intended for the fresh-cut industry. *Postharvest Biol. Technol.* 51(3): 327-333.
- Saladie, M., A. J. Matas, T. Isaacson et al. 2007. A reevaluation of the key factors that influence tomato fruit softening and integrity. *Plant Physiology* 144: 1012-1028.
- Saltveit, M. E. 1997. A summary of CA and MA requirements and recommendations for harvested vegetables. *CA '97 Proceedings*, Vol. 4, pp. 98-117. *Postharvest Horticulture Series No. 18*, University California, Davis.
- Saltveit, M. E. 2004. Cucumber. In: ARS, USDA Agric. Handbook 66 revised. The Internet.

- Saltveit, M. E. Jr. and A. R. Sharaf. 1992. Ethanol inhibits ripening of tomato fruit harvested at various degrees of ripening without affecting subsequent quality. *J. Amer. Soc. Hort. Sci.* 117(5): 793-798.
- Salunkhe, D. K. and B. B. Desai. 1984. Postharvest biotechnology of vegetables Vol. 1. CRC Press, Inc., Boca Raton, Florida. 208 p.
- Salunkhe, D. K. and B. B. Desai. 1984. Postharvest biotechnology of vegetables Vol. II. CRC Press, Inc., Boca Raton, Florida. 194 p.
- Salunkhe, D. K. and S. S. Kadam. (eds.). 1998. Handbook of vegetable science and technology. Marcel Dekker, Inc., N. Y. 721 p.
- Sandsted, R. F. 1966. Commercial snap bean production in New York State. Cornell Ext. Bul. 1163. 30 p.
- Sargent, S. 2006. Handling Florida vegetables: pepper. IFAS Extension, University of Florida. The Internet.
- Sargent, S. A. and C. L. Moretti. 2004. Tomato. In: ARS, USDA, Agric. Handbook 66 revised. The Internet.
- Srgent, S. A., J. K. Brecht, M. D. Ferreira, and J. A. Bartz. 1996. New technologies for postharvest handling, pp. 27-28. In: M. P. Prits, C. K. Chandler and T. E. Crocker (eds.). Proceedings of the IV North American strawberry conference. University of Florida, Gainesville.
- Savvas, D., I. Karapanos, A. Tagaris, and H. C. Passam. 2009. Effects of NaCl and silicon on the quality and storage ability of zucchini squash fruit. *J. Hort. Sci. Biotechnol.* 84(4): 381-386.
- Scalon, S. de P. Q. 1999. Effects of CaCl₂ application in strawberry. (In Portuguese with English summary). *Revista Brasileira Fruiticultura* 21(2): 156-159. c. a. Hort. Abstr. 70: 1937; 2000.
- Saniewski, M. and K. Czapski. 1990. The Effect of aminooxyacetic acid on ethylene production induced by methyl jasmonate in tomatoes. *Biologia Plantarum* 32(3): 218-222.
- Schuch, W., J. Kanczler, D. Robertson, G. Hobson, G. Tucker, D. Grierson, S. Bright, and C. Bird. 1991. Fruit quality characteristics of transgenic tomato fruit with altered polygalacturonase activity. *HorScience* 26: 1517-1520.
- Senesi, E., C. Prinzevalli, M. Sala, and M. Gennari. 2000. Pysicochemical

- and microbiological changes in fresh-cut green bell peppers as affected by packaging and storage. *Italian J. Food Sci.* 12(1): 55-64.
- Serrano, M., M. C. Martinez-Madrid, F. Romojaro, and F. Riquelme. 1999. Polyamine accumulation in cold stored peppers. *Acta Horticulturae* No. 412: 127-133.
- Serrano, M., M. C. Martinez-Madrid, M. T. Pretel, F. Riquelme, and F. Romojaro. 1997. Modified atmosphere packaging minimizes increases in putrescine and abscisic acid levels caused by chilling injury in pepper fruit. *J. Agric. Food Chem.* 45(5): 1668-1672.
- Sethu, K. M. P., T. N. Prabha, and R. N. Tharanathan. 1996. Post-harvest biochemical changes associated with softening phenomenon in *Capsicum annum* fruits. *Phytochemistry* 42(4): 961-966.
- Sharom, M., C. Willemot, and J. E. Thompson. 1994. Chilling injury induces lipid phase changes in membranes of tomato fruit. *Plant Physiology* 105(1): 305-308.
- Shellie, K. C. 1999. Muskmelon (*Cucumis melo* L.) fruit ripening and postharvest quality after a preharvest spray of aminoethoxyvinylglycine. *Postharvest Biol. Technol.* 17(1): 55-62.
- Shellie, K. C. and G. Lester. 2004. Netted melons. In: *ARS, USDA Agric. Handbook No. 66 revised. The Internet.*
- Shewfelt, R. L. and S. E. Prussia (eds.). 1993. *Postharvest handling: a systems approach.* Academic Press, San Diego, California. 358 p.
- Shewfelt, R. L., S. E. Prussia, J. L. Jordan, W. C. Hurst, and A. V. A. Resurreccion. 1986. A systems analysis of postharvest handling of fresh snap beans. *HortScience* 21(3): 470-472.
- Shin, Y., J. A. Ryu, R. H. Liu, J. F. Nock, and C. B. Watkins. 2008. Harvest maturity, storage temperature and relative humidity affect fruit quality, antioxidant contents and activity, and inhibition of cell proliferation of strawberry fruit. *Postharvest Biol. Technol.* 49(2):201-209.
- Sholberg, P. L. and A. P. Gaunce. 1995. Fumigation of fruit with acetic acid to prevent postharvest decay. *HortScience* 30(6): 1271-1275.
- Sholberg, P., P. Haag, R. Hocking, and K. Bedford. 2000. The use of vingar vapor to reduce postharvest decay of harvested fruit. *HortScience* 35(5): 898-903.

- Shoemaker, J. S. 1953. Vegetable growing. (2nd Ed.). Wiley, N. Y. 515 p.
- Showalter, R. K. 1993. Postharvest water intake and decay of tomatoes. HortTechnology 3(1): 97-98.
- Siller-Cepeda, J. H. 2004. Eggplant. In: ARS, USDA Agric. Handbook 66 revised. The Internet.
- Sims, W. L. and R. F. Kasmire. 1972. Ethephon response favorable on fresh market tomatoes. Calif. Agric. 26(5): 3-4.
- Sims, W. L. and B. Zahara. 1978. Growing pickling cucumbers for mechanical harvesting. Univ. Calif., Div. Agr. Sci. Leaflet No. 2677. 16 p.
- Sims, W. L., H. Johnson, R. F. Kasmire, V. E. Rubatzky, K. B. Tyler, and R. E. Voss. 1978. Home vegetable gardening. Div. Agric. Sci., Univ. Calif., Leaflet No. 2989. 42 p.
- Sims, W. L., R. K. Kasmire, and O. A. Lorenz. 1978. Quality sweet corn production in California. Univ. Calif., Div. Agric. Sci., Leaflet No. 2818. 20 p.
- Sims, W. L. and R. W. Scheuerman. 1979. Mechanized growing and harvesting of fresh market tomatoes. Div. Agric. Sci., Univ. Calif., Leaflet No. 2815. 21 p.
- Singh, M., K. Dhawan, and S. P. Malhorta. 2000. Carbohydrate metabolism in tomato (*Lycopersicon esculentum* Mill) fruits during ripening. J. Food Sci. Technol. (Mysore). 37(3): 222-226.
- Siriphanich, J. 1998. High CO₂ atmosphere enhances fruit firmness during storage. J. Jap. Soc. Hort. Sci. 67(6): 1167-1170.
- Sisler, E. C. and N. Lallu. 1994. Effect of diazocyclopentadiene (DACP) on tomato fruit harvested at different ripening stages. Post Harvest Biology and Technology 4(3): 245-254.
- Smith, R. B. 1986. Bulkstorage of mechanically harvested strawberries for processing. HortScience 21: 478-480.
- Smith, R. B. and E. J. Skog. 1992. Postharvest carbon dioxide treatment enhances firmness of several cultivars of strawberry. HortScience 27(5): 420-421.
- Smith, S. M., J. W. Scott, J. A. Bartz, and S. A. Sargent. 2007. Effect of time after harvest on stem scar water absorption in tomato. HortScience 42: 1227-1230.

- Smith, D. L., K. C. Gross, and B. D. Whitaker. 2008. Analysis of softening in air- and ethylene-treated rin, nor and wild-type tomato fruit. *Postharvest Biol. Technol.* 49(2): 314-317.
- Smith, S. M., J. W. Scott, J. A. Bartz, and S. A. Sargent. 2008. Diallel analysis of fruit water absorption in tomato, a contributing factor in postharvest decays. *J. Amer. Soc. Hort. Sci.* 133: 55-60.
- Soto-Zamora, G., E. M. Yahia, J. K. Brecht, and A. Gardea. 2005. Effect of postharvest hot air treatments on the quality of antioxidant levels in tomato fruit. *Food Sci. Technol.* 38(6): 657-663.
- Splittstoesser, W. E. and J. S. Vandemark. 1971. Maturaton, fruit size, and yield of tomatoes treated before harvest with (2-chloroethyl) phosphonic acid. *J. Amer. Soc. Hort. Sci.* 96: 564-567.
- Stern, D. J., R. G. Buttery, R. Teranishi, L. Ling, K. Scott, and M. Cantwell. 1994. Effect of storage and ripening on fresh tomato quality. Part. 1. *Food Chemistry* 49(3): 225-231. (c. a. Hort. Abstr. 65: 2209; 1995).
- Stevens, C. et al. 1997. Integration of ultraviolet (UV-C) light with yeast treatment for control of postharvest storage rots of fruits and vegetables. *Biol. Cont.* 10(2): 98-103.
- Studer, H. E., P. Chen, and A. A. Kader. 1981. Damage evaluation of machine harvested fresh market tomatoes. *Transactions of the ASAE* 24(2): 284-287.
- Subrata, I. D. M., T. Fujiura, H. Yamad, M. Hida, T. Yukawa, and S. Nakoa. 1996. Cherry tomato harvesting robot using 3-D vision sensor (Part 1). Recognition of cherry tomato. (Japanese; English summary). *J. Jap. Soc. Agr. Mach.* 58(4): 45-52. c. a. Hort. Abstr. 67: 1377; 1997.
- Suslow, T. V. 2007. Prevention of postharvest water infiltration into fresh market tomatoes: food safety and spoilage control practices. *Veg. Res. Inf. Center, UC Davis, California. The Internet.*
- Suslow, T. 2000. Problem solver: bell peppers hit with late season losses to decay. *Perishables Handling Quarterly. Issue No. 101: 1.*
- Suslow, T. V. 2007. Watermelon: recommendations for maintaining postharvest quality. *Postharvest Technology Research & Information Center, University of California, Davis. The Internet.*
- Suslow, T. V. and M. Cantwell. 2007. Cucumber: recommendations for

- maintaining postharvest quality. Postharvest Technology Research & Information Center, UC, Davis. The Internet.
- Suslow, T. V. and M. Cantwell. 2007. Pea: snow and snap pod. Postharvest Technology Research & Information Center, UC Davis. The Internet.
- Suslow, T. V. and M. Cantwell. 2007. Squash (soft rind): recommendation for maintaining postharvest quality. Postharvest Technology Research & Information Center. UC, Davis. The Internet.
- Suslow, T. V. and M. Cantwell. 2007. Sweet corn: recommendation for maintaining postharvest quality. Postharvest Technology Research & Information Center. University of California, Davis. The Internet.
- Suslow, T. V. and M. Cantwell. 2006. Tomato: recommendations for maintaining postharvest quality. Postharvest Technology Research & Information Center, UC Davis. The Internet.
- Suslow, T. V., M. Cantwell, and J. Mitchell. 2007. Cantaloupe: recommendations for maintaining postharvest quality. Postharvest Technology Research & Information Center, University of California, Davis. The Internet.
- Suslow, T. V., M. Cantwell, and J. Mitchell. 2007. Honeydew melon: recommendations for maintaining postharvest quality. Postharvest Technology Research & Information Center, University of California, Davis. The Internet.
- Tabuchi, T., S. Ito, and N. Arai. 2000. Structural changes in the abscission zones of pedicels at different ripening stages of tomato. *J. Jap. Soc. Hort. Sci.* 69(6): 705-707.
- Talbot, M. T., S. A. Sargent, and I. K. Brecht. 2006. Cooling Florida Sweet corn. IFAS Extension, University of Florida. The Internet.
- Tatsumi, Y., I. Kimura, and K. Sumata. 1995. Relation between chilling sensitivity and polyamine content in several maturity stages of zucchini squash. *Acta Hort.* 398: 215-221.
- Teitel, D. C., Y. Aharoni, and R. Barkai-Golan. 1989. The use of heat treatments to extend the shelf life of 'Galia' melons. *J. Hort. Sci.* 64(3): 367-372.
- Temkin-Gorodeiski, N., B. Shapiro, S. Grinberg, I. Rosenberger, and E. Fallik. 1993. Postharvest treatments to control eggplant deterioration during storage. *J. Hort. Sci.* 68(5): 689-693.

- Terai, H. 1990. Regulation of ethylene production in normal 'Rutgers' and mutant nor and rin tomato fruits. *Journal of the Japanese Society for Horticultural Science* 59(1): 121-128. (c. a. *Plant Breed. Abstr.* 61: 3814; 1991).
- Terry, L. A. and D. C. Joyce. 2000. Suppression of grey mould on strawberry fruit with the chemical plant activator acibenzolar. *Pest Management Science* 56(11): 989-992.
- Thompson, A. K. 1998. *Controlled atmosphere storage of fruits and vegetables*. CAB International, Wallingford, UK. 278 p.
- Thompson, A. K. 2003. *Fruit and vegetable harvesting, handling and storage*. Blackwell Publishing, Oxford, UK. 460 p.
- Thompson, H. C. and W. C. Kelly. 1957. *Vegetable crops*. McGraw-Hill Book Co., Inc., N. Y. 611 p.
- Toivonen, P. M. A. and P. A. Bowen. 1999. The Effect of perharvest foliar sprays of calcium on quality and shelf life of two cultivars of sweet bell peppers (*Capsicum annuum* L.) grown in plasticulture. *Canadian J. Plant Sci.* 79(3): 411-416.
- Toivonen, P. M. A. and S. Stan. 2003. The effect of washing on physicochemical changes in packaged, sliced green peppers. *Int. J. Food Sci. Technol.* 39(1): 43-51.
- Torija-Isasa, M. E., C. Diez-Marques, M. Camara-Hurtado, and M. C. Sanchez-Mata. 1998. Effect of controlled atmosphere storage on nutritive value of green beans (*Phaseolus vulgaris* L.). p. 78, In: COST 915, *Consumer Oriented Quality Improvement of Fruit and Vegetable Products*. Polytechnic University of Madrid, Spain.
- Trial, M. A., I. A. Wahem, and J. N. Bizri. 1992. Snap bean quality changed minimally when stored in low density polyolefin film package. *Journal of Food Science* 57(4): 977-979.
- Tucker, G. A., G. B. Seymour, Y. Bundick, D. Robertson, L. Hall, C. J. S. Smith, D. Grierson, C. R. Bird, and W. Schuch. 1992. Use of antisense RNA technology to study pectin degradation in tomato fruit. *New Zealand Journal of Crop and Horticultural Science* 20: 119-124. (c. a. *Hort. Abstr.* 63: 422, 1993).
- Turk, R. and E. Celik. 1994. The effect of vacuum cooling on the quality criteria of some vegetables. *Acta Horticulturse* No. 368: 825-829.

- Tzortzakis, N., I. Singleton, and J. Barnes. 2008. Impact of low-level atmospheric ozone-enrichment on black spot and anthracnose rot of tomato fruit. *Postharvest Biology and Technology* 47(1): 1-9.
- Utto, W., A. J. Mawson, and J. E. Bronlund. 2008. Hexanal reduces infection of tomatoes by *Botrytis cinerea* whilst maintaining quality. *Postharvest Biol. Technol.* 47(3): 434-437.
- Vicente, A. R., G. A. Martinez, P. M. Civello, and A. R. Chaves. 2002. Quality of heat-treated strawberry fruit during refrigerated storage. *Postharvest Biol. Technol.* 25: 59-71.
- Vicente, A. R., M. Saladié, J. K. C. Rose, and J. M. Labavitch. 2007. The linkage between cell wall metabolism and fruit softening: looking to the future. *J. Sci. Food Agric.* 87: 1435-1448.
- Vigneault, C., J. A. Bartz, and S. A. Sargent. 2000. Postharvest decay risk associated with hydrocooling tomatoes. *Plant Dis.* 84(12): 1314-1318.
- Villavicencio, L., S. Blankenship, D. C. Sanders, and W. H. Swallow. 1999. Ethylene and carbon dioxide production in detached fruit of selected pepper cultivars. *J. Amer. Soc. Hort. Sci.* 124(4): 402-406.
- Wade, N. L. and S. C. Morris. 1983. Efficacy of fungicides for postharvest treatment of muskmelon fruits. *HortScience* 18: 344-345.
- Wall, M. M. and R. D. Berghage. 2007. Prolonging the shelf-life of fresh green chile peppers through modified atmosphere packaging and low temperature storage. *J. Food Quality* 19(6): 467-476.
- Wall, M. M., S. Walker, A. D. Wall, E. Hughs, and R. Phillips. 2003. Yield and quality of machine harvested red chile peppers. *HortTechnology* 13(2): 296-302.
- Wang, C. Y. 1991. Effect of abscisic acid on chilling injury of zucchini squash. *Journal of Plant Growth Regulation* 10: 101-105.
- Wang, C. Y. 1994. Combined treatment of heat shock and low temperature conditioning reduces chilling injury in zucchini squash. *Postharvest Biology and Technology* 4(1-2): 65-73.
- Wang, C. Y. 1994. Reduction of chilling injury by methyl jasmonate. *Acta Hort.* 368: 901-907.
- Wang, C. Y. 1994. Chilling injury of tropical horticultural commodities. *HortScience* 29(9): 986-988.

- Wang, C. Y. 1995. Effect of temperature preconditioning on catalase, peroxidase, and superoxidase dismutase in chilled zucchini squash. *Postharvest Biology and Technology* 5(1/2): 67-76.
- Wang, C. Y. 1996. Temperature preconditioning affects ascorbate antioxidant system in chilling zucchini squash. *Postharvest Biology and Technology* 8(1): 29-36.
- Wang, C. Y. and J. G. Buta. 1994. Methyl jasmonate reduces chilling injury in *Cucurbita pepo* through its regulation of abscisic acid and polyamine levels. *Environmental and Experimental Botany* 34(4): 427-432.
- Wang, C. Y. and L. Qi. 1997. Modified atmosphere packaging alleviates chilling injury in cucumbers. *Postharvest Biology and Technology* 10(3): 195-200.
- Wang, C. Y., G. F. Kramer, B. D. Whitaker, and W. R. Lusby. 1992. Temperature preconditioning increases tolerance to chilling injury and alters lipid composition in zucchini squash. *Journal of Plant Physiology* 140(2): 229-235.
- Wang, Y., Y. Bao, D. Shen, W. Feng, T. Yu, J. Zhang, and X. D. Zheng. 2008. Biocontrol of *Alternaria alternata* on cherry tomato fruit by use of marine yeast *Rhodospiridium paludigenum* Fell & Tallman. *International J. Food Microbiol.* 123(3): 234-239.
- Wang, Y., W. Baogang, and L. Li. 2008. Keeping quality of tomato fruit by high electrostatic field pretreatment during storage. *J. Sci. food Technol.* 88(3): 464-470.
- Wang, F., G. Feng, and K. Chen. 2009. Defense response of harvested tomato fruit to burdock fructooligosaccharide, a novel potential elicitor. *Postharvest Biol. Technol.* 52(1): 110-116.
- Ware, G. W. and J. P. McCollum. 1980 (3rd ed.). *Producing vegetable crops.* The Interstate Printers & Publishers, Inc., Danville, Illinois. 607 p.
- Wasna, N. P., K. Kawada, and T. Matsui. 1999. Preharvest foliar applied calcium and postharvest CO₂ increment improve storability of 'Nyoho' strawberries. (In Japanese with English summary). *Journal of Society of High Technology in Agriculture* 11(3): 165-172. c. a. Hort. Abstr. 70(2): 1054; 2000.
- Watada, A. E. and L. L. Morris. 1967. Growth and respiration patterns of snap bean fruits. *Plant Physiology* 42(6): 757-761.

- Watada, A. E. and L. L. Morris. 1996a. Effect of chilling and non-chilling temperatures on snap bean fruits. Proc. Amer. Soc. Hort. 89: 368-374.
- Watada, A. E. and L. L. Morris. 1966b. Post-harvest behavior of snap bean cultivars. Proc. Amer. Soc. Hort. Sci. 89: 375-380.
- Watkins, C. B., J. E. Manzano-Mendez, J. F. Nock, J. Z. Zhang, and K. E. Maloney. 1999. Cultivar variation in response of strawberry fruit to high carbon dioxide treatments. Journal of the Science of Food and Agriculture 79(6): 886-890.
- Weaver, R. J. 1972. Plant growth substances in agriculture. S. Chand & Co. Ltd, New Delhi. 594 p.
- Welch, N. C., R. Bringhurst, A. S. Greathead, V. Voth, W. S. Seyman, N. F. McCalley and H. W. Otto. 1982. Strawberry production in California. Univ. Calif., Div. Agr. Sci., Leaflet 2959. 14 p.
- Whitaker, B. D. 1994. A reassessment of heat treatment as a means of reducing chilling injury in tomato fruit. Postharvest Biology and Technology 4(1-2): 75-83.
- Whitaker, B. D. 1994. Lipid changes in mature-green tomatoes during ripening, during chilling and after rewarming subsequent to chilling. J. Amer. Soc. Hort. Sci. 119(5): 994-999.
- Whitaker, B. D. 1995. Lipid changes in mature-green bell pepper fruit during chilling at 2°C and after transfer to 20°C subsequent to chilling. Physiologia Plantarum 93(4): 683-688.
- Whitaker, T. W. and G. N. Davis. 1962. Cucurbits. Interscience Pub., Inc., N. Y. 249 p.
- Wien, H. C. 1997. Pepper, pp. 259-293. In: Wien (ed.). The physiology of vegetable crops. CAB International, Wallingford, U. K.
- Wiendl, F. M., V. Arthur, and T. A. Wiendl. 1996. Storage of peppers (*Capsicum annum* L.) using gamma irradiation from cobalt-60. (In Portuguese with English summary). Revista de Agriculture (Piracicaba) 71(1): 21-32. c. a. Hort. Abstr. 67(10): 8611; 1997.
- Wills, R. B. H. and G. H. Kim. 1996. Effect of ethylene on postharvest quality of green beans. Aust. J. Exp. Agric. 36(3): 335-337.
- Wills, R. B. H. and V. V. V. Ku. 2002. Use of 1-MCP to extend the time to ripen of green tomatoes and postharvest life of ripe tomatoes. Postharvest Biol. Technol. 26: 85-90.

- Wills, R., B. McGlasson, D. Graham, and D. Joyce. 1998. Postharvest: an introduction to the physiology & handling of fruit, vegetables & ornamentals. CAB International, Wallingford, UK 262 p.
- Wills, R. B. H., V. V. V. Ku, and Y. Y. Leshem. 2000. Fumigation with nitric oxide to extend the postharvest life of strawberries. *Postharvest Biology and Technology* 18(1): 75-79.
- Wright, P. J. and D. G. Grant. 1999. Effects of pre-shipping storage conditions on buttercup squash quality rots. *New Zealand J. Crop Hort. Sci.* 27(4): 337-343.
- Wszelaki, A. L. and E. J. Mitcham. 2000. Effects of superatmospheric oxygen on strawberry fruit quality and decay. *Postharvest Biology and Technology* 20: 125-133.
- Wszelaki, A. L. and E. J. Mitcham. 2003. Effect of combinations of hot water dips, biological control and controlled atmosphere for control of gray mold on harvested strawberries. *Postharvest Biol. Technol.* 27: 255-264.
- Xi, Y. F., T. Yu, and D. M. Qian. 1998. Studies on the physiology of chilling injury in eggplant (*Solanum melongena* L.) fruits. (In Chinese with English summary). *Acta Horticulturae Sinica* 25(3): 303-305. c. a. Hort. Abstr. 69(4): 3166; 1999.
- Yamaguchi, M. 1983. World vegetables: principles, production and nutritive values. AVI Pub. Co., Inc., Westport, Connecticut. 415 p.
- Yang, Y. J. and K. A. Lee. 1998. Thiabendazole and CA effects on reduction of chilling injury during cold storage in pepper fruit. *J. Korean Soc. Hort. Sci.* 39(6): 680-683. c. a. Hort. Abstr. 69(5): 4113; 1999.
- Yang, Y. J. and K. A. Lee. 1999. The changes of acetaldehyde, ethanol and firmness during CA storage of strawberries. (In Korean with English summary). *J. Korean Soc. Hort. Sci.* 40(3): 303-305.
- Yang, B. et al. 2003. Effect of temperature on chilling injury, decay and quality of Hami melon during storage. *Postharvest Biol. Technol.* 29: 229-232.
- Yang, B., G. Yonghong, G. Yurong, and Z. Jie. 2007. Postharvest harpin treatment suppresses decay and induces the accumulation of defense-related enzymes in hami melons. *Acta Hort. No. 731: 439-450.*

- Yu, Y. M. et al. 1997. Fruit characteristics and quality of vine-ripened and room-ripened fruit in several cherry tomato cultivars. (In Korean with English summary). J. Korean Soc. Hort. Sci. 38(5): 453-458. (c. a. Hort. Abstr. 68(2): 1418; 1998).
- Yu, M., L. Shen, B. Fan, D. Zhao, Y. Zheng, and J. Sheng. 2009. The effect of MeJA on ethylene biosynthesis and induced disease resistance to *Botrytis cinerea* in tomato. Postharvest Biology and Technology 54(3): 153-158.
- Zagory, D. 1998. A practical workshop for the optimization of Egyptian produce packaging. Agricultural Technology Utilization & Transfer Project. Ministry of Agriculture and Land Reclamation, Cairo. 32 p.
- Zahara, M. B. and R. W. Scheuerman. 1988. Hand-harvesting jointless vs. jointed-stem tomatoes. Calif. Agric. 42(3): 14.
- Zhang, D. and P. C. Quantick. 1998. Antifungal effects of chitosan coating on fresh strawberries and raspberries during storage. J. Hort. Sci. Biotech. 73(6): 763-767.
- Zhang, Z. D., J. L. Ma, and R. J. Zong. 1996. Studies on fresh-keeping factors of cucumber packaged with polyethylene. (In Chinese with English summary). Journal of Hebei Agricultural University 19(1): 40-44. c. a. Hort. Abstr. 67(10); 8551, 1997.
- Ziv, O., C. Shifris, S., Grinberg, E. Fallik, and A. Sadeh. 1994. Control of *Leveillula taurica* mildew (*Oidiopsis taurica*) on pepper plants. (In Arabic with English summary). Hassadeh 74(5): 526-532. c. a. Rev. Plant Pathol. 74(9): 5782; 1994.
- Zong, R. J., L. Morris, and M. Cantwell. 1995. Postharvest physiology and quality of bitter melon (*Momordica charanita* L.). Postharvest Biol. Technol. 6: 65-72.