

مصادر الكتاب

- الإدارة العامة للتدريب - وزارة الزراعة - جمهورية مصر العربية (١٩٨٣). إنتاج الخضر وتسويقها القاهرة - ٤٢٢ صفحة.
- استينو، كمال رمزي، وعزالدين فراج، ومحمد عبدالمقصود محمد، ووريد عبدالبر وريد، وأحمد عبدالمجيد رضوان، وعبدالرحمن قطب جعفر (١٩٦٣). إنتاج الخضر. مكتبة الأنجلو المصرية - القاهرة - ١٣١٠ صفحة.
- استينو، كمال رمزي، وعزالدين فراج، ووريد عبدالبر، وأحمد رضوان، ومحمد عبدالعزيز عبدالفتاح (١٩٦٤). نباتات الخضر وأصنافها. مكتبة الأنجلو المصرية - القاهرة - ٢١٦ صفحة.
- حسن، أحمد بالمنعم (١٩٩٨). الطماطم: الأمراض والآفات ومكافحتها. الدار العربية للنشر والتوزيع - القاهرة - ١٨٤ صفحة.
- حماد، شاكرا، وعبدالعزيز المنشاوي (١٩٨٥). الحشرات الاقتصادية لمحاصيل الحقل، والخضر، والفاكهة، والأشجار الخشبية، ونباتات الزينة، وطرق مقاومتها. دار المطبوعات الجديدة - الإسكندرية - ٤٠٢ صفحة.
- عبدالعال، زيدان السيد (١٩٦٤). تربية الخضر. دار المعارف - القاهرة - ٥٥٩ صفحة.
- عرفة، إمام عرفة، وجاد الرب محمد سلامة، وميلاد حلمي زكي (٢٠٠١). استخدام الأنفاق البلاستيكية في إنتاج محاصيل الخضر. مشروع تطوير النظم الزراعية - الإسماعيلية - ١٠٤ صفحات.
- العروسي، حسين، وسمير ميخائيل، ومحمد علي الرحيم (١٩٨٧). أمراض النبات. دار المطبوعات الجديدة - الإسكندرية - ٥٥٨ صفحة.
- عكاشة، أمين وآخرون (١٩٩٥). زراعة وإنتاج الخرشوف. مشروع تنمية وتحسين الخرشوف بصر. معهد بحوث البساتين - مركز البحوث الزراعية - ٦٩ صفحة.
- مرسي، مصطفى علي، وأحمد الربيع (١٩٦٠). نباتات الخضر، الجزء الثاني: زراعة نباتات الخضر. مكتبة الأنجلو المصرية - القاهرة - ٧١٥ صفحة.

مشروع استخدام ونقل التكنولوجيا الزراعية (٢٠٠٠) إنتاج وتداول الخرشوف للتصدير
وزارة الزراعة واستصلاح الأراضي - جمهورية مصر العربية ٦٣ صفحة

وزارة الزراعة واستصلاح الأراضي جمهورية مصر العربية (١٩٩٧) برنامج مكافحة
الآفات الزراعية - ١٧٢ صفحة

Abdel-Hafez, A. A. and M. S. Said. 1977. Comparative studies on exotic strains of Egyptian local cultivars characters in okra. *Abelmoschus esculentus*. L. J. Agr. Sci. Mansoura Univ. 2: 247-258.

Ahmed, A. K., G. C. Cresswell, and A. M. Haigh. 2000. Comparison of sub-irrigation and overhead irrigation of tomato and lettuce seedlings. J. Hort. Sci. & Biotech. 75(3): 350-354.

Artés, F. and J. A. Martinez. 1996. Influence of packaging treatments on the keeping quality of 'Salinas' lettuce. *Lebensmittel-Wissenschaft & Technologie* 29(7): 664-668. c. a. Hort Abstr. 67(3): 2079; 1997.

Asgrow Seed Company. 1977. Seed for today: descriptive catalog of vegetable varietics. No. 22. 152 p.

Ashkar, S. A. and S. K. Ries. 1971. Lettuce tipburn as related to nutrient imbalance and nitrogen composition. J. Amer. Soc. Hort. Sci. 96: 448-452.

Asirifi, K. N., W. C. Morgan, and D. G. Parbery. 1994. Suppression of Sclerotinia soft rot of lettuce with organic soil amendments. Aust. J. Exp. Agric. 34(1): 131-136.

Barry-Ryan, C. and O'Beirne. 1999. Ascorbic acid retention in shredded iceberg lettuce as affected by minimal processing. *Journal of Food Science* 64(3): 498-500.

Barta, D. J. and T. W. Tibbitts. 1986. Effects of artificial enclosure of young lettuce leaves on tipburn incidence and leaf calcium concentration. J. Amer. Soc. Hort. Sci. 111: 413-416.

Barta, D. J. and T. W. Tibbitts. 1991. Calcium localization in lettuce leaves with and without tipburn: comparison of controlled-environment and field-grown plants. J. Amer. Soc. Hort. Sci. 116(5): 870-875.

Barta, D. J. and T. W. Tibbitts. 2000. Calcium localization and tipburn development in lettuce leaves during early enlargement. J. Amer. Soc. Hort. Sci. 125(3): 294-298.

- Basnitzki, Y. and D. Zohary. 1987. A seed-planted cultivar of globe artichoke. *HortScience* 22: 678-679.
- Bass, L. N. 1980. Seed viability during long-term storage. *Hort. Rev.* 2: 117-141.
- Baxter, L. and L. Waters, Jr. 1990a. Controlled atmosphere effect on physical changes and ethylene evolution in harvested okra. *HortScience* 25(1): 92-95.
- Beanland, L., C. W. Hoy, S. A. Miller, and L. R. Nault. 1990. Leafhopper (Homoptera: Cicadellidae) transmission of aster yellows phytoplasma: does gender matter? *Environmental Entomology* 28(6): 1101-1106.
- Behr, U. and H. J. Wiebe. 1992. Relation between photosynthesis and nitrate content of lettuce cultivars. *Scientia Horticulturae* 49(3-4): 175-179.
- Bell, A. A., L. Liu, B. Reidy, R. M. Davis, and K. V. Subbarao. 1998. Mechanisms of subsurface drip irrigation-mediated suppression of lettuce drop caused by *Sclerotinia minor*. *Phytopathology* 88(3): 252-259.
- Boshi, A. B. and M. W. Hardas. 1976. Okra. In: N. W. Simmonds. (ed.). *Evolution of Crop Plants*, pp. 194-195. Longman, London.
- Bradbury, M. and R. Ahmad. 1996. Effect of humidity on growth of lettuce (*Lactuca sativa*, var. Great Lakes) under saline condition. *Pakistan J. Bot.* 28(1): 97-102.
- Brecht, P., L. Morris, C. Cheyney, and D. Janecke. 1973. Brown stain susceptibility of selected lettuce cultivars under controlled atmospheres and temperatures. *J. Amer. Soc. Hort. Sci.* 98(3): 261-264.
- Brumm, I. and M. Schenk. 1993. Influence of nitrogen supply on the occurrence of calcium deficiency in field grown lettuce. *Acta Horticulturae* No. 339: 125-136.
- Budge, S. P. and J. M. Whipps. 2001. Potential for integrated control of *Sclerotinia sclerotiorum* in glasshouse lettuce using *Coniothyrium minitans* and reduced fungicide application. *Phytopathology* 91: 221-227.
- Budge, S. P., M. P. McQuilken, J. S. Fenlon, and J. M. Whipps. 1995. Use of *Coniothyrium minitans* and *Gliocladium virens* for biological control

- of *Sclerotinia sclerotiorum* in glasshouse lettuce. *Biological Control* 5(4): 513-522.
- Burdine, H. W. and C. A. Sanchez. 1990. Response of four lettuce cultivars to temperature and daylength. *Proceedings - Soil and Crop Science Society of Florida* 49: 91-94.
- Calabrese, N., A. Elia, and G. Sarli. 1994. Yield and quality of new artichoke cultivars propagated by 'seed'. *Acta Horticulturae* No. 371: 189-193.
- Cantliffe, D. J. 1991. Benzyladenine in the priming solution reduces thermodormancy of lettuce seeds. *HortTechnology* 1: 95-97.
- Cantliffe, D. J., G. J. Hochmuth, Z. Karchi, and I. Secker. 1998. Nitrogen fertility requirement for iceberg lettuce grown on sand land and plastic mulch and drip irrigation, pp. 421-427. In: S. Ben-Yehoshua. (ed.). 14th International congress on plastics in agriculture. Laser Pages Publishing, Jerusalem, Israel.
- Cantliffe, D. J., W. M. Nascimento, Y. Sung, and D. J. Huber. 2000. Lettuce endosperm weakening: a role for endo- β -mannanase in seed germination at high temperature, pp. 277-285. In: M. Black, K. J. Bradford, and J. Vazquez-Ramos. (eds). *Seed biology: advances and applications*. CABI Publishing, Wallingford, UK.
- Castaner, M., M. I. Gil, F. Artés, and F. A. Tomas-Barberan. 1996. Inhibition of browning of harvested head lettuce. *J. Food Sci.* 61(2): 314-316.
- Castaner, M., M. I. Gil, and F. Artés. 1997. Organic acids as browning inhibitors on harvested "Baby" lettuce and endive. *Zeitschrift für Lebensmittel-Untersuchung und-Forschung* 205(5): 375-379. e. a. *Hort. Abstr.* 68(8): 6650; 1998.
- Chen, J., G. S. Abawi, and B. M. Zuckerman. 1999. Suppression of *Meloidogyne hapla* and its damage to lettuce grown in a mineral soil amended with chitin and biocontrol organisms. *Journal of Nematology* 31(4, supplement): 719-725.
- Chen, J., G. S. Abawi, and B. M. Zuckerman. 2000. Efficacy of *Bacillus thuringiensis*, *Paccilomyces marquandii*, and *Streptomyces costaricanus* with and without organic amendments against *Meloidogyne hapla* infecting lettuce. *Journal of Nematology* 32(1): 70-77.

- Chupp, C. and A. F. Sherf. 1960. Vegetable diseases and their control. Ronald Pr. Co., N. Y. 693 p.
- Claassens, A. S. 1994. The influence of varying P concentrations on the yield and abnormalities of lettuce leaves. South African Journal of Plant Science 11(3): 145-146.
- Collier, G. R. and T. W. Tibbitts. 1982. Tipburn of lettuce. Hort. Rev. 4: 49-65.
- Collier, G. F. and T. W. Tibbitts. 1984. Effects of relative humidity and root temperature on calcium concentration and tipburn development in lettuce. J. Amer. Soc. Hort. Sci. 109: 128-131.
- Collier, G. F. and D. C. E. Wurr. 1981. The relationship of tipburn incidence in head lettuce to evaporate water loss and leaf dimentions. J. Hort. Sci. 56: 9-13.
- Collier, R. H., G.M. Tatchell, P.R. Ellis, and W. E. Parker. 1999. Strategies for the control of aphid pests of lettuce. Bulletin OILB/SROP 22(5): 25-35. c. a. Hort. Abstr. 70(11): 9544; 2000.
- Conway, K. E., R. Mereddy, B. A. Kahn, Y. Wu, S. W. Hallgren, and L. Wu. 2001. Beneficial effects of solid matrix chemo-priming in okra. Plant Dis. 85(5): 535-537.
- Cook, A. A. 1978. Diseases of tropical and subtropical vegetables and other plants. Hafner Pr., N. Y. 381 p.
- Coons, J. M., R. O. Kuehl, and N. R. Simons. 1990. Tolerance of ten lettuce cultivars to high temperature combined with NaCl during germination. J. Amer. Soc. Hort. Sci. 115(6): 1004-1007.
- Costa, H. S., D. E. Ullman, M.W. Johnson, and B. E. Tabashnik. 1993. Association between *Bemisia tabaci* density and reduced growth, yellowing, and stem blanching of lettuce and kai choy. Plant Disease 77: 969-972.
- Cox, E. F., J. M. T. McKee, and A. S. Dearman. 1976. The effect of growth rate on tipburn occurrence in lettuce. J. Hort. Sci. 51: 297-309.
- Cresswell, G. C. 1991. Effect of lowering nutrient solution concentration at night on leaf calcium levels and the incidence of tipburn in lettuce (var. Gloria). J. Plant Nutr. 14(9): 913-924.

- Crocker, W. and L. V. Barton. 1953. Physiology of seeds. Chronica Botanica Co., Waltham, Mass. 267 p.
- Crozier, A., M. E. J. Lean, M. S. McDonald, and C. Black. 1997. Quantitative analysis of the flavonoid content of commercial tomatoes, onions, lettuce, and celery. J. Agric. Food Chem. 45(3): 590-595.
- De Angelis, J. G. 1970. Effect of gibberellic acid treatments on globe artichoke (*Cynara scolymus* L.). Israel J. Agric. Res. 20:149-157. c. a. Hort. Abstr. 41: 6370; 1971.
- De Vos, N. E. 1992. Artichoke production in California. HortTechnology 2(4): 438-444.
- Dixon, G. R. 1981. Vegetable crop diseases. Avi Pub. Co., Inc., Westport, Connecticut. 404 p.
- Drews, M., I. Schonhof, and A. Krumbein. 1996. Nitrate, vitamin C and sugar content of lettuce (*Lactuca sativa*) depending on cultivar and stage of head development. (In German with English summary). Gartenbauwissenschaft 61(3): 122-129. c. a. Hort. Abstr. 66(10): 8534; 1997.
- Drews, M., I. Schonhof, and A. Krumbein. 1997. Content of minerals, vitamins, and sugars in iceberg lettuce (*Lactuca sativa* var. *capitata* L.) grown in the greenhouse dependent on cultivar and development stage. (In German with English summary). Gartenbauwissenschaft 62(2): 65-72. c. a. Hort. Abstr. 67(10): 8486; 1997.
- Dunlap, J. R., B. T. Scully, and D. M. Reyes. 1990. Seed coat-mediation of lettuce germination responses to heat and sodium chloride. Journal of the Rio Grande Valley Horticultural Society 43: 55-61. c. a. Hort. Abstr. 62: 1097; 1992.
- DuPont, M. S., Z. Mondin, G. Williamson, and K. R. Price. 2000. Effect of variety, processing, and storage on the flavonoid glycoside content and composition of lettuce and endive. Journal of Agricultural and Food Chemistry 48(9): 3957-3964.
- Economakis, C. D. 1997. Effect of root-zone temperature on growth and water uptake by lettuce plants in solution culture. Acta Horticulturae No. 449: 199-203.

- Elia, A. and P. Santamaria. 1994. Influence of nitrogen, phosphorus, potassium on artichoke transplant growth. *Agricoltura Mediterranea* 124(2/3): 106-111.
- Elia, A., P. Santamaria, and F. Serio. 1996. Ammonium and nitrate influence on artichoke growth rate and uptake of inorganic ions. *J. Plant Nutr.* 19(7): 1029-1044.
- El-Tarabily, K. A., M. H. Soliman, A. H. Nassar, H. A. Al-Hassani, K. Sivasithamparam, F. McKenna, and G. E. St. J. Hardy. 2000. Biological control of *Sclerotinia minor* using a chitinolytic bacterium and actinomycetes. *Plant Pathology* 49(5): 573-583.
- Eris, A., M. Ozgur, M. H. Ozer, H. Copur, and J. Henze. 1994. A research on the controlled atmosphere (CA) storage of lettuce. *Acta Horticulturac* No. 368: 786-792.
- Etoh, T. 1994. Recent studies on leaf, flower, stem and root vegetables in Japan. *Hort. Abstr.* 64(2): 121-129.
- Fan, X. and J. P. Mattheis. 2000. Reduction of ethylene-induced physiological disorders of carrots and iceberg lettuce by 1-methylcyclopropene. *HortScience* 35(7): 1312-1314.
- FAO, Food and Agriculture Organization of the United Nations, Rome. 1999. 1999 FAO production yearbook, vol. 53.
- Fasidi, I. Q. 1994. Carbohydrate metabolism in *Colocasia esculenta* Schott corms and cormels during sprouting. *Food Chemistry* 51(2): 211-213.
- Fletcher, J. T. 1984. Diseases of greenhouse plants. Longman, London. 351 p.
- Francois, L. E. 1988. Yield and quality responses of celery and crisphead lettuce to excess boron. *J. Amer. Soc. Hort. Sci.* 113(4): 538-542.
- Francois, L. E. 1995. Salinity effects on bud yield and vegetative growth of artichoke (*Cynara scolymus* L.). *HortScience* 30(1): 69-71.
- Francois, L. E., T. J. Donovan, and E. V. Maas. 1991. Calcium deficiency of artichoke buds in relation to salinity. *HortScience* 26(5): 549-553.
- Freire, J. R. M. and C. F. Robbs. 2000. Isolation and identification of pathogenic bacteria in minimal processed hydroponic lettuce. *Alimentaria* 37(309): 55-60. c. a. *Hort. Abstr.* 70(8): 6732; 2000.

- Forney, C. F. and R. K. Austin. 1988. Time of day at harvest influences carbohydrate concentration in crisphead lettuce and its sensitivity to high CO₂ levels after harvest. *J. Amer. Soc. Hort. Sci.* 113(4): 581-583.
- Gabr, S. M. 1999. The influence of nitrate: ammonium ratios and salinity stress on growth, chemical composition and quality of lettuce (*Lactuca sativa* L.) grown in nutrient solutions. *Alex. J. Agric. Res.* 44(3): 251-262.
- Garcia, S. M., M. S. Pancelo, and F. Nakayama. 1994. Effect of gibberellic acid (GA₃) application on artichoke (*Cynara scolymus* L.). (In Spanish with English summary). *Horticultura Argentina* 13(33): 77-82. c. a. *Hort. Abstr.* 65(8): 6967; 1995.
- Gaudreau, L., J. Charbonneau, L. P. Vézina, and A. Gosselin. 1994. Photoperiod and photosynthetic photon flux influence growth and quality of greenhouse-grown lettuce. *HortScience* 29(11): 1285-1289.
- Gelmond, H. 1971. Seed weight as an indicator of lettuce seed vigor. *Hassadeh* 51: 1008-1010.
- George, R. A. T. 1985. Vegetable seed production. Longman, London. 318 p.
- Gherbin, P., K. Gulfo, and E. Tarantino. 2000. Growth pattern of okra pods: biometric and qualitative aspects. (In Italian with English summary). *Italus Hortus* 7(5): 8-16. c. a. *Hort. Abstr.* 71(3): 2400; 2001.
- Gill, B. S., S. S. Gill, and H. Singh. 1991. Natural out crossing and pollen dispersal studies in okra (*Abelmoschus esculentus* L. Moench). *J. Res., Punjab Agric. Univ.* 28(1): 24-27. c. a. *Plant Breed. Abstr.* 63(10): 1096; 1993.
- Goenaga, R. 1995. Accumulation and partitioning of dry matter in taro (*Colocasia esculenta* (L.) Schott). *Ann. Bot.* 76(4): 337-341.
- Goto, E. and T. Takakura. 1992. Prevention of lettuce tipburn by supplying air to inner leaves. *Transactions of the American Society of Agricultural Engineers* 35(2): 641-645.
- Graifenberg, A., M. Lipucci di Paola, L. Giustiniani, and O. Temperini. 1993. Yield and growth of globe artichoke under saline-sodic conditions. *HortScience* 28(8): 791-793.

- Gray, D. 1975. Effect of temperature on the germination and emergence of lettuce (*Lactuca sativa* L.) varieties. J. Hort. Sci. 50: 349-361.
- Gray, D. and J. R. A. Steckel. 1977. Pre-sowing seed treatment with cytokinin to prevent temperature dormancy in lettuce (*Lactuca sativa*). Seed Sci. Tech. 5: 473-477.
- Guedes, A. C., D. J. Cantliffe and T. A. Nell. 1981. Morphological changes during lettuce seed priming and subsequent radicle development. J. Amer. Soc. Hort. Sci. 106: 121-126.
- Hammouda, F. M., M. M. Seif El-Nasr, and A. A. Shahat. 1993. Flavonoids of *Cynara scolymus* L. cultivated in Egypt. Plant Foods for Human Nutrition 44(2): 163-169.
- Hamon, S. and D. H. van Sloten. 1989. Characterization and evaluation of okra, pp. 173-196. In: A. H. D. Brown, O. H. Frankel, D. R. Marshall, and J. T. Williams. (eds.). The use of plant genetic resources. Cambridge University Press, Cambridge.
- Hanson, B. R., L. J. Schwankl, K. F. Schulbach, and G. S. Pettygrove. 1997. A comparison of furrow, surface drip, and subsurface drip irrigation on lettuce yield and applied water. Agricultural Water Management 33(2/3): 139-157.
- Hartmann, H. T. and D. E. Kester. 1983. Plant propagation: Principles and practices. Prentice-Hall, Inc., Englewood Cliffs, N. J. 727 p.
- Hartz, T. K., W. E. Bendixen, and L. Wierdsma. 2000. The value of presidedress soil nitrate testing as a nitrogen management tool in irrigated vegetable production. HortScience 35(4): 651-656.
- Harvey, E. M. 1931. A preliminary report on the vegetable growth of okra in relation to the production of varying amounts of reproduction tissue. Oreg. Exp. Sta. Bull. 284.
- Hawthorn, L. R. and L. H. Pollard. 1954. Vegetable and flower seed production. The Blakistone Co., Inc., N. Y. 626 p.
- Hill, H. J., A. G. Taylor, and T. G. Min. 1989. Density separation of imbibed and primed vegetable seeds. J. Amer. Soc. Hort. Sci. 114(4): 661-665.
- Hill, S., R. Abaidoo, and S. Miyasaka. 1998. Sodium chloride concentration

- affects early growth and nutrient accumulation in taro. *HortScience* 33(7): 1153-1156.
- Huang, X. L. and A. A. Khan. 1992. Alleviation of thermoinhibition in preconditioned lettuce seeds involves ethylene, not polyamine biosynthesis. *J. Amer. Soc. Hort. Sci.* 117(5): 841-845.
- Huett, D. O. 1994. Growth, nutrient uptake and tipburn severity of hydroponic lettuce in response to electrical conductivity and K: Ca ratio in solution. *Aust. J. Agric. Res.* 45(1): 251-267.
- Hunter, D. G. and J. W. Bowyer 1994. Cytopathology of anthers and pollen from lettuce plants infected by lettuce mosaic virus. *J. Phytopath.* 142(2): 107-114.
- Inoue, K., S. Takayama, and H. Yokota. 1995. Production of calcium-enriched lettuce (*Lactuca sativa* L.) using a soaking method. (In Japanese with English summary). *Japanese Journal of Soil Science and Plant Nutrition* 66(4): 381-387. c. a. *Hort. Abstr.* 66(6): 4997, 1996.
- Ishii, M., T. Ito, T. Maruo, K. Suzuki, and K. Matsuo. 1995. Growth and physiology of lettuce plants grown under artificial light of high intensity in short-day regime. (In Japanese with English summary). *Environment Control in Biology* 33(2): 103-111.
- Jackson, L. E. and L. J. Stivers. 1993. Root distribution of lettuce under commercial production: implications for crop uptake of nitrogen. *Biological Agriculture & Horticulture* 9(3): 273-293.
- Jenkins, J. M., Jr. 1962. Brown rib resistance in lettuce. *Proc. Amer. Soc. Hort. Sci.* 81: 376-378.
- Jeong, Y. O., J. C. Kim, and J. L. Cho. 2000a. Effect of seed priming of carrot, lettuce, onion, and Welsh onion seeds as a affected by germination temperature. (In Korean with English summary). *Korean J. Hort. Sci. Tech.* 18(3): 321-326. c. a. *Hort. Abstr.* 71(1): 520; 2001.
- Jeong, Y. O., J. C. Kim, and J. L. Cho. 2000b. Effect of priming duration and temperature on the germinability of carrot, lettuce, onion, and Welsh onion seeds. (In Korean with English summary). *Korean J. Hort. Sci. Tech.* 18(3): 327-330. c. a. *Hort. Abstr.* 71(1): 521; 2001.
- Jie, H. and L. S. Kong. 1998. Growth and photosynthetic responses of three aeroponically grown lettuce cultivars (*Lactuca sativa* L.) to

different rootzone temperatures and growth irradiances under tropical aerial conditions. *J. Hort. Sci. Biotech.* 73(2): 173-180.

Jones. H. A. and J. T. Rosa. 1928. Truck crop plants. McGraw-Hill Book Co., Inc., N. Y. 538 p.

Jones. E. E. and A. Stewart. 1997. Biological control of *Sclerotinia minor* in lettuce using *Trichoderma* species, pp 154-158. In: M. O'Callaghan. (ed.). Proceedings of the Fifth New Zealand Plant Protection Conference. New Zealand Plant Protection Society, Rotorua, New Zealand.

Kader, A. A., R. F. Kasmire, F. G. Mitchell. M. S. Reid, N. F. Sommer, and J. F. Thompson. 1985. Postharvest technology of horticultural crops. Univ. Calif., Div. Agric. Natural Resources. 192 p.

Kato-Noguchi, H. and H. Saito. 2000. Induction of alcohol dehydrogenase in lettuce seedlings by flooding stress. *Biologia Plantarum* 43(2): 217-220.

Kay, D. E. 1973. Root crops. The Tropical Products Institute, London. 245 p.

Kc, D. and M. E. Saltveit, Jr. 1986. Effects of calcium and auxin on russet spotting and phenylalanine ammonia-lyase activity in Iceberg lettuce *HortScience* 21: 1169-1171.

Kc, D. and M. E. Saltveit, Jr. 1989. Regulation of russet spotting, phenolic metabolism, and IAA oxidase by low oxygen in iceberg lettuce. *J. Amer. Soc. Hort. Sci.* 114(4): 368-642.

Ke, D. and M. E. Saltveit, Jr. 1989a. Developmental control of russet spotting, phenolic enzymes, and IAA oxidase in cultivars of iceberg lettuce. *J. Amer. Soc. Hort. Sci.* 114: 472-477.

Ke, D. and M. E. Saltveit, Jr. 1989b. Regulation of russet spotting, phenolic metabolism, and IAA oxidase by low oxygen in iceberg lettuce. *J. Amer. Soc. Hort. Sci.* 114(4): 638-642.

Ketsa, S. and B. Chutichudet. 1994. Pod growth, development, biochemical changes and maturity indices of okra cv. OK#2. *Acta Hort.* No. 369: 368-377.

- Kim, G. H. and R. B. H. Wills. 1995. Effect of ethylene on storage life of lettuce. *Journal of the Science of Food and Agriculture* 69(2): 197-201.
- Kim, B. S., O. W. Kim, D. C. Kim, and G. H. Kim. 1999. Development of a surface sterilization system combined with a washing process technology for leafy lettuce. *Acta Horticulturae* No. 483: 311-317.
- Kitaya, Y., G. Niu, T. Kozai, and M. Ohashi. 1998. photosynthetic photon flux, photoperiod, and CO₂ concentration affect growth and morphology of lettuce transplants. *HortScience* 33(6): 988-991.
- Klingman, G. C. and F. M. Ashton. 1975. *Weed science: principles and practices*. John Wiley & Sons, N. Y. 431 p.
- Kristie, D. N. and A. Fielding. 1994. Influence of temperature on the Pfr level required for germination in lettuce cv. Grand Rapids. *Seed Science Research* 4(1): 19-25.
- Lamont, W. J., Jr. 1999. Okra – a versatile vegetable crop. *HortTechnology* 9(2): 179-184.
- Lattanzio, V., A. Cardinali, D. di Venere, V. Linsalata, and S. Palmieri. 1994. Browning phenomena in stored artichoke (*Cynara scolymus* L.) heads: enzymic or chemical reactions?. *Food Chemistry* 50(1): 1-7.
- Lee, S. K. and S. C. Cheong. 1996. Inducing head formation of iceberg lettuce (*Lactuca sativa* L.) in the tropics through root-zone temperature control. *Tropical Agriculture* 73(1): 34-42.
- Leja, M., A. Marczyk, and S. Rozek. 1996. Quality changes in lettuce heads stored in a controlled atmosphere. II. Phenolic metabolism and ethylene evolution. *Folia Horticulturae* 8(2): 89-93. c. a. Hort. Abstr. 67(5): 3977; 1997.
- Lewrk, S. and A. A. Khan. 1977. Mode of action of gibberellic acid and light on lettuce seed germination. *Plant Phys.* 60: 575-577.
- Lin, T. C., S. H. Chuan, and S. T. Hong. 1991. Effect of chemicals on the enhancement of bolting in artichoke (*Cynara scolymus* L.). *Bulletin of Taichung District Agricultural Improvement Station* No. 32: 11-15. c. a. Hort. Abstr. 63: 1838; 1993.
- Lipton, W. J. 1987. Senescence of leafy vegetables. *HortScience* 22: 854-859.

- Loaiza-Velarde, J. G., F. A. Tomás-Barberá, and M. E. Saltveit. 1997. Effect of intensity and duration of heat-shock treatments on wound-induced phenolic metabolism in iceberg lettuce. *J. Amer. Soc. Hort. Sci.* 122(6): 873-877.
- Lorenz, O. A. and D. N. Maynard. 1980. *Knott's handbook for vegetable growers*. Wiley-Interscience, N. Y. 390 p.
- Loughced, E. C. 1987. Interactions of oxygen, carbon dioxide, temperature, and ethylene that may induce injuries in vegetables. *HortScience* 22(5): 791-794.
- Lutz, J. M. and R. E. Hardenburg. 1968. *The commercial storage of fruits, vegetables and florist and nursery stocks*. U. S. Dept. Agric. Agric. Handbook No. 66. 94 p.
- Magnani, G. and N. Oggiano. 1997. Reducing the level of nitrates in hydroponic lettuce. (In Italian with English summary). *Colture Protette* 26(1): 57-61. *Hort. Abstr.* 67(7): 5852; 1997.
- Malach, Y. de, J. Ben-Asher, M. Sagih, and A. Alert. 1996. Double-emitter source (DES) for irrigation experiments in salinity and fertilization. *Agronomy Journal* 88(6): 987-990.
- Manzanares, M. J., J. Corre, and Y. Herve. 1995. Evaluation of globe artichoke and related germplasm for resistance to artichoke latent virus. *Euphytica* 84: 219-228.
- Marsh, L. 1993. Moisture affects cowpea and okra seed emergence and growth at low temperatures. *HortScience* 28(8): 774-777.
- Martinetti, L. 1996. Nitrate and nitrite content of lettuce (*Lactuca sativa* L.) with different nitrogen fertilization rates. (In Italian with English summary). *Rivista di Agronomia* 30(1): 92-96. c. a. *Hort. Abstr.* 66(10): 8533; 1997.
- Martinez, J. A. and F. Artes. 1999. Effect of packaging treatments and vacuum-cooling on quality of winter harvested iceberg lettuce. *Food Research International* 32(9): 621-627.
- Mateos, M., D. Ke, A. Kader, and M. Cantwell. 1993. Differential responses of intact and minimally processed lettuce to high carbon dioxide atmospheres. *Acta Horticulturac* No. 343: 171- 174.

- Mauromicale, G. and A. Lerna. 1995. Effects of gibberellic acid and sowing date on harvest time and yields of seed-grown globe artichoke (*Cynara scolymus* L.). *Agronomie* 15(9/10): 527-538.
- Mauromicale, G. and S. A. Raccuia. 2000. Influence of maturation time on some head characteristics of globe artichoke (*Cynara scolymus* L.). *Acta Horticulturae* No. 533: 483-488.
- Mayer, A. M. and A. Poljakoff-Mayber. 1982. The germination of seeds. (3rd ed.). Pergamon Pr., Oxford. 211 p.
- McCall, D. and J. Willumsen. 1998. Effects of nitrate, ammonium and chloride application on the yield and nitrate content of soil-grown lettuce. *J. Hort. Sci. Biotech.* 73(5): 698-703.
- McCall, D. and J. Willumsen. 1999. Effects of nitrogen availability and supplementary light on the nitrate content of soil-grown lettuce. *J. Hort. Sci. & Biotech.* 74(4): 458-463.
- McGregor, S. E. 1976. Insect pollination of cultivated crop plants. U. S. Dept. Agric., Agric. Res. Serv., Agric. Handbook No. 496. 411 p.
- Mencarelli, F., R. Massantini, and M. Casella. 1993. The influence of chemicals, stem length and plastic films on the quality of artichoke buds. *J. Hort. Sci.* 68(4): 597-603.
- Mermier, M., G. Reyd, J. C. Simon, and T. Boulard. 1995. The microclimate under Agryl P17 for growing lettuce. *Plasticulture* No. 107: 4-12.
- Miceli, A. and P. de Leo. 1996. Extraction, characterization and utilization of artichoke-seed oil. *Bioresource Technology* 57(3): 301-302.
- Minges, P. A. (ed.). 1972. Descriptive list of vegetable varieties. Amer. Seed Trade Assoc., Washington, D. C. 194 p.
- Moller, M. and M. L. Smith. 1998. The applicability of seaweed suspensions as priming treatments of lettuce (*Lactuca sativa* L.) seeds. *Seed Science and Technology* 26(2): 425-438.
- Morzadec, J. M., A. Hourmant, M. le Romancer, J. Corre, and A. Migliori. 1998a. Preliminary studies on black spot of globe artichoke. *J. Phytopath.* 146(2/3): 73-77.
- Morzadec, J. M., A. Hourmant, J. Corre, M. Le Romancer, A. Cottignies,

- and A. Migliori. 1998b. Black spot of globe artichoke: a calcium-deficiency disorder. *J. Phytopath.* 146(2/3): 79-82.
- Nascimento, W. M., D. J. Cantliffe, and D. J. Huber. 1999. Endo- β -mannase activity during lettuce seed germination at high temperature in response to ethylene, pp. 191-192. In: A. K. Kanellis et al. (eds). *Biology and biotechnology of the plant hormone ethylene II*. Kluwer Academic Publishers, Dordrecht, Netherlands.
- Nascimento, W. M., D. J. Cantliffe, and D. J. Huber. 2000. Endo- β -mannanase activity during lettuce seed germination at high temperature conditions. *Acta Hort.* No. 517: 107-112.
- Nascimento, W. M., D. J. Cantliffe, and D. J. Huber. 2000. Thermotolerance in lettuce seeds: association with ethylene and endo- β -mannase. *J. Amer. Soc. Hort. Sci.* 125(4): 518-524.
- Nelson, J. M. and G. C. Sharples. 1986. Emergence at high temperature and seedling growth following pretreatment of lettuce seeds with fusicoccin and other growth regulators. *J. Amer. Soc. Hort. Sci.* 111: 484-487.
- Nicola, S. and D. J. Cantliffe. 1996. Increasing cell size and reducing medium compression enhance lettuce transplant quality and field production. *HortScience* 31(2): 184-189.
- Northmann, J. 1973. Effect of growth regulator treatments on heading, bolting, spiralled leaf formation and yield performance of cos lettuce (*Lactuca sativa* L. var. *romana*). *J. Hort. Sci.* 48: 379-386.
- Odegabro, O. A. and O. E. Smith. 1969. Effect of kinetin, salt concentration and temperature on germination of early seedling growth of *Lactuca sativa* L. *J. Amer. Soc. Hort. Sci.* 94: 167-170.
- OECD, Organization for Economic Co-operation and Development, Paris. 1970-1977. *International standardisation of fruit and vegetables*. 872 p.
- Okada, K., A. Takezaki, and T. Kamenno. 1997. Modeling the effect of solar radiation on dry matter accumulation in lettuce. (In Japanese with English summary). *Bulletin of the Shikoku National Agricultural Experiment Station* No. 61: 67-73. *c. a. Hort. Abstr.* 68(5): 4109; 1998.
- Okasha, K. H. A, M. E. Ragab, H. E. Wahba, A. M. Razin, and M. A. Abd-

- El-Salam. 1997. Yield, head quality and some medicinal compounds of some new imported artichoke cultivars (*Cynara scolymus* L.). Zagazig J. Agric. Res. 24(1): 101-115.
- Onyilagha, J. C., A. S. Omenyi, H. C. Illoh, and J. Lowe. 1987. *Colocasia esculenta* (L.) Schott, *Colocasia antiquorum* Schott, how many species? I. A preliminary investigation. Euphytica 36: 687-692.
- Oyama, H., Y. Shinohara, and T. Ito. 1999. Effect of air temperature and light intensity on β -carotene concentration in spinach and lettuce. (In Japanese with English summary). Jap. Soc. Hort. Sci. 68(2): 414-420. c. a. Hort. Abstr. 69(6): 4898; 1999.
- Palumbo, J. C. and D. L. Kerns. 1994. Effects of imidacloprid as a soil treatment on colonization of green peach aphid and marketability of lettuce. Southwestern Entomologist 19(4): 339-346.
- Passam, H. C., G. Apostolopoulos, and K. Akoumianakis. 1999. Artichoke quality during storage at 2 and 10°C in relation to the presence of the flower stalk and enclosure in polyethylene. Adv. Hort. Sci. 13(4): 165-167.
- Paul, R. E., C. S. Tang, K. Gross, and G. Uruu. 1999. The nature of the taro acidity factor. Postharvest Biology and Technology 16(1): 71-78.
- Peiser, G., G. López-Gálvez, M. Cantwell, and M. E. Saltveit. 1998. Phenylalanine ammonia-lyase inhibitors do not prevent russet spotting lesion development in lettuce midribs. J. Amer. Soc. Hort. Sci. 123(4): 687-691.
- Perkins, D. L., J. C. Miller, and S. L. Dallyn. 1952 Influence of pod maturity on the vegetable and reproductive growth of okra. Proc. Amer. Soc. Hort. Sci. 60: 311-314.
- Piringer, A. A. 1962. Photoperiodic responses of vegetable plants, pp. 173-185. In: Campbell Soup Company. Proceedings of plant science symposium. Camden, N. J.
- Plucknett, D. L. 1976. Edible aroids, pp. 10-12. In: N. W. Simmonds (ed.). Evolution of crop plants. Longman, London.
- Pollock, B. M. and V. K. Toole. 1961. Afterripening, rest period, and dormancy. In: Seeds, pp. 106-112. U. S. Dept. Agric., Washington, D. C.

- Poulsen, N., A. S. Johansen, and J. N. Sorensen. 1995. Influence of growth conditions on the value of crisphead lettuce. 4. Quality changes during storage. *Plant Foods for Human Nutrition* 47(2): 157-162.
- Prusinski, J. and A. A. Khan. 1990. Relationship of ethylene production to stress alleviation in seeds of lettuce cultivars. *J. Amer. Soc. Hort. Sci.* 115(2): 294-298.
- Prusinski, J. and A. A. Khan. 1993. Application of some growth regulators and osmoconditioning to avoid thermoinhibition of seed germination in several lettuce (*Lactuca sativa* L.) cultivars. *Genetica Polonica* 34(1): 35-45. c. a. *Plant Breed. Abstr.* 64(1): 654; 1994.
- Purseglove, J. W. 1974. *Tropical crops: dicotyledons*. The English Language Book Society, London. 719 p.
- Ramsey, G. B., B. A. Friedman, and M. A. Smith. 1959. Market diseases of beets, chicory, endive, escarole, globe artichokes, lettuce, rhubarb, spinach, and sweatpotatoes. U. S. Dept. Agric., *Agric. Handbook* 155. 42 p.
- Rangarajan, A., B. A. Ingall, and V. C. Zeppelin. 2000. Vernalization strategies to enhance production of annual globe artichoke. *HortTechnology* 10(3): 585-588.
- Rao, M. S., P. P. Reddy, and M. Nagesh. 1997. In tegrated management of *Meloidogyne incognita* on okra by castor cake suspension and *Paecilomyces lilacinus*. *Nematologia Mediterranea* 25(1): 17-19.
- Read, P. E. 1982. Plant growth regulator use in field-scale vegetable crops. In: J. S. McLaren. (ed.). *Chemical manipulation of crop growth and development*, pp. 285-296. Butterworth Scientific, London.
- Reinink, K. and R. Groenwold. 1987. The inheritance of nitrate content in lettuce (*Lactuca sativa* L.). *Euphytica* 36: 733-744.
- Ritenour, M. A., M. J. Ahrens, and M.E. Saltveit. 1995. Effects of temperature on ethylene-induced phenylalanine ammonia lyase activity and russet spotting in harvested iceberg lettuce. *J. Amer. Soc. Hort. Sci.* 120(1): 84-87.
- Ritenour, M. A., E. G. Sutter, D. M. Williams, and M. E. Saltveit. 1996. Indole-3-acetic acid (IAA) content and axillary bud development in

- relation to russet spotting in harvested iceberg lettuce. *J. Amer. Soc. Hort. Sci.* 121(3): 543-547.
- Roos, E. E. and F. D. Moore III. 1975. Effect of seed coating on performance of lettuce seeds in greenhouse soil tests. *J. Amer. Soc. Hort. Sci.* 100: 573-576.
- Roth-Bejerano, N., N. J. A. Sedec, R. M. van der Meulen, and M. Wang. 1999. The role of abscisic acid in germination of light-sensitive and light-insensitive lettuce seeds. *Seed Science Research* 9(2): 129-134.
- Rottenberg, A. and D. Zohary. 1996a. The wild ancestry of the cultivated artichoke. *Genetic Resources and Crop Evolution* 43(1): 53-58.
- Rottenberg, A., D. Zohary, and E. Nevo. 1996b. Isozyme relationships between cultivated artichoke and the wild relatives. *Genetic Resources and Crop Evolution* 43(1): 59-62.
- Rousos, P. 1988. Effects of photoperiod and heat on lettuce growth and flowering times. (Abstr.). *HortScience* 23: 811.
- Ruiz-Lozano, J. M. and R. Azcón. 1996. Mycorrhizal colonization and drought stress as factors affecting nitrate reductase activity in lettuce plants. *Agriculture, Ecosystems & Environment* 60(2/3): 175-181.
- Ruiz-Lozano, J. M., R. Azcón, and M. Gómez. 1996. Alleviation of salt stress by arbuscular-mycorrhizal *Glomus species* in *Lactuca sativa* plants. *Physiologia Plantarum* 98(4): 767-772.
- Ryder, E. J. 1979. Leafy salad vegetables. The Avi Pub. Co., Inc., Westport, Conn. 266 p.
- Ryder, E. J. 1986. Lettuce breeding. In: M. J. Bassett. (ed.). *Breeding vegetable crops*, pp. 433-474. Avi Pub. Co., Inc., Westport, Connecticut.
- Ryder, E. J. 1999. Lettuce, endive and chicory. CABI Pub., UK. 208 p.
- Ryder, E. J. and W. Waycott. 1998. Crisphead lettuce resistant to tipburn: cultivar Tiber and eight breeding lines. *HortScience* 33(5): 903-904.
- Ryder, E. J. and T. W. Whitaker. 1976. Lettuce. In: N. W. Simmonds. (ed.). *Evolution of crop plants*, pp. 39-41. Longman, London.
- Ryder, E. J. and T. W. Whitaker. 1980. The lettuce industry in California: a quarter century of change, 1954-1979. *Hort. Rev.* 2: 164-207.

- Ryder, E. J., N. E. Vos, and M. A. Bari. 1983. The globe artichoke (*Cynara scolymus* L.). HortScience 18: 646-653.
- Saltveit, M. E. 1997. A summary of CA and MA requirements and recommendations for harvested vegetables. In: CA'97 Proceedings, Vol. 4, pp 98-117. Postharvest Horticulture Series No. 18, University of California, Davis.
- Salunkhe, D. K. and B. B. Desai. 1984. Postharvest biotechnology of vegetables. Vol. II. CRC Press, Inc., Boca Raton, Florida. 194 p.
- Salunkhe, D. K. and S. S. Kadam. (ed.). 1998. Handbook of vegetable science and technology. Marcel Dekker, Inc., N. Y. 721 p.
- Sanchez, C. A. 2000. Response of lettuce to water and nitrogen on sand and the potential for leaching of nitrate-N. HortScience 35(1): 73-77.
- Sanchez, C. A. and T. A. Doerge. 1999. Using nutrient uptake patterns to develop efficient nitrogen management strategies for vegetables. HortTechnology 9(4): 601-606.
- Sanchez, C. A., R. J. Allen, and B. Schaffer. 1989. Growth and yield of crisphead lettuce under various shade conditions. J. Amer. Soc. Hort. Sci. 114(6): 884-890.
- Sanchez, C. A., S. Swanson, and P. S. Porter. 1990. Banding P to improve fertilizer use efficiency of lettuce. J. Amer. Soc. Hort. Sci. 115(4): 581-584.
- Sankat, C. K., V. Maharaj, and B. Lauckner. 1995. The effect of temperature and packaging on the storage of dasheen (*Colocasia esculenta*) leaves. ASEAN Food J. 10(1): 3-9.
- Scaife, M. A. and D. Jones. 1970. Effect of seed weight on lettuce growth. J. Hort. Sci. 45: 299-302.
- Scherm, H. and A. H. C. van Bruggen. 1995a. Concurrent spore release and infection of lettuce by *Bremia lactucae* during mornings with prolonged leaf wetness. Phytopathology 85(5): 552-555.
- Scherm, H. and A. H. C. van Bruggen. 1995b. Comparative study of microclimate and downy mildew development in subsurface drip and furrow-irrigated lettuce fields in California. Plant Dis. 79: 620-625.
- Scherm, H., S. T. Koike, F. F. Laemmlen, and A. H. C. van Bruggen. 1995.

- Field evaluation of fungicide spray advisories against lettuce downy mildew (*Bremia lactucae*) based on measured or forecast leaf wetness. *Plant Disease* 79(5): 511-516.
- Sanchez, M. W., R. Rivera, J. O'Brien, S. Ebinger, and R. E. DeGregorio. 1991. Variety selection and cultural methods for lowering nitrate levels in winter greenhouse lettuce and endive, *J. Sustainable Agriculture* 2(1): 49-75.
- Schrader, W. L. 1994. Growth regulator gives earlier harvest in artichokes. *California Agriculture* 48(3): 29-32.
- Schrader, W. L., K. S. Mayberry, and D. W. Cudney. 1992. Paving the way to a better artichoke. *California Agriculture* 46(4): 28-29.
- Schultz, C. and J. G. C. Small. 1991. Inhibition of lettuce seed germination by cycloheximide and chloramphenicol is alleviated by kinetin and oxygen. *Plant Physiology* 97(2): 836-838.
- Schweers, V. H. and W. L. Sims. 1976. Okra Production. Univ. Calif., Div. Agr. Sci., Leaflet 2679. 6 p.
- Seelig, R. A. 1970. Fruit & vegetable facts & pointers: lettuce. United Fresh Fruit and vegetable Association. Alexandria, Va. 27 p.
- Seelig, R. A. and P. F. Charney. 1967. Fruit & vegetable facts & pointers: artichokes. United Fresh Fruit & Vegetable Association, Alexandria, Va. 10 p.
- Segall, K. I. and M. G. Scanlon. 1996. Design and analysis of modified-atmosphere package for minimally processed romaine lettuce. *J. Amer. Soc. Hort. Sci.* 121(4): 722-729.
- Semisi, S. T., T. Mauga, and E. Chan. 1998. Control of the leaf blight disease, *Phytophthora colocasiae* Racib in taro *Colocasia esculent* (L.) Schott with phosphorous acid. *J. South Pacific Agric.* 5(1): 77-83. c. a. *Rev. Plant Path.* 78(2): 1313; 1999.
- Sessa, R. A., M. H. Bennett, M. J. Lewis, J. W. Mansfield, and M. H. Beale. 2000. Metabolite profiling of sesquiterpene lactones from *Lactuca species*. Major latex components are novel oxalate and sulfate conjugates of lactucin and its derivatives. *Journal of Biological Chemistry* 275(35): 26877-26884.

- Sharples, G. C. 1973. Stimulation of lettuce seed germination at high temperature by ethephon and kinetin. *J. Amer. Soc. Hort. Sci.* 98: 209-212.
- Shoemaker, J. S. 1953. *Vegetable growing*. (2nd ed.). John Wiley & Sons, Inc., N. Y. 515 p.
- Sims, W. L., V. E. Rubatzky, R. H. Sciaroni, and W. H. Lange. 1977. Growing globe artichoke in California. *Univ. Calif., Div. Agric. Sci., Leaflet 2675*. 12 p.
- Sims, W. L., H. Johnson, R. F. Kasmire, V. E. Rubatzky, K. B. Tyler, and R. E. Voss. 1978. Home vegetable gardening. *Div. Agric. Sci., Univ. Calif., Leaflet No. 2989*. 42 p.
- Singh, B. P. 1987. Effect of irrigation on the growth and yield of okra. *HortScience* 22: 879-880.
- Siomos, A. S. 2000. Nitrate levels in lettuce at three times during a diurnal period. *J. Veg. Crop Prod.* 6(2): 37-42.
- Small, J. G. C. and Y. Gutterman. 1991. Evidence for inhibitor involvement in the thermodormancy of Grand Rapids lettuce seeds. *Seed Science Research* 1(4): 263-267.
- Small, J. G. C. and Y. Gutterman. 1992. Effects of sodium chloride on prevention of thermodormancy, ethylene and protein synthesis and respiration in Grand Rapids lettuce seeds. *Physiologia Plantarum* 84(1): 35-40.
- Smith, O. E., W. W. L. Yen, and J. M. Lyons. 1968. The effects of kinetin in overcoming high-temperature dormancy of lettuce seed. *Proc. Amer. Soc. Hort. Sci.* 93: 444-453.
- Snyder, M. J., N. C. Welch, and V. E. Rubatzky. 1971. Influence of gibberellin on time of bud development in globe artichoke. *HortScience* 6: 484-485.
- Sorensen, J. N., A. S. Johansen, and N. Poulsen. 1994. Influence of growth conditions on the value of crisphead lettuce: 1. Marketable and nutritional quality as affected by nitrogen supply, cultivar and plant age. *Plant Foods for Human Nutrition* 46(1): 1-11.
- Soundy, P., D. J. Cantliffe, G. J. Hochmuth, and P. J. Stoffella. 2001a.

- Nutrient requirements for lettuce transplants using a floatation irrigation system. I. Phosphorus. *HortScience* 36(6): 1066-1070.
- Soundy, P., D. J. Cantliffe, G. J. Hochmuth, and P. J. Stoffella. 2001b. Nutrient requirements for lettuce transplants using a floatation irrigation system II. Potassium. *HortScience* 36(6): 1071-1074.
- Sreekumari, M. T. and P. K. T. Pillai. 1994. Breeding barriers in taro (*Colocasia esculenta* (L.) Schott). *J. Root Crops* 20(1): 20-25.
- Steingrover, E. G., J. W. Steenhuizen, and J. van der Boon. 1993. Effect of low light intensities at night on nitrate accumulation in lettuce grown on recirculating nutrient solution. *Netherlands J. Agr. Sci.* 41(1): 13-21.
- Su, H., A. H. C. van Bruggen, and K. V. Subbarao. 2000. Spore release of *Bremia lactucae* on lettuce is affected by timing of light initiation and decrease in relative humidity. *Phytopathology* 90: 67-71.
- Subbarao, K. V. 1998. progress toward integrated management of lettuce drop. *Plant Disease* 82(1): 1068-1078.
- Subbarao, K. V., S. T. Koike, and J. C. Hubbard. 1996. Effects of deep plowing on the distribution and density of *Sclerotinia minor* sclerotia and lettuce drop incidence. *Plant Disease* 80(1): 28-33.
- Subbarao, K. V., J. C. Hubbard, and K. F. Schulbach. 1997. Comparison of lettuce diseases and yield under subsurface drip and furrow irrigation. *Phytopathology* 87: 877-883.
- Subbarao, K. V., J. C. Hubbard, and K. F. Schulbach. 1997. Comparison of lettuce diseases and yield under subsurface drip and furrow irrigation. *Phytopathology* 87(8): 877-883.
- Sugiyama, N. and M. Oozono. 1999. Leaf initiation and development in crisphead and butterhead lettuce plants. *J. Jap. Soc. Hort. Sci.* 68(6): 1118-1123.
- Sung, Y., D. J. Cantliffe, and R. T. Nagata. 1998. Seed development temperature regulation of thermotolerance in lettuce. *J. Amer. Soc. Hort. Sci.* 123(4): 700-705.
- Sung, Y., D. J. Cantliffe, and R. Nagata. 1998a. Using a puncture test to identify the role of seed coverings on thermotolerant lettuce seed germination. *J. Amer. Soc. Hort. Sci.* 123(6): 1102-1106.

- Sutton, B. G. and N. Merit. 1993. Maintenance of lettuce root zone at field capacity gives best yield with drip irrigation. *Scientia Horticulturae* 56(1): 1-11.
- Takaki, M. and L. H. P. Gama. 1998. The role of the seed coat in phytochrome-controlled seed germination in *Lactuca sativa* L. cv. Grand Rapids. *Seed Science and Technology* 26(2): 355-362.
- Tesi, R. 1994. Tema 2000, a new variety of perpetually flowering globe artichoke. (In Italian). *Informatore Agrario* 50(30): 49-51.
- Tesi, R. and A. Lenzi. 1998. Controlled-release fertilizers and nitrate accumulation in lettuce (*Lactuca sativa* L.). *Agricoltura Mediterranea*. 128(4): 313-320. c. a. *Hort. Abstr.* 69(7): 5897; 1999.
- Thibodeau, P. O. and P. L. Minotti. 1969. The influence of calcium on the development of lettuce tipburn. *J. Amer. Soc. Hort. Sci.* 94: 372-376.
- Thompson, R. C. 1937. Improvement of salad crops. In: *Yearbook of agriculture: better plants and animals III*, pp. 326-339. U. S. Dept. Agric, Wash., D. C.
- Thompson, T. L. and T. A. Doerge. 1995. Nitrogen and water rates for subsurface trickle-irrigated romaine lettuce. *HortScience* 30(6): 1233-1237.
- Thompson, H. C. and W. C. Kelly. 1957. *Vegetable crops*. McGraw-Hill Book Co., Inc., N. Y. 611 p.
- Thompson, H. C., R. W. Langhams, A. J. Both, and L. D. Albright. 1998. Shoot and root temperature effects on lettuce growth in a floating hydroponic system. *J. Amer. Soc. Hort. Sci.* 123(3): 361-364.
- Tibbitts, T. W. and G. Bottenberg. 1976. Growth of lettuce under controlled humidity levels. *J. Amer. Soc. Hort. Sci.* 101: 70-73.
- Tibbitts, T. W. and R. R. Rao. 1968. Light intensity and duration in the development of lettuce tipburn. *Proc. Amer. Soc. Hort. Sci.* 93: 454-461.
- Tibbitts, T. W., J. Bensink, F. Kuiper, and J. Hobe. 1985. Association of latex pressure with tipburn injury of lettuce. *J. Amer. Soc. Hort. Sci.* 110: 362-365.
- Tigchelaar, E. C. (ed.). 1986. *New vegetable varieties list XXI*. *HortScience* 15: 565-578.

- Tigheelaar, E. C. (ed.). 1986. New vegetable varieties list 22. HortScience 21: 195-212.
- Tomás-Barberán, F. A., J. Laiza-Verlarde, A. Bonfanti, and M. E. Saltveit. 1997. Early wound- and ethylene-induced changes in pbenylpropanoid metabolism in harvested lettuce. J. Amer. Soc. Hort. Sci. 122(3): 399-404.
- Tomás-Barberán, F. A., M. I. Gil, M. Castaner, F. Artés, and M. E. Saltveit. 1997a. Effect of selected browning inhibitors on phenolic metabolism in stem tissue of harvested lettuce. J. Agric. Food Chem. 45(3): 583-589.
- Tindall, H. D. 1983. Vegetable in the tropics. Macmillan Pr., London. 533 p.
- Toyomasu, T., H. Tsuji, H. Yamane, M. Nakayama, I. Yamaguchi, N. Murofushi, N. Takahashi, and Y. Inoue. 1993. Light effects on endogenous levels of gibberellins in photoblastic lettuce seeds. J. Plant Growth. Reg. 12(2): 85-90.
- Toyomasu, T., H. Kawaide, W. Mitsuhashi, Y. Inoue, and Y. Kamiya. 1998. Phytochrome regulates gibberellin biosynthesis during germination of photoblastic lettuce seeds. Plant physiology 118(4): 1517-1523.
- Turk, R. and E. Celik. 1994. The effect of vacuum cooling on the quality criteria of some vegetables. Acta Horticulture No. 825-829.
- University of California. 1987. Integrated pest management of cole crops and lettuce. Div. Agric. Natural Resources. Pub. No. 3307. 112 p.
- Valdes, V. M. and K. J. Bradford. 1987. Effect of seed coating and osmotic priming on the germination of lettuce seeds. J. Amer. Soc. Hort. Sci. 112(1): 153-156.
- Volkova, E. N. and A. E. Kudums. 1996. study of the diurnal changes in the content of nitrates in vegetable crops. (In Russian). Agrokhimiya No. 4: 22-27. c. a. Hort. Abstr. 67(9): 7743; 1997.
- Van der Boon, J., J. W. Steenhuizen, and E. G. Steingrover. 1990. Growth and nitrate concentration of lettuce as affected by total nitrogen and chloride concentration, NH_4/NO_3 ratio and temperature of the recirculating nutrient solution. J. Hort. Sci. 65(3): 309-321.

- Vetrano, F., G. Iapichino, and V. Guella. 2000. Propagation of artichoke cv. Romanesco from underground stem sections. *Acta Horticulturae* No. 533: 593-596.
- Viaene, N. M. and G. S. Abawi. 1998. Management of *Meloidogyne hapla* on lettuce in organic soil with sudangrass as a cover crop. *Plant Disease* 82(8): 945-952.
- Walia, R. K., S. N. Nadal, and D. S. Bhatti. 1999. Nematicidal efficacy of plant leaves and *Paeclomyces lilacinus*, alone or in combination, in controlling *Meloidogyne incognita* on okra and tomato. *Nematologia Mediterranea* 27(1): 3-8.
- Walker, J. C. 1969. Plant pathology. McGraw-Hill Book Co., N. Y. 819 p.
- Walsh, J. A. 1994. Effects of some biotic and abiotic factors on symptom expression of lettuce big-vein virus in lettuce (*Lactuca sativa*). *J. Hort. Sci.* 69(1): 21-28.
- Ware, G. W. and J. P. McCollum. 1980. Producing vegetable crops. The Interstate Printers & Publishers, Inc., Danvill, Illinois. 607 p.
- Watt, B. K. and A. L. Merrill et al. 1963. Composition of foods. U. S. Dept. Agric., Agric. Handbook No. 8. 190 p.
- Waycott, W. 1995. Photoperiodic responses of genetically diverse lettuce accessions. *J. Amer. Soc. Hort. Sci.* 120(3): 460-467.
- Weaver, R. J. 1972. Plant growth substances in agriculture. S. Chand & Co. Ltd, New Delhi. 594 p.
- Weaver, J. E. and W. E. Bruner. 1927. Root development of vegetable crops. McGraw-Hill Book Co., Inc., N. Y. 351 p.
- Wehner, T. C. (ed.). 1999. Vegetable cultivar descriptions for North America: List 25. *HortScience* 34(6): 957-1012.
- Wehner, T. C. (ed.). 2002. Vegetable cultivar description for North America: List 26. *HortScience* 37(1): 15-78.
- Welbaum, G. E. 1994. Annual culture of globe artichoke from seed in Virginia. *HortTechnology* 4(2): 147-150.
- Welbaum, G. E. and S. C. Warfield. 1992. Growing globe artichokes from seed. *Acta Horticulturae* No. 318: 111-115.

- Whitaker, T. W. 1974. Lettuce: evolution of a weedy Cinderella. *HortScience* 9: 512-514.
- Whitehead, W. F. and B. P. Singh. 2000. Yield, time of maximum CO₂ exchange rate, and leaf-area index of Clemson 'Spineless' okra are affected by within-row spacing. *HortScience* 35(5): 849-852.
- Wicks, T. G., B. Hall, and P. Pezzaniti. 1994. Fungicidal control of metalaxyl-insensitive strains of *Bremia lactucae* on lettuce. *Crop Protection* 13(8): 617-623.
- Wien, H. C. 1997. Lettuce, pp. 479-509. In: H. C. Wein. (ed.). *The physiology of vegetable crops*. CAB International, Wallingford, UK.
- Wiklund, A. 1992. The genus *Cynara* L. (Asteraceae-Carduaceae). *Botanical Journal of the Linnean Society* 109(1): 75-123.
- Wilson, J. E., P. Sivan, and C. Munroe. 1994. Alafua Sunrise and Samoa hybrid improve the production of taro (*Colocasia esculenta* (L.) Schott) in the Pacific. *Acta Hort.* No. 380: 453-461.
- Winsor, G. and P. Adams. 1987. *Diagnosis of mineral disorders in plants*. Vol. 3. *Glasshouse crops*. Her Majesty's Stationary Office, London. 168 p.
- Wisler, G. C., J. E. Duffus, H. Y. Liu, and R. H. Li. 1998. Ecology and epidemiology of whitefly-transmitted closteroviruses. *Plant Disease* 82(3): 270-280.
- Wittwer, S. H. 1983. Vegetable. In: L. G. Nickell. (ed.). *Plant growth regulating chemicals*. Vol. II, pp. 213-231. Boca Raton, Florida.
- Wittwer, S. H. and M. J. Bukovac. 1962. Exogenous plant growth substances affecting floral initiation and fruit set. In: *Proceedings of plant science symposium*, pp. 65-83. Campbell Soup Company, Camden, N. J.
- Wolff, X. Y. and R. R. Coltman. 1990. Productivity of eight leafy vegetable crops grown under shade in Hawaii. *J. Amer. Soc. Hort. Sci.* 115(1): 182-188.
- Wu, B. M., K. V. Subbarao, A. H. C. van Bruggen, and S. T. Koike. 2001. Comparison of three fungicide spray advisors for lettuce downy mildew. *Plant Disease* 85: 895-900.

- Wurr, D. C. E. and J. R. Fellows. 1986. The influence of transplant age and raising condition on the growth of crisp lettuce plants raised in techniculture plugs. *J. Hort. Sci.* 61: 81-87.
- Wurr, D. C. E. and J. R. Fellows. 1991. The influence of solar radiation and temperature on the head weight of crisp lettuce. *J. Hort. Sci.* 66(2): 183-190.
- Wurr, D. C. E., J. R. Fellows, and A. J. Hambidge. 1992. Environmental factors influencing head density and diameter of crisp lettuce cv. *Saladin*. *J. Hort. Sci.* 67(3): 395-401.
- Wurr, D. C. H., J. R. Fellows, R. W. P. Hiron, D. N. Antill, and D. J. Hand. 1992. The development and evaluation of techniques to predict when to harvest iceberg lettuce heads. *J. Hort. Sci.* 67(3): 385-393.
- Yamaguchi, M. 1983. *World vegetables: production and nutritive values*. Avi Pub Co., Westport, Connecticut. 415 p.
- Yanagi, A. A., R. M. Bullock, and J. J. Cho. 1983. Factors involved in the development of tipburn in crisphead lettuce in Hawaii. *J. Amer. Soc. Hort. Sci.* 108: 234-237.
- Zarate, N. A. H., M. do C. Vieira, and K. B. Godoy. 1997. Taro leaf production at three harvest intervals. *Horticultura Brasileira* 15(1): 47-49. *c. a. Hort. Abstr.* 68(8): 6813; 1998.
- Zeng, G. W. and A. A. Khan. 1984. Alleviation of high temperature stress by preplant permeation of phthalimide and other growth regulators into lettuce seeds via acetone. *J. Amer. Soc. Hort. Sci.* 109: 782-785.
- Ziedan, M. I. (ed.). 1980. *Index of plant diseases in Egypt*. Institute of Plant Pathology, Agricultural Research Center, Cairo, Egypt. 95 p.