

**Question 6**17-04  
0.4-26%

A sinusoidal wave is described by the equation

$$y(x, t) = 2.0 \sin[5x + 15t]$$

in SI units. How far does this wave move in 15 seconds?

- (a) 15 m.
- (b) 45 m.
- (c) 5 m.
- (d) 55 m.
- (e) 90 m.

**17-5 The Speed of a Traveling Wave****Question 7**

17-05

For a certain wave, the maximum transverse velocity is 6 m/s, and the maximum transverse acceleration is  $12 \text{ m/s}^2$ . Find the amplitude of this wave.

- (a) 5 m.
- (b) 3 m.
- (c) 9 m.
- (d) 1 m.
- (e) 7 m.

**Question 8**17-05  
0.51-35%A sinusoidal wave traveling in the positive x direction has an amplitude of 10 cm, a wavelength of 20 cm, and a frequency of 5.0 Hz. A particle at  $x = 0$  and  $t = 0$  has a displacement of 10 cm. Write the equation of the displacement of the particles as a function of x and t.

- (a)  $y = (0.1 \text{ m}) \sin[\pi(10x - 10t - 3/2)]$
- (b)  $y = (0.1 \text{ m}) \sin[\pi(10x + 10t - 3/2)]$
- (c)  $y = (0.1 \text{ m}) \sin(10x - 10t + \pi/2)$
- (d)  $y = (0.2 \text{ m}) \sin[\pi(10x + 10t - 3/2)]$
- (e)  $y = (0.2 \text{ m}) \sin[\pi(10x - 10t + 3/2)]$

**Question 9**17-05  
0.46-32%A harmonic wave is described by  $y = 0.2 \sin(25x - 10t)$  (SI units). How far does a wave crest move in 20 sec?

- (a) 20 m
- (b) 5 m
- (c) 3 m
- (d) 50 m
- (e) 0 m

**Question 10**17-05  
0.62-40%A transverse wave of 0.5-m wavelength is moving in a stretched string with a speed of 5 m/s. If the maximum transverse acceleration of the particles in the string is  $80 \text{ m/s}^2$ , find the amplitude of the wave.

- (a) 4 cm
- (b) 6 cm
- (c) 7 cm
- (d) 3 cm
- (e) 2 cm

17-05

Question 11

A transverse sinusoidal wave traveling in the negative x direction has an amplitude of 10.0 cm, a wavelength of 20.0 cm, and a frequency of 8.00 Hz. Write the expression for y as a function of x(in meters) and t(in seconds) if  $y(0,0) = 10.0$  cm.

- (a)  $y = (0.1 \text{ m}) \sin[20.0*x - 8.00*t - (2*\pi)]$   
 (b)  $y = (0.1 \text{ m}) \sin[20.0*x + 8.00*t + (2*\pi)]$   
 (c)  $y = (0.1 \text{ m}) \sin[31.4*x + 50.3*t + (\pi/2)]$   
 (d)  $y = (0.1 \text{ m}) \sin[31.4*x + 50.3*t + \pi]$   
 (e)  $y = (0.1 \text{ m}) \sin[31.4*x - 50.3*t - (\pi/2)]$

17-05

Question 12

Ocean waves, with a wavelength of 12 m, are coming in at a rate of 20 crests per minute. What is their speed?

- (a) 30 m/s  
 (b) 8.0 m/s  
 (c) 16 m/s  
 (d) 24 m/s  
 (e) 4.0 m/s

17-05

0.19-21%

Question 13

The equation of a transverse wave traveling along a stretched string is given by:

$$y(x,t) = (2.0 \text{ mm}) \sin(20x - 600t)$$

where x is in meter and t in sec. What is the transverse speed at  $x = 1$  m and  $t = 0.5$  seconds?

- (a) 1.1 m/s  
 (b) - 0.43 m/s  
 (c) zero  
 (d) 0.52 m/s  
 (e) - 0.21 m/s

17-05

Question 14

A sinusoidal wave is described as:

$$y = (0.1 \text{ m}) * \sin[10*\pi*(x/5 + t - 3/2)],$$

where x is in meters and t is in seconds. What are the values of its frequency(f), and its velocity(v)?

- (a)  $f=2$  Hz,  $v = 1$  m/s moving in -x-direction.  
 (b)  $f=2$  Hz,  $v = 1$  m/s moving in +x-direction.  
 (c)  $f=2$  Hz,  $v = 5$  m/s moving in -x-direction.  
 (d)  $f=5$  Hz,  $v = 5$  m/s moving in -x-direction.  
 (e)  $f=5$  Hz,  $v = 5$  m/s moving in +x-direction.

17-05

0.34-74%

Question 15

A stretched string has a mass per unit length of 0.500 kg/m and is under a tension of 100.0 N.

A sinusoidal wave on this string has an amplitude of 0.120 mm, a frequency of 100 Hz, and is traveling in the negative x direction. What is the equation of the wave ?

- (a)  $y = (0.120 \text{ mm}) \sin(444*x - 628*t)$   
 (b)  $y = (0.120 \text{ mm}) \sin(444*x + 628*t)$   
 (c)  $y = (0.120 \text{ mm}) \sin(140*x + 628*t)$   
 (d)  $y = (0.120 \text{ mm}) \sin(140*x - 628*t)$   
 (e)  $y = (0.060 \text{ mm}) \sin(140*x + 628*t)$

17-05

**Question 16**

A sinusoidal wave is given by the equation:

$$y(x,t) = 7.0 \cos(-kx - \omega t + \Phi).$$

Which of the following statements is true about this wave:

- (a) The wave is a standing wave.
- (b) The wave is moving to the positive x-axis.
- (c) The wave is moving with speed  $k/\omega$ .
- (d) The wave is moving to the negative x-axis.
- (e) The wave is moving with speed  $k\omega$ .

17-05

0.53-36%

**Question 17**

In a vibrating string waves travel a distance of 45 cm in 3.0 s. If the distance between two successive crests is 3.0 cm, what is the frequency of the vibrator causing the waves?

- (a) 5.0 Hz.
- (b) 20.0 Hz.
- (c) 11.5 Hz.
- (d) 15.0 Hz.
- (e) 7.5 Hz.

17-05

0.44-31%

**Question 18**

A water wave is described by the equation:

$$y(x,t) = 0.40 \cos[0.10(x + 3t)]$$

where  $x$  and  $y$  are in meters and  $t$  is in seconds. The maximum transverse speed of the water molecules is

- (a) 0.12 m/s.
- (b) 4.11 m/s.
- (c) 0.04 m/s.
- (d) 0.22 m/s.
- (e) 1.20 m/s.

17-05

0.43-28%


**Question 19**A sinusoidal traveling wave is generated on a string. The speed of the wave is 0.050 m/s, and it is traveling to the right along the x-axis. Figure 1 shows the displacement of the particle of the string, at  $x=0$ , as a function of time. What is the equation of the wave? [ $y$  is given in meters]

Figure 1

- (a)  $y(x,t) = 0.01 \sin[2\pi(50x - 2.5t)]$
- (b)  $y(x,t) = 0.02 \sin[2\pi(50x - 8.0t)]$
- (c)  $y(x,t) = 0.01 \sin[2\pi(50x + 2.5t)]$
- (d)  $y(x,t) = 0.01 \sin[2\pi(50x + 8.0t)]$
- (e)  $y(x,t) = 0.01 \sin[2\pi(50x - 8.0t)]$