

ABSTRACT

Mobile communication systems face a great challenge due to the raised user expectations of quality of service and the rapid growth of the data traffic. The performance of cellular systems is mainly limited because of the presence of inter-cell interference e.g., the spectrum efficiency, peak data rate, cell-edge data rate. The cooperation between base stations (BSs) which is known as coordinated multi-point (CoMP) transmission/reception is one of the most important way to combat inter-cell interference. Coordinated multipoint can either coordinate or exploit the interference to improve the system throughput and the user fairness.

For systems beyond 4G, further enhancement of the system throughput and user fairness is required considering the recent exponential increase in the volume of mobile traffic and the needs for enhanced delay high volume services such as video streaming. To accommodate such requirements, non-orthogonal multiple access can again be a promising candidate as a downlink wireless access scheme for systems beyond the fourth generation. To make non-orthogonal multiple access favorable and promising, it should be used with advanced reception techniques such as a successive interference cancellation (SIC) which is different from the third generation mobile communication system.

This thesis explores the performance of coordinated multipoint transmission and reception techniques using Non Orthogonal Multiple Access (NOMA) with superposition coding in heterogeneous network, comparing with orthogonal multiple access (OMA), evaluating user and cell throughput.

ACKNOWLEDGMENTS

First and foremost I'm very thankful to **ALLAH** for giving me the will, patience and means to work in this thesis and finish it.

Foremost, I would like to express my sincere gratitude to my advisor Professor Essam Sourour for the continuous support of my PhD study and research, for his patience, motivation, enthusiasm, and immense knowledge. His guidance helped me in all the time of research and writing of this thesis. I could not have imagined having a better advisor and mentor for my PhD study.

I owe my deepest to my family – my mother and father who have always stood by me, gave me endless patience and love and guided me through my career. I owe them every achievement and success I would make in my whole life.

I thank my fellow colleagues in my work: Dr.Tarek Elshenawy, Hossam Ahmed, and Ahmed Eldesoukey for helping me in my PhD study

Special thanks to my dear wife who has always been surrounding me with her love and care.

CONTENTS

CHAPTER I: INTRODUCTION.....	1
1.1 PRELIMINARIES.....	1
1.2 3GPP STANDARD RELEASES FOR LTE.....	2
1.2.1 3GPP Release 8.....	3
1.2.2 3GPP Release 9.....	3
1.2.3 3GPP Release 10.....	4
1.2.4 3GPP Release 11.....	5
1.2.5 3GPP Release 12.....	5
1.3 THESIS PURPOSE.....	6
1.4 SUMMARY OF CONTRIBUTION.....	6
1.5 THESIS OVERVIEW.....	6
 CHAPTER II: LTE-A KEY TECHNOLOGIES.....	 8
2.1 LONG TERM EVOLUTION ADVANCED (LTE-A).....	8
2.1.1 Overall Architecture.....	8
2.1.2 LTE Physical Layer.....	9
2.1.2.1 Multiplexing Schemes.....	9
2.1.2.1.1 Downlink.....	9
2.1.2.1.2 Uplink.....	9
2.1.2.2 LTE Frame Structure.....	10
2.1.2.3 Downlink Physical Resource Block.....	10
2.1.2.4 Cyclic Prefix (CP).....	11
2.1.2.5 Reference Signal (RS).....	12
2.1.2.6 LTE Physical Channel.....	13
2.1.2.7 LTE Transmission Mode (TM).....	14
2.2 FEMTOCELL (HOME ENODEB).....	15
2.3 MULTIPLE INPUT MULTIPLE OUTPUT.....	16
2.4 CONVENTIONAL INTERFERENCE MANAGEMENT METHODS.....	17
2.4.1 Enhanced Inter Cell Interference Coordination (eICIC).....	17
2.4.1.1 Frequency Domain Techniques.....	18

2.4.1.2	Time Domain Techniques.....	18
2.4.1.3	Power Control Techniques.....	19
2.4.2	Coordinated Multipoint Transmission (COMP).....	19
2.4.2.1	The COMP Architecture.....	19
2.4.2.1.1	<i>Centralized Architecture</i>	20
2.4.2.1.2	<i>Distributed Architecture</i>	20
2.4.2.2	The COMP Scheme.....	20
2.4.2.2.1	<i>Coordinated Scheduling/Beamforming</i>	21
2.4.2.2.2	<i>Joint Processing</i>	21
CHAPTER III: NON ORTHOGONAL MULTIPLE ACCESS.....		23
3.1	NOMA CONCEPT.....	24
3.2	NOMA TRANSMITTER.....	25
3.3	NOMA RECEIVER.....	26
3.4	COMPARISON WITH OMA.....	27
3.5	IMPERFECT SUCCESSIVE INTERFERENCE CANCELLATION.....	28
3.6	TRANSMIT POWER ALLOCATION.....	29
3.7	RESULTS OF PREVIOUS WORK ON NOMA.....	29
CHAPTER IV: NOVELTY AND CONTRIBUTIONS.....		35
4.1	MODIFIED PROPORTIONAL FAIR FOR LTE FEMTOCELL.....	35
4.2	DOWNLINK JOINT PROCESSING FOR NOMA.....	36
4.3	SIMULATION METHODOLOGY.....	38
CHAPTER V: SIMULATION MODEL.....		41
5.1	SIMULATION NETWORK LAYOUT.....	41
5.2	HETEROGENEOUS SIMULATION PARAMETERS.....	43
5.3	INTERFERENCE SCENARIOS.....	44
5.3.1	Indoor to Indoor Interference Scenario.....	44
5.3.2	Indoor to Outdoor Interference Scenario.....	45

5.4	PATH LOSS MODEL.....	46
5.5	POWER CONTROL.....	47
5.6	ALMOST BLANK SUBFRAME.....	48
5.7	ADAPTIVE MODULATION AND CODING.....	48
5.7.1	Link Adaptation.....	48
5.7.2	CQI Feedback.....	49
5.8	SCHEDULING ALGORITHM.....	52
5.9	SINR ESTIMATION.....	52
5.10	TRAFFIC MODEL.....	53
CHAPTER VI: MODIFIED PROPORTIONAL FAIR FOR LTE FEMTO CELLS WITH EICIC		55
6.1	POWER CONTROL IN FEMTOCELLS.....	55
6.2	ALMOST BLANK SUBFRAME.....	56
6.3	MODIFIED PROPORTIONAL FAIR WITH ABS.....	57
CHAPTER VII: PROPOSED NOMA WITH JOINT TRANSMISSION.....		61
7.1.	USER SELECTION WITH FIXED POWER ALLOCATION FOR NOMA.....	62
7.1.1	OMA and NOMA.....	62
7.1.2	Imperfect Interference Cancellation.....	63
7.1.3	User Sorting Power Allocation (USPA).....	63
7.2.	PROPOSED NOMA WITH JOINT TRANSMISSION	67
CHAPTER VIII: CONCLUSION AND FURTHER WORK.....		72
8.1	CONCLUSION.....	72
8.2	FURTHER WORK.....	73
REFERENCES.....		74

List of Tables

Table 1.1	Difference between LTE and LTE-A.....	4
Table 2.1	LTE Bandwidth and Resource Blocks Specifications.....	11
Table 2.2	Cyclic Prefix Configuration.....	12
Table 2.3	Downlink Physical Channel and Signals.....	13
Table 2.4	Uplink Physical Channel and Signals.....	14
Table 2.5	LTE Transmission Modes.....	14
Table 2.6	Modes of Operation in CoMP –Transmission (Downlink).....	22
Table 3.1	Overview of Key Radio Access Technology Parameters.....	24
Table 5.1	Heterogeneous Simulation Baseline Parameters.....	43
Table 5.2	5-MCS bit Table.....	51
Table 5.3	FTP Traffic Model 1.....	53
Table 5.4	FTP Traffic Model 2.....	53
Table 7.1	Comparison between Throughput of MUE and HUE.....	71

List of Figures

Figure 1.1	Evolution of Mobile Communication.....	2
Figure 1.2	Evolution of 3GPP Standards.....	3
Figure 1.3	LTE-Advanced Bandwidth.....	4
Figure 2.1	LTE Overall Architecture	8
Figure 2.2	Frequency Domain Representations of Downlink and Uplink LTE.....	9
Figure 2.3	LTE Frame Structure Type 1(For FDD).....	10
Figure 2.4	Physical Resource Block (PRB).....	11
Figure 2.5	Cyclic Prefix.....	12
Figure 2.6	LTE Reference Signal (RS).....	13
Figure 2.7	Femtocell Architecture.....	16
Figure 2.8	LTE-A Downlink 2x2 MIMO.....	17
Figure 2.9	Illustration of Component Carriers Using Carrier Aggregation.....	18
Figure 2.10	Almost Blank Subframe (eICIC Time Domain Techniques).....	19
Figure 2.11	Coordinated Scheduling/Beamforming Scheduling.....	21
Figure 2.12	Joint Processing Techniques.....	21
Figure 3.1	Illustration of NOMA Transmission Side.....	26
Figure 3.2	Structure of SIC Receiver (case of 2-UE).....	27
Figure 3.3	Simple Comparison Example of NOMA and OMA.....	28
Figure 3.4	System Level Evaluation of OFDMA and NOMA.....	29
Figure 3.5	NOMA/MIMO Scheme Applying with IRC-SIC Receivers.....	30
Figure 3.6	System Level Evaluation for NOMA/MIMO Scheme.....	31
Figure 3.7	Cumulative Distribution of User Throughput.....	32
Figure 3.8	Sum User Throughput per Cell as a Function of U.....	33
Figure 3.9	Cell Edge User Throughput per Cell as a Function of U.....	33
Figure 3.10	User Throughput Gain.....	34
Figure 4.1	Basic NOMA scheme with SIC for receiver in downlink.....	37
Figure 4.1	Macro Femto Network Layout.....	39
Figure 5.1	Network Layout.....	41
Figure 5.2	Cell Site Area.....	42
Figure 5.3	Dual Strip Cluster.....	42
Figure 5.4	Indoor to Indoor Interference Scenario.....	44
Figure 5.5	Indoor to Outdoor Interference Scenario.....	45
Figure 5.6	BLER versus SNR for Various Combinations of Modulation Scheme and Code Rate.....	49
Figure 5.7	Traffic Generation of FTP Model 1.....	54
Figure 5.8	Traffic Generation of FTP Model 2.....	54
Figure 6.1	Average C/I for MUES.....	56
Figure 6.2	Average C/I of MUEs with IC.....	57
Figure 6.3	Comparison between PF & MPF for Subband.....	58
Figure 6.4	Comparison Indoor MUE throughput when using PF & MPF.....	59
Figure 6.5	Comparison Outdoor MUE throughput when using PF & MPF.....	60

Figure 7.1	Compare Macro Users Throughput when Using OMA and NOMA.....	62
Figure 7.2	Compare Macro Users Throughput when Using Imperfect IC.....	63
Figure 7.3	User grouping in NOMA.....	64
Figure 7.4	Compare Throughput of MUE between FPA and USPA.....	65
Figure 7.5	Compare Throughput Indoor MUE between NOMA FPA and USPA Power Allocation.....	65
Figure 7.6	Compare Throughput of HUE between NOMA FPA and USPA Power Allocation.....	66
Figure 7.7	Flow chart of proposed NOMA with Joint Transmission.....	68
Figure 7.8	Compare Throughput of MUE between NOMA with and without COMP... 	69
Figure 7.9	Compare Indoor MUE Users Throughput between NOMA with and without COMP.....	70
Figure 7.10	Compare HUE Users Throughput between NOMA with and without COMP.....	70
Figure 7.11	Comparison between Throughput of MUE and HUE.....	71

List of Abbreviations

1G	First Generation
2G	Second Generation
3G	Third Generation
3GPP	Third Generation Partnership Project
4G	Fourth Generation
5G	Fifth Generation
AAS	Active Antenna Systems
ABS	Almost Blank subframe
ACK	Acknowledge
AMC	Adaptive Modulation and Coding
AMPS	Advanced Mobile Phone System
BLER	Block Error Rate
CA	Carrier Aggregation
CC	Component Carrier
CDD	Cyclic Delay Diversity
CDF	Cumulative Distribution Function
CDMA	Code Division Multiple Access
CINR	Carrier to Interference and Noise Ratio
CSG	Closed Subscriber Group
CLSM	Closed Loop Spatial Multiplexing
COMP	Coordinated Multi-Point
CP	Cyclic Prefix
CS/CB	Coordinated Scheduling/Beamforming
CSI	Channel State Information
CQI	Channel Quality Indicator
D2D	Device to Device
DCS	Dynamic Cell Selection
DFT	Discrete Fourier Transform
DMRS	Demodulation Reference Signal
DPC	Dirty Paper Coding
DS-CDMA	Direct Sequence Code Division Multiple Access
DSL	Digital Subscriber Line
EE	Energy Efficient
eICIC	Enhanced Inter Cell Interference Coordination
eNB	Enhanced NodeB
EPC	Evolved Packet Core
FDD	Frequency Division Duplex
FFT	Fast Fourier Transform
FPA	Fixed Power Allocation
FRA	Future Radio Access
FSPA	Full Search Power Allocation
FTP	File Transfer Protocol
GMSK	Gaussian Minimum Shift Keying
GSM	Global System for Mobile

HeNB	Home Enhanced Node
HetNets	Heterogeneous Networks
HSDPA	High Speed Downlink Packet Access
HSUPA	High Speed Uplink Packet Access
HUE	Home User Equipment
ICIC	Inter Cell Interference Coordination
IDMA	Interleave Division Multiple Access
IFFT	Inverse Fast Fourier Transform
IMT	International Mobile Telecommunications
IP	Internet Protocol
IRC	Interference Rejection Combining
IS-95	Interim Standard 95
ISD	Inter Side Distance
ITU	International Telecommunication Union
JP	Joint Processing
JT	Joint Transmission
LOS	Line Of Site
LCS	Location Service
LDPC	Low Density Parity Check
LTE	Long Term Evolution
LTE-A	Long Term Evolution-Advanced
MA	Multiple Access
MDT	Minimization of Drive Test
MIB	Master Information Block
MIMO	Multiple Input Multiple Output
MBMS	Multimedia Broadcast and Multicast Service
MBSFN	Multimedia Broadcast Single Frequency Network
MCS	Modulation and Coding Scheme
MME	Mobility Management Entities
MNB	Macro Node B
MPF	Modified Proportional Fair
MTC	Machine Type Communication
MUE	Macro User Equipment
NACK	Negative Acknowledge
NCT	New Carrier Type
NLOS	Non Line Of site
NOMA	Non Orthogonal Multiple Access
OFDM	Orthogonal Frequency Division Multiplexing
OFDMA	Orthogonal Frequency Division Multiple Access
OMA	Orthogonal Multiple Access
PAPR	Peak to Average Power Ratio
PBCH	Physical Broadcast Channel
PCFICH	Physical Control Format Indicator Channel
PDCCH	Physical Downlink Control Channel
PDSCH	Physical Downlink Shared Channel
PF	Proportional Fair

PHICH	Physical Hybrid ARQ Indicator Channel
PMCH	Physical Multicast Channel
PRACH	Physical Random Access Channel
PRB	Physical Resource Block
PSK	Phase Shift Keying
PUCCH	Physical Uplink Control Channel
PUSCH	Physical Uplink Shared Channel
QAM	Quadrature Amplitude Modulation
QoS	Quality of Service
QPSK	Quadrature Phase Shift Keying
RB	Resource Block
RE	Resource Element
RF	Radio Frequency
RM	Rate Matching
RS	Reference Signal
SAE	System Architecture Evolution
SC-FDMA	Single Carrier-Frequency Division Multiple Access
SEGW	Security Gateway
SGW	Serving Gateway
SIC	Successive Interference Cancellation
SINR	Signal Interference / Noise Ratio
SIR	Signal to Interference Ratio
SNR	Signal to Noise Ratio
SON	Self Organizing Network
SRS	Sounding Reference Signal
TCMA	Trellis Code Multiple Access
TDD	Time Division Duplex
TDMA	Time Division Multiple Access
TM	Transmission Mode
TPA	Transmit Power Allocation
TTI	Transmission Time Interval
UE	User Equipment
UMTS	Universal Mobile Telecommunications System
UTRA	Universal Terrestrial Radio Access
UTRAN	Universal Terrestrial Radio Access Network
WLANs	Wireless Local Area Networks