

LIST OF TABLES

Table	page
(1) Comparison between the two studied groups according to the age & gender.	23
(2) Comparison between the two studied groups according to preexisting conditions.	25
(3) Comparison between the two studied groups according to vital signs on admission	27
(4) Comparison between the two studied groups according to APACHI II & SOFA scores on admission	30
(5) Descriptive analysis of the studied cases according to ABG on admission	31
(6) Descriptive analysis of the studied cases according to lab investigations on admission (n=100)	31
(7) Comparison between Group I and Group II regarding sites of infection	32
(8) Distribution of the studied cases according to the causes of infection in studied population.	34
(9) Distribution of the studied cases according to AKIN	35
(10) Descriptive analysis of the studied cases according to creatinine level	36
(11) Comparison between the studied groups with Ang./Cr. Ratio (ng /mg) regarding Creatinine level on admission	37
(12) Agreement (sensitivity, specificity and accuracy) for Urinary Ang. / Cr. ratio to predict AKI	39
(13) Correlation between Ang. /Cr. Ratio on admission and AKIN staging in each day.	40
(14) Correlation between Ang. /Cr. Ratio on admission and Cr. level in each day	40
(15) Distribution of the studied groups' outcomes according to urinary Ang./ Cr. Ratio grouping	41
(16) Distribution of the studied group's outcomes according AKIN staging	42
(17) Relation between Ang. /Cr. ratio (ng/mg) and outcomes of Group II	43
(18) Agreement (sensitivity, specificity and accuracy) for Ang. / Cr. ratio to predict RRT requirement in Group II	44
(19) Agreement (sensitivity, specificity and accuracy) of Ang./Cr. ratio (ng/mg) for predicting mortality in Group II	45

LIST OF FIGURES

Figure	page
(1) Key potential pathways implicated in pathogenesis of acute kidney injury due to ischemia or sepsis	5
(2) pathophysiology of ischemic of acute kidney injury	8
(3) The pathophysiologic mechanisms of reduction of GFR in ATN	9
(4) New spectrum of AKI based on combination of functional and damage biomarkers.	11
(5) Comparison between Group I and Group II according to gender.	24
(6) Comparison between Group I and Group II according to age.	24
(7) Comparison between Group I and Group II regarding preexisting conditions. D.M, diabetes mellitus; HTN, hypertension; I.H.D, ischemic heart disease; COPD, chronic obstructive pulmonary disease.	26
(8) Comparison between the two studied groups according to Mean BP (mmHg)	28
(9) Comparison between the two studied groups according to RR (cycle/min)	28
(10) Comparison between the two studied groups according to Temperature °C	29
(11) Comparison between the two studied groups according to HR (beat/min)	29
(12) Comparison between the two studied groups according to APACHI II & SOFA scores	30
(13) Comparison between Group I and Group II regarding site of infection	33
(14) Distribution of the studied cases according to median AKIN score	35
(15) Descriptive analysis of the studied cases according to mean creatinine level	36
(16) Comparison between group I and group II regarding Ang./Cr. Ratio (ng /mg) on admission	37
(17) Comparison between group I and group II regarding creatinine level on admission	38
(18) ROC curve for Ang. /Cr. ratio on admission to predict AKI	39
(19) Distribution of the studied groups' outcomes according to urinary Ang./ Cr. Ratio grouping	41
(20) Distribution of the studied group's outcomes according AKIN staging	42
(21) Distribution of Group II outcomes	44
(22) ROC curve for Ang. /Cr. ratio to predict RRT requirement in Group II	45
(23) ROC curve for Ang. /Cr. ratio (ng/mg) to predict mortality in Group II	46

LIST OF ABBREVIATIONS

ACCP	: American College of Chest Physicians
ACEI	: Angiotensin-Converting Enzyme Inhibitor
ADQI	: Acute Dialysis Quality Initiative
AGT	: Angiotensinogen
AKD	: Acute Kidney Disease
AKI	: acute kidney injury
AKIN	: Acute Kidney Injury staging
ALI	: Acute Lung Injury
ALT	: Alanine Amino Transferase
Ang I	: Angiotensin I
Ang II	: Angiotensin II
APACHE II	: Acute Physiological and Chronic Health Evaluation-II
ARB	: Angiotensin Receptor Blocker
ARF	: Acute Renal Failure
AST	: Aspartate Amino Transferase
AT1 receptor	: Angiotensin Receptor 1
ATN	: Acute Tubular Necrosis
ATS	: American Thoracic Society
AUC	: Area under the Curve
CKD	: Chronic Kidney Disease
COPD	: Chronic Obstructive Pulmonary Disease
DM	: Diabetes Mellitus
ELISA	: Enzyme-Linked Immunosorbent Assay
ESICM	: European Society of Intensive Care Medicine
F_ENa	: Fractional Excretion of Sodium
GCS	: Glasgow Coma Score
GFR	: Glomerular Filtration Rate

HTN	: Hypertension
ICU	: Intensive Care Unit
IHD	: Ischemic Heart Disease
IL-18	: Interleukin-18
INR	: International normalization ratio
KDIGO	: Kidney Disease Improving Global Outcomes
KIM-1	: Kidney Injury Molecule -1
L-FABP	: Liver-type fatty acid-binding protein
MTAL	: Medullary Thick Ascending Limb of The Loop Of Henle
MAP	: Mean Blood Pressure
MODS	: Multi Organ Dysfunction Syndrome
NF-κB	: Nuclear Factor κ B
NGAL	: Neutrophil Gelatinase Associated Lipocalin
NO	: Nitric Oxide
NSAIDs	: Nonsteroidal Anti-Inflammatory Drugs
RAS	: Renin Angiotensin System
RIFLE	: Risk, Injury, Failure, Loss of function, End stage
ROC	: Receiver Operating Characteristic
RRT	: Renal Replacement Therapy
S Cr	: Serum Creatinine
SBP	: Systolic Blood Pressure
SCCM	: Society of Critical Care Medicine
SD	: Standard Deviation
SIRS	: Systemic Inflammatory Response Syndrome
SIS	: Surgical Infection Society
SOFA	: Sequential Organ Failure Assessment
uAnCR	: Urinary Angiotensinogen / Creatinine Ratio
UOP	: Urine Out Put
π-GST	: A-Glutathione S-Transferase