

List of Figures

1.1	Architecture of a CRN	2
3.1	Block diagram of the presented classification technique.	11
3.2	Components of a TV PAL signal horizontal line	12
3.3	Block Diagram of Energy Detector	13
3.4	Baseband equivalent reference template for analog TV signal sensing based on CBM.	14
3.5	Block diagram of analog TV signal sensing CBM system.	15
3.6	Generation of PRBS	16
3.7	Membership functions of the EDM output value.	17
3.8	Membership functions of the CBM output value.	17
3.9	Membership functions of the final output values.	18
3.10	Fusion Process of the classification algorithm	19
3.11	Percentage of TV Signal and Secondary Signal Classification versus SNR when PAL Primary Signal is of Interest	21
3.12	Percentage of TV Signal and Secondary Signal Classification versus SNR when DVB-T Primary Signal of Interest	21
3.13	Overall Percentage of Classification versus SNR	22
3.14	Comparison between the ROC of DVB-T signal detector of the new technique and the CBM at SNR = 20 dB.	23
4.1	Flowchart of The Presented Approach	26
4.2	Distance Estimating FIS	27
4.3	Membership Functions of Rx_{PU}	27
4.4	Membership Functions of SNR_{PU}	27
4.5	Membership Functions of the Distance Estimate	28
4.6	Fuzzy reasoning of the distance estimation phase	29
4.7	Path Loss Phase	29
4.8	Handover Decision Making FIS	31
4.9	Membership Functions of SE_{SU}	31
4.10	Membership Functions of The Interference On PU	32
4.11	Membership Functions of The Handover possibility	32
4.12	Membership Functions of The Power Modification possibility	33
4.13	Fuzzy reasoning process of the handover decision making process	34

List of Figures

4.14	Handover percentage	35
4.15	Interference Reduction percentage	36
5.1	Membership functions of $P_{e_{individual}}$	46
5.2	Membership functions of $SNR_{reporting}$	46
5.3	Membership functions of Candidate Possibility	46
5.4	Fuzzy Reasoning Process	47
5.5	Flowchart of the assignment process based on fuzzy logic	48
5.6	Flowchart of the assignment process based on the Hungarian algorithm	50
5.7	Global Probability of Sensing Error	54
5.8	Normalized Time Delay	55
5.9	Normalized Energy Consumption	55
A.1	Fuzzy Inference System	iii
A.2	Fuzzy Reasoning Illustrative Example	vi

Abbreviations

CRN	Cognitive Radio Network
SU	Secondary User
CU	Cognitive User
PU	Primary User
QoS	Quality of Service
FCC	Federal Communications Commission
FIS	Fuzzy Inference System
EDM	Energy Detection Method
CBM	Correlation Based Method
PAL	Phase Alternating Line
DVB-T	Digital and Video Broadcasting Terrestrial
FC	Fusion Center
COA	Center Of Area
TVWS	Tele Vision White Spaces
NTRA	National Telecommunications Regulatory Authority
ETSI	European Telecommunications Standards Institute
OFDM	Orthogonal Frequency Division Multiplexing
AWGN	Additive White Gaussian Noise
SNR	Signal-to-Noise-Ratio
PRBS	Pseudo Random Binary Sequence
BPSK	Binary Phase Shift Keying
ROC	Receiver Operating Characteristics
RAN	Regional Area Network

Abbreviations

CCC	Common Control Channel
LLR	Log Likelihood Ratio
PDF	Probability Density Function
FFT	Fast Fourier Transform