

Acknowledgement

*Before all, thank GOD,
who gave me the strength and patience to fulfill this work,*

*I would like to express my deepest gratitude and appreciation to Prof. Dr.,
Thanaa Ibrahim Shalaby, Professor of Biophysics, Medical Research Institute,
Alexandria University, for his suggestion to the topic of this work, for his laborious
effort, indispensable help, patience, as well as for his constant moral support and
encouragement.*

*I am greatly indebted and grateful to Prof. Dr. Nivan Mahmoud Fekry, Professor
of Biophysics, Medical Research Institute, Alexandria University, for her precious
advice, constructive guidance, willing assistance, kindness, valuable support and
encouragement. I can hardly express my thanks for all what she has done throughout this
work,*

*I am also indebted and grateful to Prof. Dr. Amal Sobhy El Sodfy, Professor of
Pathology Medical Research Institute, Alexandria University, for her kind supervision,
continuous guidance, and constant encouragement, unlimited help which made her
supervision a great pleasure to me and generous help.*

*Really words cannot describe how indebted and grateful I am for Dr. Amel Gaber
El Sheredy Lecturer of Microbiology, Medical Research Institute, Alexandria University
who devoted great efforts and lot of her time and interest in supervising this work,
together with her guidance and careful instructions from the start to the end of this
study.*

*Finally, I would like to express my deepest gratitude to my family
who supported and saw me through this work,*

LIST OF CONTENTS

Chapter	Page
ACKNOWLEDGMENT -----	i
LIST OF CONTENTS -----	ii
LIST OF TABLES -----	vi
LIST OF FIGURES -----	vii
LIST OF ABBREVIATIONS -----	xiii
CHAPTER I:	
INTRODUCTION -----	1
CHAPTER II:	
LITERATURE REVIEW -----	6
Wound Healing Using Laser -----	6
Wound Healing Using Ultrasound -----	8
Wound Healing Using Nanofibers Dressing -----	9
Wound Healing Using Silver -----	11
CHAPTER III:	
BASIC CONSIDERATIONS -----	13
I. Wound healing -----	13
II. The process of wound healing -----	13
II.1. The Four Phases of Wound Healing-----	13
III. Abnormal wound healing -----	15
III.1. Diabetes mellitus -----	15
IV. Wound Treatment -----	16
IV.1. Physical Therapy -----	17
IV.1.1 Laser -----	17
IV1.1.a Pulsing -----	17
IV1.1.b Emission And Absorption Of Light -----	17
IV1.1.c Energy Levels In Atoms -----	18
IV1.1.d Spontaneous Emission of Light -----	18
IV1.1.e Stimulated Emission of Light -----	20
IV1.1.f Population Inversion -----	20
IV1.1.g Medical application of laser -----	21
IV1.1.h Low Level Laser Therapy In Wound Healing -----	22
IV1.1.i Proposed mechanism of action of Laser -----	23
IV.2 Ultrasound -----	25
IV.2.1 Physiotherapy -----	25
IV.2.2 Biomedical Applications of Ultrasound -----	26

IV.2 .2.a Bone injuries -----	26
IV.2.2.b Soft tissue injuries-----	27
V. Nanotechnology-----	27
VI.Nanomaterials-----	28
VI.1 Where are nanomaterials found? -----	28
VI.2 Nanofibers -----	29
VI.2.1 Techniques of Electrospinning for Nano Fibers -----	29
VI.2.2 Polymer- Solvents Used For Nano Fibers -----	30
VI.2.3 Properties of Nano Fibers -----	31
VI.2.4 Applications of Nano Fibers-----	31
1- Nano Fibers in Tissue Engineering -----	32
2- Nano Fibers in Air and liquid filters-----	33
3- Nano Fibers in Industry composite construction-----	34
4- Nano Fibers in Wound dressings-----	34
5- Nano Fibers in Sound absorptive materials-----	35
6- Nano Fiber in textile's -----	36
7- Silver Containing Dressings -----	36
VII.Polymer/Inorganic Hybrids -----	36
CHAPTER IV	
AIM O THE WORK -----	38
CHAPTER V	
MATERIALS & METHODS -----	39
I. Preparation of Nanomaterials -----	39
I.1.1Preparation of silver nanoparticles-----	39
I.1.2 Characterization of silver nanoparticles-----	39
a- UV-Visible spectrum analysis -----	39
b- XRD (X-ray Diffraction) analysis-----	40
c- Transmission Electron microscope (TEM) -----	41
I.2.1 preparation of Cellulose acetate nanofibers loaded Ag nanoparticles --	41
I.2.2Characterization of CA Nanofibers and silver loaded CA nanofiber ----	43
a- Scanning Electron Microscope (SEM) -----	43
b- Fourier transforms infrared spectrophotometer -----	45
c- Dispersion X-Ray analysis (EDX)-----	46
d- Antibacterial Activity of Silver loaded nanofibers against Staphylococcus aureus and Escherichia coli using different concentration of silver coated nanofiber -----	46
1. Determining the antibacterial activity of silver-loaded nanofiber against Staphylococcus aureus and Escherichia coli in comparison to free	

nanofibers and different classes of antibiotics using Disc diffusion method.	46
2- Determining the growth curves of bacterial cells exposed to different concentrations of silver loaded nanofibers	48
II. Nanotherapies for wound healing of mice in comparison to physical treatment	48
1- Experimental animals (70 mice)	48
2- Induction of diabetes mellitus	49
3- Excision wound model	49
4- Exposure Conditions	50
a. Laser apparatus	50
b. Ultrasonic apparatus	50
5- Experimental observation	51
6- Histological evaluation	51
7- Mechanical properties measurements	51
CHAPTER VI	
RESULTS	53
I. Characterization of Silver Nanoparticles	53
I.1 UV-Visible spectrum analysis	53
I.2 TEM Images	53
I.3 Confirmation of Ag NPs by X-ray diffraction	54
II. Characterization of CA nanofibers and Ag coated Nanofiber	55
II.1 Characterization of CA nanofibers containing silver nanoparticles with SEM and EDX	55
II.2 FTIR of cellulose acetate nanofibers	57
II.3 Anti-bacterial activity of CA nanofibers loaded with silver nanoparticles	59
1- Disc Diffusion test	59
2- Growth kinetics study	60
A- Growth kinetics study for E.Coli	61
B- Growth kinetics study for S. aureus.	65
III- Healing Factor	69
IV- Mechanical properties of healed skin	71
V- Histopathological Examination of mice skin during period of healing	72

CHAPTER VII	
DISCUSSION -----	82
CHAPTER VIII	
SUMMARY AND CONCLUSIONS -----	89
CHAPTER IX	
REFERENCES -----	92
PROTOCOL	
ARABIC SUMMARY	

LIST OF TABLES

Table		Page
(1)	Growth kinetics study for E-Coli using CA nanofibers loaded with different concentrations of Ag NPs.	61
(2)	Zone of Inhibition of Antibacterial Test of CA nanofibers loaded with Ag NP for E-Coli.	62
(3)	Growth kinetics study for S. aureus using CA nanofibers loaded with different concentrations of Ag NPs.	65
(4)	Zone of Inhibition of Antibacterial Test of CA nanofibers loaded with Ag NP for S. aureus.	66
(5)	The healing factor of control and experimental groups treated with different modalities.	69

LIST OF FIGURES

Figure		Page
(1)	Stages of normal wound healing.	14
(2)	Schematic representation of the phases of wound healing.	15
(3)	Absorption of light.	18
(4)	Atomic energy-level diagram.	19
(5)	Spontaneous emission.	19
(6)	Stimulated emission.	20
(7)	Elements of a laser.	21
(8)	Schematic representation of the main areas of application of LLLT.	22
(9)	Schematic showing how light is absorbed by cells and the cascade of events resulting from light absorption. ATP is produced in this process and used to synthesize needed proteins, enzymes, and other tissue components.	25
(10)	Schematic diagram of the electrospinning setup.	30
(11)	Potential application of nanofibers.	32
(12)	Nanofibers can also be used for the treatment of wounds or burns of a human skin.	35
(13)	UV-Vis spectrophotometer (UNICAM UV-Vis spectrometry model UV5-220).	40
(14)	X-ray diffractometer (Shimadzu, XRD-7000, Maxima, Japan).	40
(15)	Transmission Electron Microscopy (JEOL-100 CX, Japan).	41
(16)	Photograph of the Electrospinning laboratory set up.	43
(17)	Schematic diagram of the complete electrospinning setup. A) Needle connected to the high voltage power supply. B) Nanofibrous mats.	43
(18)	Scanning Electron Microscopy SEM (JEOL-5300, Japan).	44
(19)	SPI- module TM Sputter coater. Japan.	44
(20)	Fourier transforms infrared spectrophotometer	46
(21)	Laser source device (650 nm, 150 mW).	50
(22)	pulsed ultrasound (0.5 W/cm ²)	51
(23)	Machine and Schematic diagram of the system used for measurement of	52

Figure		Page
	the mechanical properties of the skin, (a) and (b) respectively.	
(24)	The UV-Vis absorption spectra of the Ag NP.	53
(25)	TEM images and corresponding size distribution of silver nanoparticles.	54
(26)	X- ray diffraction spectrum of silver nanoparticles using tri-sodium citrate.	55
(27)	SEM of CA nanofibers at different magnification.	56
(28)	SEM of CA nanofibers loaded with Ag nanoparticles	56
(29)	EDX spectrum of silver loaded in CA nanofibers.	57
(30)	FTIR of cellulose acetate nanofiber.	58
(31)	FTIR of silver loaded cellulose acetate nanofiber	58
(32)	Agar plates showing zones of inhibitions after 24 h of incubation with CA nanofibers loaded with different concentration of Ag NPs nanoparticles (0, 1, 3, 5 %) and other antibiotics Gentamycin, and Ciprofloxacin (ABC) for E. coli (a and b).	59
(33)	Agar plates showing zones of inhibitions after 24 h of incubation with CA nanofibers loaded with different concentration of Ag NPs nanoparticles (0, 1, 3, 5 %) and other antibiotics Gentamycin, and Ciprofloxacin (ABC) for S. aureus (a and b).	60
(34)	The effect of Ag coated nanofibers with different concentrations on the growth of E. Coli.	61
(35)	The effect of different concentration of silver loaded nanofiber on E-Coli by plotting the diameter of the inhibition zone of bacterial growth against the concentration of silver nanoparticles.	62
(36)	Shows the effect of CA nanofiber on growth kinetic of E-Coli though 24 hours.	63
(37)	Shows the effect of CA nanofiber loaded with Ag NPs (1w%) on growth kinetic of E-Coli though 24 hours.	63
(38)	Shows the effect of CA nanofiber loaded with Ag NPs (3w%) on growth kinetic of E-Coli though 24 hours.	64
(39)	Shows the effect of CA nanofiber loaded with Ag NPs (5w%) on growth kinetic of E-Coli though 24 hours.	64
(40)	Effect of Ag loaded nanofibers with different concentrations on the growth of S. aureus.	65

Figure	Page
(41) The effect of different concentration of Ag loaded nanofibers with different concentrations on <i>S. aureus</i> .by plotting the diameter of the inhibition zone of bacterial growth against Ag loaded nanofibers with different concentrations	66
(42) Shows the effect of CA nanofiber on growth kinetic of <i>S. aureus</i> through 24 hours.	67
(43) Shows the effect of CA loaded with (1%) Ag nanoparticles growth kinetic of <i>S. aureus</i> through 24 hours.	67
(44) Shows the effect of CA loaded with (3%) Ag nanoparticles growth kinetic of <i>S. aureus</i> through 24 hours.	68
(45) Shows the effect of CA loaded with (5%) Ag nanoparticles growth kinetic of <i>S. aureus</i> through 24 hours.	68
(46) The relation between healing factor and treatment period (days) of different groups through 21 days.	70
(47) Stress-strain curve of the skin of control and diabetic mice treated with different modalities.	71
(48) Cutaneous sample of a control mouse showing normal epithelium and sub epithelial collagen fiber (H&E stain x100).	72
(49) Cutaneous sample diabetic induced mice at 4 th day of treatment, wound treated with insulin and Ag loaded ,shows complete ulceration of the surface epithelium that replaced by proliferating collagen, fibrous tissue deposition, moderate inflammatory cellular infiltrate, hemorrhage and edema (H&E x400).	72
(50) Cutaneous sample diabetic induced mice at 4 th day of treatment, wound treated with insulin and Laser shows complete ulceration of the surface epithelium, moderate inflammatory infiltrate that involves the subcutaneous fat. (H&E x40).	73
(51) Photomicrography of mice skin of diabetic induction at 4 th day of treatment, with insulin and Ag NPs showing complete ulceration of surface epithelium that covered by fibrinoid material infiltrated by inflammatory cells and moderate collagen deposition. (H&E x40).	73
(52) Photomicrography of mice skin of diabetic induction at 4 th day of treatment, with insulin and and either nanofiber or US showing complete ulceration of surface epithelium that covered by fibrinoid material infiltrated by inflammatory cells and moderate collagen	74

Figure		Page
	deposition. (H&E x40).	
(53)	Photomicrography of diabetic mice skin at 4 th day of treatment with insulin showing complete ulceration of surface epithelium, moderate collagen deposition and inflammatory cells infiltrate. (H&E x40).	74
(54)	Photomicrography of mice skin in control (diabetic free mice) at 4 th day showing complete ulceration of surface epithelium and moderate collagen deposition. (H&E x40).	75
(55)	Cutaneous sample of mice skin of diabetic induction at 10 th day of treatment, with insulin and Ag loaded nanofiber showing intact skin with normal maturation sequence, the collagen deposition in upper and mid dermis and mild inflammatory cellular infiltrate. (H&E x40).	75
(56)	Cutaneous sample of mice skin of diabetic induction at 10 th day of treatment, treated with insulin and laser showing intact thinned epidermis with normal maturation sequence of the epithelium.(H&E x40).	76
(57)	Photomicrography of mice skin of diabetic induction at 10 th day of treatment, with insulin and Ag NPs showing midly atrophic skin, the dermis is showing edema and mild collagen deposition.(H&E x40).	76
(58)	Photomicrography of mice skin of diabetic induction at 10 th day of treatment treated with insulin and either nanofiber or US demonstrating skin with focal epidermal ulceration, thinning and the minimal collagen deposition.(H&E x40)	77
(59)	Photomicrography of mice skin, diabetic induction at 10 th day of treatment with insulin showing thinning of the skin epidermis, the collagen is disrupted with edematous areas, (H&E x40).	77
(60)	Photomicrography of mice skin in control (diabetic free mice) at 10 th day to showing focal ulceration, minimal edema and moderate collagen deposition.(H&E x40)	78
(61)	Photomicrography of mice skin of diabetic induction at 15 th day of treatment, with insulin and Ag loaded nanofiber showing intact skin covering with dense collagen deposition.(Masson trichromex40).	78
(62)	Photomicrography of mice skin of diabetic induction at 15 th day of treatment, treated with insulin and laser to demonstrate intact skin with normal maturation sequence of the epithelium, the collagen is abundant with mild fibroblastic proliferation.(Masson trichromex40).	79
(63)	Photomicrography of mice skin of diabetic induction at 15 th day of	79

Figure		Page
	treatment, with insulin and Ag NPs showing well-formed epithelial covering with focal atrophy and absence of rete ridges, prominent collagenic and fibroblastic proliferation. (Masson trichromex40).	
(64)	Photomicrography of mice skin of diabetic induction at 15 th day of treatment with insulin and either nanofiber or US to demonstrate focal skin ulceration and focal intact area of the lining epithelium and moderate collagen deposition particularly in the upper dermis. (Masson trichromex40).	80
(65)	Photomicrography of diabetic mice skin at 15 th day of treatment showing thinning of the epithelium, the collagen is disrupted with edematous areas. (Masson trichromex40).	80
(66)	Photomicrography of mice skin in control (diabetic free mice) at 15 th day showing focal ulceration of the epithelium, the collagen is dense in the upper dermis.(Masson trichromex40)	81

