

CONCLUSION AND RECOMMENDATIONS

Based on the results of the current study, it can be concluded that children with cyanotic CHD at higher risk of developing renal dysfunction with its both glomerular and tubular aspects than those with acyanotic CHD. It can also be concluded that risk of renal dysfunctions increase by time especially in children with cyanotic CHD which may be due to effect of chronic hypoxia and other conditions such as polycythemia.

According to the results of the current study, the following recommendations are suggested:

1. Using novel biomarkers such as U NAG/Cr and serum β 2M for early detection of renal dysfunction in children with CHD.
2. Periodic frequent evaluation of renal functions should take place as part of routine visits especially in cyanotic CHD patients.
3. Early correction of cyanotic CHD may prevent the development of permanent renal injury.

REFERENCES

1. Tennant PW, Pearce MS, Bythell M, Rankin J. 20-year survival of children born with congenital anomalies: a population-based study. *Lancet* 2010; 375:649-56.
2. Wren C, Irving CA, Griffiths JA. Mortality in infants with cardiovascular malformations. *Eur J Pediatr* 2012; 171:281.
3. Ykeda DS, Lorenzi-Filho G, Lopes AAB, Alves RSC. Sleep in infants with congenital heart disease. *Clinics* 2009; 64(12):1205-10.
4. Khoshnood B, Lelong N, Houyel L. Prevalence, timing of diagnosis and mortality of newborns with congenital heart defects: a population-based study. *Heart* 2012; 98:1667.
5. Pdishikawa T, Iwashima S, Ohishi A. Prevalence of congenital heart disease assessed by echocardiography in 2067 consecutive newborns. *Acta Paediatr* 2011; 100:55.
6. Wren C, Reinhardt Z, Khawaja K. Twenty-year trends in diagnosis of life-threatening neonatal cardiovascular malformations. *Arch Dis Child Fetal Neonatal Ed* 2008; 93:33.
7. Reller MD, Strickland MJ, Riehle-Colarusso T. Prevalence of congenital heart defects in metropolitan Atlanta, 1998-2005. *J Pediatr* 2008; 153:807.
8. Qyen N, Poulsen G, Boyd HA. Recurrence of congenital heart defects in families. *Circulation* 2009; 120:295.
9. Wu MH, Chen HC, Lu CW. Prevalence of congenital heart disease at live birth in Taiwan. *J Pediatr* 2010; 156:782.
10. Van der Linde D, Konings EE, Slager MA. Birth prevalence of congenital heart disease worldwide: a systematic review and meta-analysis. *J Am Coll Cardiol* 2011; 58:2241.
11. Bernstein D. Evaluation of the infant or child with congenital heart disease. Kliegman RM, Stanton BF, St Geme JW (eds). *Nelson textbook of pediatrics*. 19th ed. Philadelphia: Saunders; 2011. 3007-9.
12. Fyler DC. Prevalence. In: Fyler DC (ed). *Nadas' pediatric cardiology*. Philadelphia: Hanley and belfus Inc; 1992. 273-80.
13. Billett J, Majeed A, Gatzoulis M. Trends in hospital admissions, in-hospital case fatality and population mortality from congenital heart disease in England, 1994 to 2004. *Heart* 2008; 94(3):342-8.
14. Pierpont ME, Basson CT, Benson DW Jr, Gelb BD, Giglia TM, Goldmuntz E, et al. Genetic basis for congenital heart defects: current knowledge: a scientific statement from the American Heart Association Congenital Cardiac Defects Committee, Council on Cardiovascular Disease in the Young. *Circulation* 2007; 115:3015-38.

References

15. Chang CP, Bruneau BG. Epigenetics and cardiovascular development. *Annu Rev Physiol* 2012; 74:41–68.
16. Zaidi S, Choi M, Wakimoto H, Ma L, Jiang J, Overton JD, et al. De novo mutations in histone-modifying genes in congenital heart disease. *Nature* 2013; 498(7453):220–3.
17. Bernstein D. Evaluation of the cardiovascular system. In: Behrman RE, Kliegman RM, Jenson HB (eds). *Nelson textbook of pediatrics*. Philadelphia: Saunders; 2011. 1481–8.
18. Formigari R, Michielson G, Digilio MC. Genetic syndromes and congenital heart defects: how is surgical management affected?. *Eur J Cardio-Thorac Surg* 2009; 35:606–14.
19. Lin AE, Pober BR, Adiata I. Congenital diaphragmatic hernia and associated cardiovascular malformations: type, frequency, and impact on management. *Am J Med Genet C Semin Med Genet* 2007; 145C:201–16.
20. Somerville J. Grown-up congenital heart disease—medical demands look back, look forward 2000. *Thorac Cardiovasc Surg* 2001; 49:21–6.
21. De Wolf D. Clinical practice: pulmonary hypertension in children. *Eur J Pediatr* 2009; 168:515–22.
22. Friesen RH, Williams GD. Anesthetic management of children with pulmonary arterial hypertension. *Paediatr Anaesth* 2008; 18:208–16.
23. Fredriksen PM, Therrien J, Veldtman G. Lung function and aerobic capacity in adult patients following modified Fontan procedure. *Heart* 2001; 85:295–9.
24. Medrano Lopez C, Garcia-Guereta L. Community-acquired respiratory infections in young children with congenital heart diseases in the Palivizumab Era: the Spanish 4-season civic epidemiologic study. *Pediatr Infect Dis J* 2010; 29:1077–82.
25. Tan L, Sun X, Zhu X, Zhang Z, Li J, Shu Q. Epidemiology of nosocomial pneumonia in infants after cardiac surgery. *Chest* 2004; 125:410–7.
26. Henry JC, van Amelsvoort T, Morris RG, Owen MJ, Murphy DG, Murphy KC. An investigation of the neuropsychological profile in adults with velo-cardio-facial syndrome (VCFS). *Neuropsychologia* 2002; 40:471–8.
27. Kaltman JR, Di H, Tian Z, Rychik J. Impact of congenital heart disease on cerebrovascular blood flow dynamics in the fetus. *Ultrasound Obstet Gynecol* 2005; 25:32–6.
28. Cooper MM, Elliott M. Haemodilution. In: Jonas RA, Elliott MJ (eds). *Cardiopulmonary bypass in neonates, infants, and young children*. Oxford, UK: Butterworth-Heinemann; 1994. 82–99.

References

29. Kinney HC, Panigrahy A, Newburger JW, Jonas RA, Sleeper LA. Hypoxic-ischemic brain injury in infants with congenital heart disease dying after cardiac surgery. *Acta Neuropathol (Berl)* 2005; 110:563–78.
30. Warrell DA. Cyanotic heart disease: a multisystem disorder. In: Warrell DA, Cox TM, Firth JD, Benz EJ (eds). *Oxford textbook of medicine*. 4thed. London: Oxford University Press; 2003. 1975.
31. Thorne SA. Management of polycythemia in adults with cyanotic heart disease. *Heart* 1998; 79:315–6.
32. Healy JF, Nichols C. Polycythemia mimicking venous sinus thrombosis. *AJNR Am J Neuroradiol* 2002; 23:1402–3.
33. Hagau N, Culcitchi C. Nutritional support in children with congenital heart disease. *Nutr Therapy Metabol* 2010; 28 (4): 172-84.
34. Warnes CA, Liberthson R, Danielson GK Jr. Task Force 1: the changing profile of congenital heart disease in adult life. *J Am Coll Cardiol* 2001; 37: 1170-5.
35. Khatab K. Childhood malnutrition in Egypt using geoaddivitive gaussian and latent variable models. *Am J Trop Med Hyg* 2010; 82(4):653-63.
36. Jianyong Z, Yong Y, Ling H, Yanyan X. Renal function and injury in infants and young children with congenital heart disease. *Pediatr Nephrol* 2013; 28:99-104.
37. Dittrich S, Haas NA, Buhner C, Muller C, Dahnert I, Lange PE. Renal impairment in patients with long-standing cyanotic congenital heart disease. *Acta Paediatr* 1998; 87:949-54.
38. Shamsi G, Majid M, Mahmoud S, Mohammad RG. Association of proteinuria in children with acyanotic congenital heart disease and pulmonary hypertension in a tertiary University Hospital in Northwest Iran. *J Cardiovasc Thorac Res* 2009; 1 (2): 13-7.
39. Sahai A, Mei C, Schrier RW, Tannen RL. Mechanism of chronic hypoxia-induced renal cell growth. *Kidney Int* 1999; 56:1277–81.
40. Dimopoulos K, Diller GP, Koltsida E, Pijuan-Domenech A, Papadopoulou SA, Babu-Narayan SV, et al. Prevalence, predictors, and prognostic value of renal dysfunction in adults with congenital heart disease. *Circulation* 2008; 117:2320–8.
41. Schwartz GJ, Work DF. Measurement and estimation of GFR in children and adolescents. *Clin J Am Soc Nephrol* 2009; 4:1832–43.
42. Levey AS, Andreoli SP, DuBose T, Provenzano R, Collins AJ. CKD: common, harmful, and treatable—World Kidney Day 2007. *Am J Kidney Dis* 2007; 49: 175–9.
43. Patel KL, Mhetras SB, Varthakavi PK, Merchant PC, Nihalani KD. Microalbuminuria in insulin dependent diabetes mellitus. *J Assoc Physicians India* 1999; 47(6):589-95.

References

44. Ozcay F, Derbent M, Aldemir A, Turkoglu S, Baskin E, Ozbek N, et al. Effect of iron deficiency anemia on renal tubular function in childhood. *Ped Nephrol* 2003; 18:256.
45. Asami T, Soishiro O, Kasahara T, Uchiyama M. Asymptomatic primary hyper-N-acetylbeta-D-glucosaminidaseuria: a new clinical entity?. *Pediatr Nephrol* 2002; 17:560–5.
46. Filler G, Priem F, Lepage N, Sinha P, Vollmer I, Clark H, et al. Beta-trace protein, cystatin C, beta(2)-microglobulin, and creatinine compared for detecting impaired glomerular filtration rates in children. *Clin Chem* 2002; 48(5):729-36.
47. Kals J, Zagura M, Serg M, Kampus P, Zilmer K, Unt E, et al. beta2-microglobulin, a novel biomarker of peripheral arterial disease, independently predicts aortic stiffness in these patients. *Scand J Clin Lab Invest* 2011; 71(4):257-63.
48. Coca SG, Yalavarthy R, Concato J, Parikh CR. Biomarkers for the diagnosis and risk stratification of acute kidney injury: a systematic review. *Kidney Int* 2008; 73:1008–16.
49. Bolignano D, Lacquaniti A, Coppolino G. Neutrophil gelatinase associated lipocalin (NGAL) and progression of chronic kidney disease. *Clin J Am Soc Nephrol* 2009; 4: 337–44.
50. Iannuzzi W, Chirag R. Screening for kidney diseases: older measures versus novel biomarkers. *Clin J Am Soc Nephrol* 2008; 3: 1895–901.
51. Schwartz GJ, Feld LG, Langford DJ. A simple estimate of glomerular filtration rate in full-term infants during the first year of life. *J Pediatr* 1984; 104 (6):849-54.
52. Schwartz GJ, Alvaro M, Michael FS, Robert HM, Frederick K, Bradley AW, et al. New equations to estimate GFR in children with CKD. *J Am Soc Nephrol* 2009; 20(3): 629–37.
53. Kotz S, Balakrishnan N, Read CB, Vidakovic B. *Encyclopedia of statistical sciences*. 2nd ed. Hoboken, New Jersey: Wiley-Interscience; 2006.
54. Kirkpatrick LA, Feeney BC. *A simple guide to IBM SPSS statistics for version 20.0*. Student ed. Belmont, Calif.: Wadsworth, Cengage Learning; 2013.
55. Agras PI, Derbent M, Ozcay F, Baskin E, Turkoglu S, Aldemir D, et al. Effect of congenital heart disease on renal function in childhood. *Nephron Physiol* 2005; 99: 10–5.
56. Majid M, Shamsi G, Mohammad RG, Mahmood S, Bahman R, Pooya M. Proteinuria in congenital heart disease: is it a real problem? *J Cardiovasc Thorac Res* 2011; 3 (1): 17-21.
57. Hesham A, Ibrahim E, Moustafa A, Salwa E. Glomerular and tubular dysfunction in children with congenital cyanotic heart disease: effect of palliative surgery. *Am J Med Sci* 2003; 325(3): 110–4.
58. Shahjahan RY, Jan Mahsud MA, Khan M, Subzwari J, Hussain J. Correlation of beta 2 microglobulin with serum creatinine and creatinine clearance in patients with different levels of renal function. *Gomal J Med Sci* 2011; 9(2): 178-82.