

LIST OF TABLES

Table	Page
(1) Normal Wound-healing Process.....	4
(2) Factors Affecting Wound Healing	6
(3) Summary of Factors Related to Wound Impairment in Obesity	13
(4) The different etiologies of poor scars.....	17
(5) Vancouver scar scale.....	37
(6) Comparison between the lesion groups as regard to patient's age.....	39
(7) Comparison between the lesion groups as regard to patient's sex	41
(8) Comparison between the lesion groups as regard to causes of lesions	42
(9) Comparison between the lesion groups as regard to site.....	43
(10) Comparison between injectable and non injectable halves before and after treatment as regard to Pliability in Extensive Dermal Scar lesion patients.....	45
(11) Comparison between injectable and non injectable halves before and after treatment as regard to Pliability in Hypertrophic Scar lesion patients	46
(12) Comparison between injectable and non injectable halves before and after as regard to Pliability in Keloid lesion patients.....	47
(13) Comparison between the injectable and non injectable halves before and after as regard to Thickness in Extensive Dermal Scar lesion patients.....	48
(14) Comparison between the injectable and non injectable halves before and after s as regard to Thickness in Hypertrophic Scar lesion patients.....	49
(15) Comparison between the injectable and non injectable halves before and after as regard to Thickness in keloid lesion patients.....	50
(16) Comparison between the injectable and non injectable halves before and after as regard to Pigmentation in Extensive Dermal Scar lesion patients.....	51
(17) Comparison between the injectable and non injectable halves before and after treatment as regard to Pigmentation in Hypertrophic Scar lesion patients.....	52
(18) Comparison between the injectable and non injectable halves before and after as regard to Pigmentation in keloid lesion patients.....	53
(19) Comparison between the injectable and non injectable hal before and after as regard to Vascularity in Extensive Dermal Scar lesion patients	54
(20) Comparison between the injectable and non injectable halves before and after as regard to Vascularity in Hypertrophic Scar lesion patients	55

Table	Page
(21) Comparison between the injectable and non injectable halves before and after as regard to Vascularity in keloid lesion patients	56
(22) Comparison between the injectable and non-injectable halves as regard to patient's response in Extensive Dermal Scar lesion patients	57
(23) Comparison between the injectable and non-injectable halves as regard to patient's response in Hypertrophic Scar lesion patients.....	58
(24) Comparison between the injectable and non-injectable halves as regard to patient's response in keloid lesion patients	59
(25) Comparison between patients response as regard to patient's age.....	60
(26) Comparison between patients response as regard to patient's sex.....	62
(27) Comparison between patients response as regard to patient's causes of lesions.....	63
(28) Comparison between patients response as regard to patient's lesions sites	65

LIST OF FIGURES

Figure		Page
(1)	Anatomy and Histology of the Skin Contents	1
(2)	Anatomy and Histology of the Skin Contents	2
(3)	Ear lobe keloid scar from piercing.....	18
(4)	Hypertrophic scar in the volar aspect of forearm.....	20
(5)	Comparison between the lesion groups as regard to patient's age	40
(6)	Comparison between the lesion groups as regard to patient's sex.....	41
(7)	Comparison between the lesion groups as regard to causes of lesions.....	42
(8)	Comparison between the lesion groups as regard to site	44
(9)	Comparison between injectable and non injectable halves before and after treatment as regard to Pliability in Extensive Dermal Scar lesion patients	45
(10)	Comparison between injectable and non injectable halves before and after treatment as regard to Pliability in Hypertrophic Scar lesion patients	46
(11)	Comparison between injectable and non injectable halves before and after as regard to Pliability in Keloid lesion patients.....	47
(12)	Comparison between the injectable and non injectable halves before and after as regard to Thickness in Extensive Dermal Scar lesion patients	48
(13)	Comparison between the injectable and non injectable halves before and after as regard to Thickness in Hypertrophic Scar lesion patients.....	49
(14)	Comparison between the injectable and non injectable halves before and after as regard to Thickness in keloid lesion patients	50
(15)	Comparison between the injectable and non injectable halves before and after as regard to Pigmentation in Extensive Dermal Scar lesion patients ...	51
(16)	Comparison between the injectable and non injectable halves before and after as regard to Pigmentation in Hypertrophic Scar lesion patients....	52
(17)	Comparison between the injectable and non injectable halves before and after as regard to Pigmentation in keloid lesion patients.....	53
(18)	Comparison between the injectable and non injectable halves before and after as regard to Vascularity in Extensive Dermal Scar lesion patients	54
(19)	Comparison between the injectable and non injectable halves before and after as regard to Vascularity in Hypertrophic Scar lesion patients.....	55
(20)	Comparison between the injectable and non injectable halves before and after as regard to Vascularity in keloid lesion patients	56
(21)	Comparison between the injectable and non-injectable halves as regard to patient's response in Extensive Dermal Scar lesion patients.....	57

Figure	Page
(22)	Comparison between the injectable and non-injectable halves as regard to patient's response in Hypertrophic Scar lesion patients 58
(23)	Comparison between the injectable and non-injectable halves as regard to patient's response in keloid lesion patients..... 59
(24)	Comparison between patients response as regard to patient's age 61
(25)	Comparison between patients response as regard to patient's sex 62
(26)	Comparison between patients response as regard to patient's causes of lesions 64
(27)	Comparison between patients response as regard to patient's lesions sites.. 66
(28)	A case of keloid showing bundles of hyalinized collagen arranged haphazardly. (H&E stain x100) 68
(29)	High power view of the previous case showing the broad glassy eosinophilic collagen (keloid Collagen), few fibroblasts H&E x200 68
(30)	A case of hypertrophic scar exhibiting nodules of fibrillary collagen. H&E x100 69
(31)	Another view of the previous case showing whorls of collagen with regular thicknes. H&E stain x100..... 69
(32)	Masson trichrome stain of the previous case to highlight the whorls of collagen. X200 70
(33)	A closer view of the previous case showing numerous fibroblasts. H&Ex200 70
(34)	Case of keloid after injection of 5 fluorouracil. Notice the fragmentation of the collagen fibers. H&E x100 71
(35)	Another view for keloid after injection. H&E x100 71
(36)	A case of keloid showing marked vascularity of the lesion before treatment. Masson trichrome stainx100..... 72
(37)	The same case after injection of 5 fluorouracil. Notice the decreased vascularity.masson trichrome stain. X100 72
(38)	A case of hypertrophic scar exhibiting marked vascularity. Masson trichrome x200 73
(39)	The same case after injection showing decreased vascularity. Masson trichrome x200 73
(40)	Immunohistochemical staining fro Ki67 antibody showing proliferation of basal layer of epidermis and few dermal fibroblasts. X200 74
(41)	Immunohistochemical staining for ki67 of the same case after injection showing absent staining of fibroblasts for ki67.x400 74
(42 a)	A case of post auricular keloid..... 75

Figure	Page
(42 b) After healing of wound	75
(42 c) Show good result in upper half (injectable half) and bad result in lower half (non injectable half).....	75
(43 a) A case of keloid in the back of the shoulder	76
(43 b) After surgical excision	76
(43 c) Show bad results in both halves after 10 months.....	76
(44 a) A case keloid in the foot	77
(44 b) Show good results in both halves after 6 months	77
(45 a) A case of hyper trophic scar in the face.....	78
(45 b) After surgical excision	78
(45 c) Show good result in injectable half and bad result in Non-injectable half after 1 year	78
(46 a) A case of extensive dermal scar in the arm.....	79
(46 b) Show diagram of lesion before excision.....	79
(46 c) After surgical excision	79
(46 d) Show good result in injectable half (upper half) and average result in non-injectable half (lower half) after 10 months	79
(47 a) A Case of hypertrophic scar in the face and the neck.....	80
(47 b) After surgical excision	80
(47 c) Show good result injectable half toward mandible and bad result in non injectable half after 10 months.....	80