

LIST OF TABLES

Table	Page
(1) Changes in HR in group I.....	20
(2) Changes in HR in group II	21
(3) Changes in HR in group III	22
(4) Comparison between the studied groups according to HR	23
(5) Changes in MABP in group I.....	26
(6) Changes in MABP in group II.....	27
(7) Changes in MABP in group III	28
(8) Comparison between the studied groups according to MABP.....	29
(9) Changes in VAS “static” in group I	32
(10) Changes in VAS “static” in group II	33
(11) Changes in VAS “static” in group III.....	34
(12) Comparison between the studied groups according to VAS “static”	35
(13) Changes in VAS “dynamic” in group I.....	38
(14) Changes in VAS “dynamic” in group II.....	39
(15) Changes in VAS “dynamic” in group III	40
(16) Comparison between the studied groups according to VAS “dynamic”	41
(17) Comparison between the studied groups according to analgesic consumption	43
(18) Comparison between the studied groups according to analgesic consumption	45
(19) Changes in post operative sedation in group I	47
(20) Changes in post operative sedation in group II	48
(21) Changes in post operative sedation in group III.....	49
(22) Comparison between the studied group according to post operative sedation.	50
(23) Comparison between the studied groups according to post operative nausea and vomiting.....	52
(24) Comparison between the studied groups according to post operative side effects	54

LIST OF FIGURES

Figure		Page
(1)	Selective channels in peripheral afferent nociceptor terminals	2
(2)	Pain pathway	3
(3)	Peripheral and central sensitization	5
(4)	Pain syndromes	7
(5)	Preemptive analgesia; emphasizing on how it can prevent sensitization of the nervous system throughout the perioperative period	8
(6)	Visual analogue scale (VAS)	16
(7)	Comparison between the studied groups according to HR	24
(8)	Comparison between the studied groups according to MABP	30
(9)	Comparison between the studied groups according to VAS “static”	36
(10)	Comparison between the studied groups according to VAS “dynamic”	42
(11)	Comparison between the studied groups according to analgesic consumption	44
(12)	Comparison between the studied groups according to analgesic consumption	46
(13)	Comparison between the studied groups according to post operative sedation	51
(14)	Comparison between the studied groups according to post operative nausea and vomiting	53
(15)	Comparison between the studied groups according to post operative side effects	55

LIST OF ABBREVIATIONS

5HT	:	5 hydroxytryptamine
ALT	:	Alanine transaminase.
ASA	:	American society of anaesthesiology
ASICs	:	Acid-Sensing Ion Channels
AST	:	aspartine transaminase.
BMI	:	body mass index.
CBC	:	complete blood count.
CGRP	:	Calcitonin gene related peptide
Coxibs	:	cyclooxygenase inhibitors
DHN	:	dorsal horn neuron
ECG	:	electrocardiograph.
GABA	:	gamma amino byuteric acid
HR	:	heart rate
I:E ratio	:	inspiratory:expiratory ratio.
IBS	:	irritable bowel syndrome
IL-18	:	interlukine 18
IPPV	:	intermittent positive pressure ventilation.
MAP	:	mean arterial blood pressure.
NE	:	norepinephrine
NMDA	:	N-methyl-D-aspartate
NSAIDs	:	non steroidal anti inflammatory drugs
PONV	:	post operative nausea and vomiting.
PT	:	prothrombine time.
PTT	:	partial thromboplastine time.
SP	:	substance P
SpO₂%	:	arterial oxygen saturation %.
TRPA1	:	Transient receptor potential cation channel, subfamily A, member 1
TRPM8	:	Transient receptor potential cation channel subfamily M member 8
TRPV1	:	transient receptor potential cation channel subfamily V member 1
VAS	:	visual analogue scale.
VGCC	:	voltage-gated calcium channels
VRS	:	verbal rating score.
WMD	:	weighted mean difference