

REFERENCES

- [1] V. Rundev, D. Loveles, R. Cook and M. Black, "Handbook of induction heating", New York, Marcel Dekker, 2003.
- [2] E.J. Davies and P. Simpson, "Induction Heating Handbook", London, U.K., McGraw-Hill, 1979.
- [3] Irshad Khan, "Automatic frequency control of an induction furnace," M. S. thesis, University of Cape Technikon, December 2000.
- [4] Soe Sandar Aung, Han Phyo Wai, and Nyein Soe, "Design Calculation and Performance Testing of Heating Coil in Induction Surface Hardening Machine", World Academy of Science, Engineering and Technology, 2008.
- [5] S.Zinn, S.L.Samiatin, "Elements of Induction Heating, Design, control, and applications", ASM International, 1998.
- [6] Mohammad H. Rashid, "Power Electronics, Circuits, Devices, and Applications", third edition, United States, Pearson prentice hall, 2004.
- [7] H. Fujita and H. Akagi "Pulse-density-modulated power control of a 4 kW 450 kHz voltage-source inverter for induction melting applications," IEEE Trans. on Industry Applications, vol 32, no.2, 1996.
- [8] D. Pimentel, M. B. Slima and A. Cheriti, "Power Control for Pulse-Density Modulation Resonant Converters," IEEE International Symposium Industrial Electronics, vol. 02, July 9-12, 2006, pp.1259-1264.
- [9] S.N. Okeke, "Application of Thyristor Inverters in Induction Heating and Melting," Electron and Power, 1978, pp. 217-221.
- [10] L. Grajales, J.A. Sabatk, K.R. Wang, W.A. Tabisz, and F.C. Lee "Design of a 10 kW, 500 kHz Phase-Shift Controlled Series-Resonant Inverter for Induction Heating," IEEE Industry Applications Society Vol. 2, 1993, pp. 843-849.
- [11] W. Komatsu and W. Po "A Method for Control and Protection of Series Resonant Induction Furnaces," IEEE Industry Applications Society, October 5-9, 1997, pp. 1661-1666.
- [12] I. Khan, J. Tapson and I. de Vries, "Automatic Frequency Control of an Induction Furnace," IEEE Africon, Vol. 2, 1999, pp. 913-916.

- [13] Y. S. Kwon, S. B. Yoo and D. S. Hyun “Half-Bridge Series Resonant Inverter for Induction Heating Applications with Load-Adaptive PFM Control Strategy,”IEEE APEC, Vol. 1,1999, pp. 575-581.
- [14] B. S. SAZAK “Design of A 500w Resonant Induction Heater,” Journal of engineering sciences, 1999, pp. 871-878.
- [15] R. Fuentes, P. Lagos and J. Estrada, “Self-resonant induction furnace with IGBT technology,” Industrial Electronics and Applications, pp. 1371-1344, May 2009.
- [16] S. peram, V. Ramesh, J.S. Ranganayakulu, “Full Bridge Resonant Inverter for Induction Heating Applications,” IJERA, Vol. 3, Issue 1, January-February 2013, pp. 066-073.
- [17] V. Esteve, E. S. Kilders, J. Jordán, E. J. Dede, C. Cases, E. Maset, Juan B. Ejea, and A. Ferreres, “Improving the Efficiency of IGBT Series-Resonant Inverters Using Pulse Density Modulation,” IEEE Trans. on Industrial Electronics, vol. 58, NO. 3, March 2011, pp. 979-987.
- [18] J. Essadaoui, P. Sicard, E. Ngandui, and A. Cheriti, “Power inverter control for induction heating by pulse density modulation with improved power factor,” Electrical and Computer Engineering, 2003, IEEE CCECE 2003, pp. 515-520.
- [19] S. Dalapati, S. Ray, S. Chaudhuri, and C. Chakraborty 2004, “Control of a Series Resonant Converter by Pulse Density Modulation,” India Annual Conference, 2004, pp. 601-604.
- [20] Bekir Sami Sazak, “A New Unity Power Factor Quasi-Resonant Induction Heater” PHD, University of Glam organ, November 1997.
- [21] Hong Huang, “Application Note – Designing an LLC Resonant Half-Bridge Power Converter” , SEM1900, Topic 3, 2010
- [22] Jean Callebaut, “Application Note – Induction Heating” , ECI Publication No Cu0123, December 2011
- [23] M. Bildgen, “Resonant converter topologies,” Application Note, ST Microelectronics, AN658/1194.
- [24] R.L. Boylestad, “Introductory circuit analysis,” Eighth edition, New Jersey, Prentice Hall, 1997.
- [25] B. Yang, “LLC resonant converter for front end DC/DC conversion,” APEC 2002, Vol. 2, pp. 1108 – 1112.

PUBLICATIONS

A.Gaber, A. Elserougi and M. El-Geneidy, "Modeling and Simulation of Induction Heating Systems Based on Pulse Density Modulation Technique," MEPCON, 2014.

Modeling and Simulation of Induction Heating Systems Based on Pulse Density Modulation Technique

Ahmed Gaber Abdelmonem, Ahmed Elserougi, and Medhat El-Geneidy
 Dept. of Electrical Engineering, Alexandria University, Egypt
 e_ahmedgaber@yahoo.com

Abstract – This paper presents modeling and simulation of an effective control scheme for a series-resonant voltage-source inverter based on pulse density modulation (PDM) control strategy for induction heating applications. The proposed control strategy ensures well regulated output power as well as zero-current (or voltage) switching, which reduces the switching losses as it mainly depends on switches currents, and voltages. Power feedback, pulse density modulation control and phase angle feedback are used in the proposed approach to achieve proper load power regulation and unity power factor. Simulation models have been built using Matlab/Simulink software package.

Index Terms – Pulse density modulation; induction heating; series resonant-inverter.

I. INTRODUCTION

Induction heating is a flame free, non-contact heating method. The main advantages of induction heating over conventional heating systems is the fast heating, low running and maintenance cost, and improves working conditions [1].

There are three main power systems used in induction heating [1]-[2], namely, motor alternator, radio frequency, and solid state converters. Solid state converters are the most common power source of induction heating [1]. The output power of these systems varies, depending on the application, from several kilowatts to tens of megawatts [1]. Three types of solid state converters used in induction heating systems [3], (i) frequency converters with thyristors which has a limited frequency range from 100 Hz to 10 KHz, (ii) frequency converters with transistors with larger frequency range up to 500 KHz [3], and (iii) frequency converters with vacuum tubes with a frequency range up to 3 MHz.

Resonant converters are widely used in applications that require higher output power control capability such as induction heating [4],[5]. Many control schemes have been proposed for controlling output power of the resonant converters, namely, pulse frequency modulation (PFM) [5], phase shift control (PS) [5], and duty cycle control [4],[5]. These control schemes may result in increasing of switching losses and electromagnetic noises because the switching devices are not turned on and off at zero current [4]. When PDM control technique is used to control the series-resonant inverter, the switching devices operate at zero current which allows the resonant inverter to operate with very low switching losses at high power factors [4], in addition there is no need to use a controlled rectifier which reflects positively on the system cost.




Fig. 1 Induction heating block diagram

Despite its advantages, PDM converters output power response is discrete and often nonlinear. A new closed loop controller for the output power using a three stages feedback control system is presented to regulate PDM converters output power. Fig. 1 shows the block diagram of heating system with PDM technique, power feedback (PFB), and the phase difference (PD) blocks.

This paper is divided into the following sections. Section II describes the principles of induction heating and its main components. Section III describes the output power control of the series-resonant converter using pulse density modulation (PDM) technique. It also illustrates the operation of the three main feedback circuits for the PDM control technique. Section IV illustrates the modeling of the system (i.e. Simulink sub-systems for power inverter, rectifier section, and closed loop feedback circuits). Finally, simulation results are presented with discussion.

II. INDUCTION HEATING SYSTEM

A. Principles of Induction heating

The basic concept of the induction heating systems is similar to the well-known transformer theory, but with single secondary turn causing very high secondary current which is needed to heat the metal [1].




Fig. 2 Basic concepts of induction heating. (a) Transformer. (b) Short circuit secondary effect.

The frequency of the induced eddy currents in the work-piece is determined by the frequency of the power source. These eddy currents are induced into a peripheral layer of the work-piece with a thickness (δ) called skin depth [1] given by:

$$\delta = \sqrt{\frac{\rho}{\pi \mu f}} \quad (1)$$

Where μ and ρ are the magnetic permeability and electrical resistivity of the work-piece, respectively, and f is the applied frequency. According to [1], 63% of the current and 86% of the power in the work-piece within a surface layer of thickness δ will be concentrated.

For effective induction heating, the frequency of the alternating magnetic field in the work-coil is given by:

$$f_c = \frac{6.45 \times \rho}{\mu \times d^2} \quad (2)$$

Where, d is the diameter of the workpiece, and f_c is the critical frequency [8].

The main components of an induction heating system are the power supply, work coil, and the work-piece. Work coils are usually designed for specific applications and are therefore found in a wide variety of shapes and sizes [2]-[7]. Power supply comprised of a rectifier and inverter. IGBTs are selected as the switching devices for this application because of the high switching frequency requirement. The work-piece is the material to be heated, is referred to equivalent resistance R_L and inductance L_L [1].

B. Basics of Inverter Systems

Two systems are used for most induction heating inverters, the load resonant generator and the swept frequency generator [1]-[2]. The swept-frequency generator consists of a variable frequency inverter and uncontrolled rectifier (i.e. Fixed voltage DC supply), while the load-resonant generator provides great range of power control by using variable DC source.

The main drawback of load-resonant generator is that it is not a self starting system, and it has a complex control system, and needs a variable DC source. Also the swept-frequency generator has a lower power efficiency, limited range of power control, and higher switching losses [1]-[2].

III. PDM BASED INDUCTION HEATING SYSTEM

The typical system configuration of the PDM based induction heating system is shown in Fig. 3. The power circuit of the resonant converter consists of a single-phase voltage source inverter with four IGBTs, each is connected with anti-parallel freewheeling diode. A parallel RC snubber circuit is connected across each IGBT as shown in Fig.3.

Uncontrolled rectifier bridge is used to generate fixed DC voltage for inverter input. Uncontrolled rectifiers is less complex, less expensive [9], and no need for voltage control circuit, that gives the PDM system an advantage over the load resonant generator [6]. In the presented case study, the

uncontrolled bridge rectifier is connected to suitable AC voltage source with to produce a DC voltage of approximately




Fig. 3 Typical system configuration for PDM based induction heating system.

100V across the LC filter terminals.

The inverter output terminals are connected to series RLC load to configure the series resonant inverter. In this system, zero current switching (ZCS) can be achieved simply by keeping the resonance condition. Operation under ZCS minimizes the inverter switching losses. The work coil, and the work piece can be modeled by means of a series combination of its equivalent resistance R_L and inductance L_L , the analysis of load circuit described in [1]. In spite of the operating frequency of the pulse density modulated heating system is constant, it achieves full controllability on the output power [9],[10], in contrast to the swept frequency generator [6].

The important features of PDM technique for resonant converters are [4]: (i) wide output power range, (ii) near-unity power factor, (iii) zero-current (or voltage) switching which reduces the system switching losses, (iv) fixed switching frequency, and finally (v) simple control circuit.

A. PDM pattern

Fig.4 shows an example for PDM sequences assuming that the summation of on and off cycles is ten. In this case, the modulation index M can be varied from 1/10 to 10/10. For 5/7 modulation index, the output current and voltage waveforms of the inverter with PDM is shown in Fig. 5 (assuming $T_{on}=5$ cycles, $T_{off}=2$ cycles).




Fig. 4 PDM pattern generation cycle waveforms (gate pulses of inverter switches)




Fig.5. Output current and voltage waveforms with PDM.

The term T_{on}/T is defined as modulation index M or pulse density D [11], and its value controls the output power. It has to be noted that, the length of one PDM full cycle is a multiple of the load resonant period.

B. Operating Modes

Fig. 6 show the switching modes of the voltage-source series-resonant PDM inverter. The simplified circuit is shown in Fig. 6a. The inverter generates bipolar output voltage by switching the IGBTs in alternate sequence $S_{1,4}$ and $S_{2,3}$, as shown in Figs. 6b and 6c (Mode I and II). In the third mode, the two lower side switches (S_2 and S_4) or the two upper side switches (S_1 and S_3) are turned on as shown in Fig. 6d or 6e respectively, which results in zero voltage at the inverter output terminals.

C. Power Control

The PDM control technique operates the inverter in run and stop modes alternatively. At full power, the inverter has no stop cycles and delivers continuous output voltage to the load [9]. By including a stop periods to the inverter cycles load power can be controlled. At the stop cycles, PDM provides a free-wheel circuit for the resonant current to flow through the load [9]. The stored energy in series capacitive and inductive elements is dissipated in the resistive component which results in decaying of AC current magnitude as shown in Fig.5. To reduce the effect of discrete power response of the PDM converter, due to alternating running and stopping cycles, a large value of quality factor Q is needed [4].

D. Control Circuit

Fig. 7 shows the proposed output power closed loop controller for series-resonant inverter under PDM technique. Inverter instantaneous output current and voltage (i_{inv}, V_{inv}) are

fed to two feedback circuits, the first circuit detects the phase difference between the voltage and current. The phase difference is compared with zero (resonance condition). The phase difference error is fed to PI controller, the controller output is used as an input to voltage controlled oscillator (VCO) which generates the suitable switching frequency for the inverter.

The second feedback circuit is used to compare the reference power with the actual output power. The power error is fed to other PI controller (PFB PI-controller).

The sinusoidal output of the VCO is converted to unipolar square wave and fed with the output of power feedback (PFB) PI-controller to the PDM control circuit. This circuit is responsible for generating the inverter gate pulses as shown in Fig. 8.

The main components of the proposed PDM control circuit (Fig.8) are: (i) integrator, (ii) comparator C_1 , (iii) comparator C_2 , (iv) D-flip flops, and (v) simple logic gates.

Figs. 7, 8, and 9 illustrate how the PDM pattern can be generated using the proposed concept. The inverter output current (i_{inv}) is converted to unipolar square wave (I_{inv}), then it is fed to the integrator. The integrator generates a saw tooth signal (I_{inv}^*). The integrator output is reset when its output (I_{inv}^*) reached to certain predetermined value (which represents the number of desired cycles per T). Comparator C_1 is responsible for resetting the integrator output.

On the other hand, Comparator C_2 is responsible for generating the unsynchronized pulses (M^*) which produced by comparing the output of the PFB PI-controller with (I_{inv}^*) signal. Then, M^* pulses and VCO output are fed to simple logic circuits (Fig.8), to produce the proper gate pulses for the inverter IGBTs.




Fig. 6 Operating modes in PDM. (a) Simplified circuit, (b) Mode I, (c) Mode II, (d or e) Mode III




Fig.7 Control circuit block diagram for PDM.




Fig. 8 PDM control circuit




Fig 9 PDM pattern generation

Based on Fig.8, The proposed synchronizing circuit which contains D-type flip-flops is employed to avoid the change of the current state during the resonant cycle. The VCO output and the unsynchronized pulses M^* are applied to this synchronizing circuit to hold M^* until reaching the next rising edge of the VCO output producing a synchronized pulses M_1 and M_2 . These synchronized pulses are fed to simple logic gates (Fig.8), to generate proper gate pulses for the inverter IGBTs.

IV. SIMULATION

The heating system under study has been simulated using Matlab/Simulink software package. The detailed power circuit topology is shown in Fig. 3, the input AC voltage source is applied to single-phase uncontrolled rectifier. The resonant converter with snubber circuits has been implemented using the simpowerSystems toolbox. A commutating inductor L_c and a commutating capacitor C_c are connected in series with the load equivalent resistance R_L at the output terminals of the single-phase IGBT inverter to form a series resonance converter. The feedback model is divided into three sub-systems, (i) phase difference (PD) sub-system which detects the phase difference between inverter voltage and current, then compares it with zero as shown in Fig. 10. The phase difference error is fed to the PI controller to generate the suitable input for the VCO, (ii) power feedback sub-system (PFB): in this sub-system, the actual output power is calculated and subtracted from the desired output power. The power difference is fed to the other PI controller. The output of power feedback PI controller is used to determine the duration of T_{on} period by comparing its level by the sawtooth signal (I_{inv}^*). Fig. 11 shows the Simulink blocks for power feedback sub-system, (iii) the PDM sub-system blocks receive the output of the power feedback PI controller, output of VCO, and the inverter output current i_{inv} as shown in Fig.7. Fig.12 shows the PDM control sub-system based on the proposed concept.




Fig. 14 (a) Inverter voltage in [V] and current in [A] ,(b) System reference and actual average power in [kW] assuming reference average power of 9 kW




Fig. 15 (a) Inverter voltage in [V] and current in [A], (b) System reference and actual average power in [kW], at a reference average power of 1 kW and (c) Zoom in for Fig. 15a.




Fig. 16 PDM pattern generation at reference average power of 1 kW




Fig. 17 Inverter current in [A] (top), reference and actual average power in [kW] (bottom) at reference average power of 12 kW.




Fig. 18 Step response of the heating system for different average power levels

REFERENCES

- [1] E.J. Davies and P. Simpson, Induction Heating Handbook. London, U.K.: McGraw-Hill, 1979.
- [2] S.Zinn, S.L.Samiatin, Elements of Induction Heating, Design, control, and applications. ASM International, 1998.
- [3] Jean Callebaut, "Application Note – Induction Heating", ECI Publication No Cu0123, December 2011
- [4] H. Fujita and H. Akagi, "Pulse-Density-Modulated Power Control of a 4 kW, 450 kHz Voltage-Source Inverter for Induction Melting Applications," IEEE Transactions on Industry Applications, vol. 32, no.2, p. 279-286, March / April 1996.
- [5] S. Peram, V. Ramesh, J. S. Ranganayakulu "Full Bridge Resonant Inverter For Induction Heating Applications," International Journal of Engineering Research and Applications (IJERA), Vol. 3, Issue 1, January-February 2013, pp. 66-73.
- [6] S S. Tannu, R. R. Sawant, and Y. S. Rao, "Discrete Time Control Technique for Induction Heating System," Communication, Information & Computing Technology, Oct. 2012.
- [7] V. Esteve et al., "Improving the Efficiency of IGBT Series-Resonant Inverters Using Pulse Density Modulation," IEEE Transactions on industrial electronics, vol. 58, no. 3, pp. 979-987, March 2011.
- [8] Irshad Khan, "Automatic frequency control of an induction furnace," M. S. thesis, University of Cape Technikon, December 2000.
- [9] D. Pimentel, M. B. Slima and A. Cheriti, "Power Control for Pulse-Density Modulation Resonant Converters," Industrial Electronics, IEEE International Symposium. vol.02, July 9-12, 2006 pp.1259-1264.
- [10] J. Essadaoui, P. Sicard, E. Ngandu and A. Cheriti, "Power Inverter Control for Induction Heating by Pulse Density Modulation with Improved Power Factor," IEEE Canadian Conference on Electrical and Computer Engineering- Toward a Caring and HumanTechnology, Canada, pp. 515-520, May 2003.
- [11] H. Fujita and H. Akagi, "Control and Performance of a Pulse-Density-Modulated Series-Resonant Inverter for Corona Discharge Process," IEEE Transactions on Industry Applications, vol. 35, no. 3, p. 621-627, May / June 1999.