

LIST OF TABLES

Table		Page
(1)	Showing descriptive statistics of the examined cases	19
(2)	Showing prevalence of different eyelid anomalies among examined cases.	20
(3)	Showing age among affected cases	20
(4)	Showing prevalence among the affected cases.	21
(5)	Showing descriptive results of the affected cases	22
(6)	Showing laterality among the studied cases.	23
(7)	Showing clinical characteristics among the affected cases.	24
(8)	Showing correlation between age groups and affected eyes.	25
(9)	Showing gender distribution among eyes with detected eyelid anomalies.	26
(10)	Showing laterality among eyes with detected eyelid anomalies.	27
(11)	Showing clinical characteristics of the studied ptotic eyes.	28
(12)	Showing presence of jaw winking in the studied ptotic eyes.	28
(13)	Case management scale.	28

LIST OF FIGURES

Figure	Page
(1) Diagram showing epithelial cells migration during eyelid development	1
(2) Diagram showing eyelid muscles.....	2
(3) Diagram showing lacrimal gland, lacrimal sac & duct Sebaceous gland.....	3
(4) Diagram showing lower lid ectropion	6
(5) Diagram showing bilateral euryplepharon.....	7
(6) Diagram showing bilateral congenital entropion	7
(7) Diagram showing upper lid coloboma in Left eye	8
(8) Diagram showing left upper eyelid hemangioma	10
(9) Showing left ankyloblepharon.	10
(10) Showing prevalence of the affected cases (n=80).	21
(11) Laterality among the studied cases.....	23
(12) Right upper eyelid coloboma.	29
(13) Right lower lid Districhiasis.	29
(14) Teratoma tumor diagnosed and excised with post-operative picture.....	30
(15) Upper eyelid ptosis in right eye before correction	31
(16) Right upper eyelid post ptosis correction surgery	31
(17) Lower eyelid hemangiomas in left eye	32
(18) Blepharophimosis-Ptosis-Epicanthus Inversus (BPES)	32
(19) A case of hemangioma in left eye treated by oral propranolol (Courtesy Prof Dr. Hisham Farouk Idriss).	33

LIST OF ABBREVIATIONS

BPES	:	Blepharophimosis Ptosis Epicanthus Inversus
CFEOM	:	Congenital Fibrosis of extraocular muscles
CMS	:	Congenital Myathenic Syndrome
CPEO	:	Chronic Progressive External Ophthalmoplegia
CT	:	Computed Tomography
MRD	:	Marginal Reflex Distance
MRI	:	Magnetic Resonance Imaging
NLDO	:	Nasolacrimal Duct Obstruction
PF	:	Palpebrae Fissure height
SD	:	Standard Deviation