

LIST OF TABLES

Table No.		Page
Table 1	The effect of plasticizer content on the SPCPEs performance in the potentiometric titration of 5 mL of 10^{-2} M CPCl with 10^{-2} M NaTPB.....	49
Table 2	The effect of plasticizer type on the SPCPEs performance in the potentiometric titration of 5 mL of 10^{-2} M CPCl with 10^{-2} M NaTPB.....	52
Table 3	The effect of the binding materials on the SPCPEs performance in the potentiometric titration of 5 mL of 10^{-2} M CPCl with 10^{-2} M NaTPB.....	55
Table 4	The performance characteristics of different fabricated electrodes in the potentiometric titration of 5 mL 10^{-2} M CPCl with 10^{-2} M NaTPB.....	62
Table 5	Life time of the SPCPEs in the potentiometric titration of 5 mL of 10^{-2} M CPCl with 10^{-2} M NaTPB.....	74
Table 6	Life time of the screen printed electrode type B in the potentiometric titration of 5 mL of 10^{-2} M CPCl with 10^{-2} M NaTPB.....	77
Table 7	Life time of the screen printed electrode type C in the potentiometric titration of 5 mL of 10^{-2} M CPCl with 10^{-2} M NaTPB.....	79
Table 8	Life time of the SPCPEs fabricated using commercial ink in the potentiometric titration of 5 mL of 10^{-2} M CPCl with 10^{-2} M NaTPB.....	81
Table 9	Life time of the carbon paste electrodes in the potentiometric titration of 5 mL of 10^{-2} M CPCl with 10^{-2} M NaTPB.....	84

Table 10	Life time of the PVC membrane electrode in the potentiometric titration of 5 mL of 10^{-2} M CPCl with 10^{-2} M NaTPB.....	86
Table 11	Life time of the coated wire electrode (CWEs) in the potentiometric titration of 5 mL of 10^{-2} M CPCl with 10^{-2} M NaTPB.....	88
Table 12	Life time of the coated graphite electrode performance in the potentiometric titration of 5 mL of 10^{-2} M CPCl with 10^{-2} M NaTPB.....	91
Table 13	Between-day precision of the potentiometric titration of 5 mL of 10^{-2} M CPCl with 10^{-2} M NaTPB.....	93
Table 14	Potentiometric titration of 3 mL of 10^{-2} M CPCl with different titrants a) 1×10^{-2} M NaTPB , b) 1×10^{-2} M RN, c) 3.3×10^{-3} M PTA, d) 3.3×10^{-3} M PMA, e) 2.5×10^{-3} M STA using SPCPEs.	96
Table 15	Determination of CPCl using SPCPEs through the potentiometric titration with 10^{-2} M NaTPB.....	97
Table 16	Determination of CTABr using SPCPEs through the potentiometric titration with 10^{-2} M NaTPB.....	98
Table 17	Determination of Septonex using SPCPEs through the potentiometric titration with 10^{-2} M NaTPB.....	99
Table 18	Determination of DDABr using SPCPEs through the potentiometric titration with 10^{-2} M NaTPB.....	100
Table 19	Determination of DTABr using SPCPEs through the potentiometric titration with 10^{-2} M NaTPB.....	101
Table 20	: Determination of SDS using SPCPEs through the potentiometric titration with 10^{-2} M CPCl.....	104

LIST OF TABLES

Table 21	Potentiometric determination of surfactants in different pharmaceutical formulations using SPCPEs	106
Table 22	Determination of anionic surfactants in commercial household cleaning products by the potentiometric titration with 10^{-2} M CPCl using the proposed SPCPEs	108
Table 23	Determination of anionic surfactants in sea water and waste water samples by potentiometric titration with 10^{-3} M CPCl using the proposed SPCPEs	110

LIST OF FIGURES

No.		Page
Figure 1	Schematic diagram of the portable system used for the potentiometric titration of surfactants	34
Figure 2	Schematic diagram for the preparation of the screen printed electrodes. a) preparation of the screen, b) printing of the electrodes, c) image of the printed electrodes and d) insulating of the electrode and the bielectrode strip.....	37
Figure 3	A typical carbon paste electrode	40
Figure 4	A typical coated wire electrode	41
Figure 5	A typical PVC-membrane electrode with internal reference solution	42
Figure 6	Typical potentiometric titration curve of CPCl with NaTPB...	47
Figure 7	Effect of plasticizer content on the SPCPEs performance in the potentiometric titration of 5 mL of 10^{-2} M CPCl with 10^{-2} M NaTPB: (a) 0%; (b) 5%, (c) 10.5%; (d) 15%; (e) 26%; (f) 30%; (g) 32%; (h) 34.6% and (i) 37% plasticizer.....	52
Figure 8	The effect of plasticizer type on the SPCPEs performance in the potentiometric titration of 5 mL of 10^{-2} M CPCl with 10^{-2} M NaTPB, (a) DOS, (b) DBP, (c) DOP, (d) TCP, (e) <i>o</i> -NPOE.....	53
Figure 9	The effect of the binding materials on the SPCPEs performance in the potentiometric titration of 5 mL of 10^{-2} M CPCl with 10^{-2} M NaTPB.....	56
Figure 10	Effect of the screen materials on the SPCPEs performance in the potentiometric titration of 5 mL of 10^{-2} M CPCl with 10^{-2} M NaTPB.....	59

Figure 11	Comparison between the performances of SPCPEs fabricated using home made ink and the commercial ink in the potentiometric titration of 5 mL of 10^{-2} M CPCl with 10^{-2} M NaTPB, (a) home made ink, (b) commercial ink.....	63
Figure 12	Comparison between the performances of SPCPEs and double layer electrodes for types B & C in the potentiometric titration of 5 mL of 10^{-2} M CPCl with 10^{-2} M NaTPB, (a) SPCPEs type , (b) type (B), (c) type (C).....	65
Figure 13	Comparison between the performances of SPCPEs and CPE in the potentiometric titration of 5 mL of 10^{-2} M CPCl with 10^{-2} M NaTPB, of (a) SPCPEs, (b) CPE.....	66
Figure 14	Comparison between the performances of SPCPEs and PVC electrode in the potentiometric titration of 5 mL of 10^{-2} M CPCl with 10^{-2} M NaTPB, with (a) SPCPEs, (b) PVC electrode.....	67
Figure 15	Comparison between the performances of SPCPEs and coated graphite electrode in the potentiometric titration of 5 mL of 10^{-2} M CPCl with 10^{-2} M NaTPB, with (a) SPCPEs, (b) coated graphite electrode.....	69
Figure 16	Comparison between the performances of SPCPEs and CWE in the potentiometric titration of 5 mL 10^{-2} M CPCl with 10^{-2} M NaTPB, with (a) SPCPEs, (b) CWE.....	70
Figure 17	Comparison between the performances of SPCPEs and commercial surfactant electrode in the potentiometric titration of 5 mL 10^{-2} M CPCl with 10^{-2} M NaTPB, with (a) SPCPEs, (b) commercial surfactant electrode.....	71
Figure 18	Dynamic response time of different NaDS sensors: a) 10^{-6} , b) 10^{-5} , c) 10^{-3} M NaDS.	72

Figure 19	Life time of the SPCPEs in the potentiometric titration of 5 mL 10^{-2} M CPCl with 10^{-2} M NaTPB on different days from one day to 90 days.....	75
Figure 20	Life time of the screen printed electrode type B in the potentiometric titration of 5 mL 10^{-2} M CPCl with 10^{-2} M NaTPB on different days, a) first day, b) 6 days, c) 14 days, d) 20 days.....	78
Figure 21	Life time of the screen printed electrode type C in the potentiometric titration of 5 mL 10^{-2} M CPCl with 10^{-2} M NaTPB on different days, a) first day, b) 3 days, c) 7 days, d) 15 days, e) 21 days.....	80
Figure 22	Life time of the SPCPEs fabricated using commercial ink on different days, a) first day, b) 15 days, c) 22 days, d) 27 days, e) 34 days, f) 41 days.....	82
Figure 23	Life time of the carbon paste electrode performance in the potentiometric titration of 5 mL of 10^{-2} M CPCl with 10^{-2} M NaTPB on different days, a) first day, b) 7 days, c) 20 days, d) 30 days, e) 51 days, f) 58 days, g) 73 days.....	92
Figure 24	Life time of the PVC membrane electrode performance in the potentiometric titration of 5 mL of 10^{-2} M CPCl with 10^{-2} M NaTPB on different days, a) first day, b) 14 days, c) 21 days, d) 28 days.....	87
Figure 25	Life time of the coated wire electrode (CWEs) performance in the potentiometric titration of 5 mL 10^{-2} M CPCl with 10^{-2} M NaTPB on different days, a) first day, b) 4 days, c) 7 days, d) 15 days, e) 21 days.....	89

LIST OF FIGURES

Figure 26	Life time of the coated graphite electrode performance in the potentiometric titration of 5 mL of 10^{-2} M CPCl with 10^{-2} M NaTPB on different days, a) first day, b) 7 days, c) 15 days, d) 21 days.....	92
Figure 27	Potentiometric titration of 3 mL of 10^{-2} M CPCl with different titrants using SPCPEs.....	96
Figure 28	Determination of CPCl using SPCPEs through the potentiometric titration with 10^{-2} M NaTPB.....	97
Figure 29	Determination of CTABr using SPCPEs through the potentiometric titration with 10^{-2} M NaTPB.....	98
Figure 30	Determination of Septonex using SPCPEs through the potentiometric titration with 10^{-2} M NaTPB.....	99
Figure 31	Determination of DDABr using SPCPEs through the potentiometric titration with 10^{-2} M NaTPB.....	100
Figure 32	Determination of DTABr using SPCPEs through the potentiometric titration with 10^{-2} M NaTPB.....	101
Figure 33	Titration curves of several analytical grade cationic surfactants using SPCPEs as sensor and NaTPB as titrant.....	102
Figure 34	Determination of SDS using SPCPEs through the potentiometric titration with 10^{-2} M CPCl.....	104