

List of Figures

Figure N ^o		Page
1.	Selenocysteine.....	.10
2.	Selenomethionine.10
3.	Selenium metabolic conversions associated with its reduction and methylation.....	.11
4.	Schematic representation of the Se metabolic pathway.....	.12
5.	General scheme of metal-induced reactive oxygen species (ROS) formation and increased carcinogenic risk.....	.22
6.	Various pathways of lipid peroxidation.....	.26
7.	Reaction of guanine with hydroxyl radical.....	.30
8.	ROS and metal ions-induced signaling pathways.....	.32
9.	Structure and processing of prepro-IGF-2.....	.37
10.	Ligands and receptors of the insulin-like growth factor (IGF) system...	.39
11.	Map of Mediterranean Sea, Abu-Qir bay show study area (El Maadiya region).....	.51
12.	Map of El-Tabia pumping station (El-Amia Drain).....	.52
13.	<i>Andara dulotii</i> mussel samples collected from Mediterranean Sea, Abu qir bay "El-Maadiya region".....	53
14.	Standard curve of GSH (nmol [SH]) for metallothionein.....	.58
15.	Standard curve of malonaldehyde-bis-diethyl-acetal (MDA) (nmole/ml).....	.67
16.	Metallothionein concentrations ($\mu\text{g/g ww}$) in mussels collected from Mediterranean Sea "El-Maadiya region"84
17.	Mean concentrations ($\mu\text{g/g}$) of cadmium, lead, chromium, copper and zinc in mussels collected from Mediterranean Sea "El-Maadiya region".	.86
18.	Mean erythrocytes metallothionein (MT) concentrations (nM/g Hb) of the healthy control group and the fishermen group.....	.89
19.	Mean blood concentrations ($\mu\text{g/ml}$) of cadmium, lead, chromium, copper and zinc of the healthy control group and the fishermen group...	.91
20.	Mean serum malondialdehyde (MDA) concentrations (nM/ml) of the healthy control group and the fishermen group.....	.93
21.	Mean whole blood glutathione content (mg/dl) of the healthy control group and the fishermen group.....	.95
22.	Mean erythrocytes glutathione peroxidase enzymatic activity levels (U/g Hb) of the healthy control group and the fishermen group.....	.97
23.	Mean erythrocytes catalase enzymatic activity levels (U/g Hb) of the healthy control group and the fishermen group.....	.99
24.	Mean erythrocytes superoxide dismutase enzymatic activity levels (U/g Hb) of the healthy control group and the fishermen group.....	.101
25.	The amplification fragments (170 bp) of IGF-2 genome in circulating blood samples of control group lane (1–7).....	.103

List of Figures (continue)

Figure N°		Page
26.	The amplification fragments (452 bp) of glyceraldehyde-3-phosphate dehydrogenase (GAPDH) genome (as control genome) in circulating blood samples of Control group lane (1 – 7).....	.103
27.	The amplification fragments (170 bp) of IGF-2 genome in circulating blood samples of fishermen group lane (1–7).....	.103
28.	The amplification fragments (452 bp) of glyceraldehyde-3-phosphate dehydrogenase (GAPDH) genome (as control genome) in circulating blood samples of fishermen group lane (1 – 7).....	.103
29.	Mean relative gene expression levels of Insulin-Like Growth Factor II (IGF-II) for the healthy control group and the fishermen group.....	.105
30.	Pearson correlation between erythrocytes metallothionein concentration (MT) and blood glutathione content (GSH).....	.107
31.	Pearson correlation between expression of insulin-like growth factor-2 gene (IGF II) and whole blood glutathione content (GSH).....	.107
32.	Pearson correlation between erythrocytes metallothionein concentration (MT) and erythrocytes glutathione peroxidase enzymatic activity (GPx)	.108
33.	Pearson correlation between expression of insulin-like growth factor II gene (IGF II) and erythrocytes glutathione peroxidase enzymatic activity (GPx).....	.108
34.	Pearson correlation between erythrocytes metallothionein concentration (MT) and erythrocytes catalase enzymatic activity (CAT).....	.109
35.	Pearson correlation between expression of insulin-like growth factor-2 gene (IGFII) and erythrocytes catalase enzymatic activity (CAT).....	.109
36.	Pearson correlation between erythrocytes metallothionein concentration (MT) and expression of insulin-like growth factor-2 gene (IGFII).....	.110
37.	Metal ions and oxidative stress.....	.119
38.	Role of metal ions in the generation of cellular damage by reactive oxygen species (ROS).....	.121

List of Tables

Table N°		Page
1.	Metallothionein concentrations ($\mu\text{g/g ww}$) in mussels collected from Mediterranean Sea "El-Maadiya region".....	.83
2.	Concentrations ($\mu\text{g/g}$) of cadmium, lead, chromium, copper and zinc ($\mu\text{g/g}$) in mussels collected from Mediterranean Sea "El-Maadiya region".....	.85
3.	Erythrocytes metallothioneins (MT) concentrations (nM/g Hb) of the healthy control group and the fishermen group.....	.88
4.	Statistical analysis (independent t-test) of erythrocytes metallothioneins (MT) Concentrations (nM/g Hb) of the healthy control group "group I" and the fishermen group "group II".....	.89
5.	Whole blood concentrations ($\mu\text{g/ml}$) of cadmium (Cd), lead (Pb), chromium (Cr), copper (Cu) and zinc (Zn) of the healthy control group (Group I) and the fishermen group (Group II).....	.90
6.	Serum malondialdehyde (MDA) concentrations (nM/ml) of the healthy control group (Group I) and the fishermen group (Group II)...	.92
7.	Statistical analysis (independent t-test) of serum malondialdehyde (MDA) concentrations (nM/ml) of the healthy control group "group I" and the fishermen group "group II".....	.93
8.	Whole blood glutathione content (mg/dl) of the healthy control group (group I) and the fishermen group (group II).....	.94
9.	Statistical analysis (independent t-test) of glutathione content in whole blood (mg/dl) of the healthy control group "group I" and the fishermen group "group II".....	.95
10.	Erythrocytes glutathione peroxidase enzymatic activity levels (U/g Hb) of the healthy control group (Group I) and the fishermen group (Group II).....	.96
11.	Statistical analysis (independent t-test) of erythrocytes glutathione peroxidase enzymatic activity levels (U/g Hb) of the healthy control group "group I" and the fishermen group "group II".....	.97
12.	Erythrocytes catalase enzymatic activity levels (U/g Hb) of the healthy control group "group I" and the fishermen group "group II"...	.98
13.	Statistical analysis (independent t-test) of erythrocytes catalase enzymatic activity levels (U/g Hb) of the healthy control group "group I" and the fishermen group "group II".....	.99
14.	Erythrocytes superoxide dismutase enzymatic activity levels (U/g Hb) of the healthy control group "group I" and the fishermen group "group II".....	.100
15.	Statistical analysis (independent t-test) of erythrocytes superoxide dismutase enzymatic activity levels (U/g Hb) of the healthy control group "group I" and the fishermen group "group II".....	.101

List of Tables (continue)

Table N°		Page
16.	Relative gene expression levels of insulin-like growth factor-2 (IGF-2) for the healthy control group "group I" and the fishermen group "group II"104
17.	Statistical analysis (independent t-test) of relative gene expression levels of insulin-like growth factor-2 (IGF-2) for the healthy control group "group I" and the fishermen group "group II"105