




LIST OF TABLES

LIST OF TABLES

Table No.	Title	Page
Table (2.1):	Physicochemical Properties of the Used Petroleum Crude Oil.	55
Table (2.2):	Constituents of the Prepared CEMA/ Acrylate Crosslinked Copolymers.	60
Table (2.3):	Constituents of PET NWF Thermally and Photochemically Treated with CEMA/Acrylates in presence of crosslinkers	63
Table (2.4):	Constituents of PET NWF Photochemically Treated with linear CEMA/ODA.	63
Table (3.1):	Physicochemical properties of MAA _m and MMA _m Crosslinkers.	72
Table (3.2):	The Percentage Conversion Of The Prepared CEMA/Alkylacrylate Sorbers Crosslinked by Either MAA _m or MMA _m Crosslinker.	85
Table (3.3):	Soluble fraction values of crosslinked CEMA/ODA copolymers using two different crosslinkers and various crosslinker concentrations.	89
Table (3.4):	Soluble fraction values of crosslinked CEMA/DDA Copolymers using two different crosslinkers and various crosslinker concentrations.	91
Table (3.5):	Soluble fraction values of crosslinked CEMA/IOA Copolymers using two different crosslinkers and various crosslinker concentrations.	93
Table (3.6):	Thermal Gravimetric Data of Crosslinked CEMA/ODA at Different Mole Ratios using 1% MMA _m Crosslinker.	96

Table (3.7):	Thermal Gravimetric Data of Crosslinked CEMA/ODA 50/50 Mol Ratios using different concentrations of MMA _m Crosslinker (0.5-4%).	97
Table (3.8):	Thermal Gravimetric Data of Crosslinked CEMA/ODA at Different Mole Ratios using 1% MAA _m Crosslinker.	98
Table (3.9):	Thermal Gravimetric Data of Crosslinked CEMA/ODA 50/50 Mole Ratios using different concentrations of MAA _m Crosslinker (0.5-4%).	99
Table (3.10):	Thermal Gravimetric Data of Crosslinked CEMA/DDA at Different Mole Ratios using 1% MAA _m Crosslinker.	101
Table (3.11):	Thermal Gravimetric Data of Crosslinked CEMA/DDA 50/50 Mol Ratios but using different concentrations of MAA _m Crosslinker (0.5-4%)	102
Table (3.12):	Thermal Gravimetric Data of Crosslinked CEMA/DDA at Different Mole Ratios using 1% MAA _m Crosslinker.	103
Table (3.13):	Thermal Gravimetric Data of Crosslinked CEMA/DDA 50/50 Mole Ratios using different concentrations of MAA _m Crosslinker (0.5-4%).	104
Table (3.14):	Thermal Gravimetric Data of Crosslinked CEMA/IOA at Different Mole Ratios using 1% MAA _m Crosslinker.	105
Table (3.15):	Thermal Gravimetric Data of Crosslinked CEMA/IOA 50/50 Mol Ratios but using different concentrations of MAA _m Crosslinker (0.5-4%)	106
Table (3.16):	Thermal Gravimetric Data of Crosslinked	107

CEMA/IOA at Different Mole Ratios using 1% MAA_m Crosslinker.

Table (3.17):	Thermal Gravimetric Data of Crosslinked CEMA/IOA 50/50 Mole Ratios using different concentrations of MAA _m Crosslinker (0.5-4%).	108
Table (3.18):	The data of grafting ratio and SF measurements of photografted CEMA/ODA linear copolymers onto PET NWF fiber	131
Table (3.19):	The data of SF measurements of grafted and crosslinked CEMA/ODA monomers onto NWPET fiber in presence of MAA _m and MMA _m crosslinkers	131
Table (3.20a):	Absorption Characteristics of CEMA/IOA Copolymers Crosslinked With MAA _m Crosslinker at 298 K.	143
Table (3.20b):	Absorption Characteristics of CEMA/IOA Copolymers Crosslinked With MMA _m Crosslinker at 298 K.	143
Table(3.21a):	Absorption Characteristics of CEMA/DDA Copolymers Crosslinked With MAA _m Crosslinker at 298 K.	153
Table(3.21b):	Absorption Characteristics of CEMA/DDA Copolymers Crosslinked With MMA _m Crosslinker at 298 K.	153
Table(3.22a):	Absorption Characteristics of CEMA/ODA Copolymers Crosslinked With MAA _m Crosslinker at 298 K.	154
Table (3.22b):	Absorption Characteristics of CEMA/ODA Copolymers Crosslinked With MMA _m Crosslinker	154

at 298 K.

Table (3.23a):	Network Parameters of Different Compositions Of CEMA/IOA Copolymers Crosslinked with Various Concentrations of MAA _m Crosslinker at 298K.	166
Table (3.23b):	Follow Network Parameters of Different Compositions Of CEMA/IOA Copolymers Crosslinked with Various Concentrations of MAA _m Crosslinker at 298K.	166
Table (3.24a):	Network Parameters of Different Compositions Of CEMA/IOA Copolymers Crosslinked with Various Concentrations Of MMA _m Crosslinker at 298K	167
Table (3.24b):	Follow Network Parameters of Different Compositions Of CEMA/IOA Copolymers Crosslinked with Various Concentrations of MMA _m Crosslinker at 298K.	167
Table (3.25a):	Network Parameters of Different Compositions Of CEMA/DDA Copolymers Crosslinked with Various Concentrations of MAA _m Crosslinker at 298K.	168
Table (3.25b):	Follow Network Parameters of Different Of Compositions CEMA/DDA Copolymers Crosslinked with Various Concentrations of MAA _m Crosslinker at 298K.	168
Table (3.26a):	Network Parameters of Different Compositions Of CEMA/DDA Copolymers Crosslinked with Various Concentrations Of MMA _m Crosslinker at 298K	169
Table (3.26b):	Follow Network Parameters of Different	169

Compositions Of CEMA/DDA Copolymers
Crosslinked with Various Concentrations of
MMA_m Crosslinker at 298K.

Table (3.27a):	Network Parameters of Different Compositions Of CEMA/ODA Copolymers Crosslinked with Various Concentrations of MAA _m Crosslinker at 298K.	170
Table (3.27b):	Follow Network Parameters of Different Compositions Of CEMA/ODA Copolymers Crosslinked with Various Concentrations of MAA _m Crosslinker at 298K.	170
Table (3.28a):	Network Parameters of Different Compositions Of CEMA/ODA Copolymers Crosslinked with Various Concentrations Of MMA _m Crosslinker at 298K	171
Table (3.28b):	Follow Network Parameters of Different Compositions Of CEMA/ODA Copolymers Crosslinked with Various Concentrations of MMA _m Crosslinker at 298K.	171
Table (3.29):	The values of β and α for CEMA/alkyl acrylate copolymer crosslinked with different wt % of either MAA _m or MMA _m crosslinker using pure toluene as swelling medium.	175
Table (3.30):	Absorption Characteristics for Linear CEMA/ODA grafted onto PET NWF by UV radiation .	178
Table(3.31a):	Absorption Characteristics at 298 K for 50/50 mol% CEMA/ODA Copolymers Thermally Crosslinked and /or grafted onto PET NWF in	187

Presence of 0.5-4% of MAA_m Crosslinker .

Table(3.31b):	Absorption Characteristics at 298 K for 50/50 mol% CEMA/ODA Copolymers Thermally Crosslinked and /or Grafted onto PET NWF in Presence of 0.5-4% of MMA _m Crosslinker	187
Table(3.32a):	Absorption Characteristics at 298 K for 50/50 mol% CEMA/DDA Copolymers Thermally Crosslinked and /or grafted onto PET NWF in Presence of 0.5-4% of MAA _m Crosslinker.	188
Table (3.32b):	Absorption Characteristics at 298 K for 50/50 mol% CEMA/DDA Copolymers Thermally Crosslinked and /or Grafted onto PET NWF in Presence of 0.5-4% of MMA _m Crosslinker	188
Table (3.33a):	Absorption Characteristics at 298 K for 50/50 mol% CEMA/IOA Copolymers Thermally Crosslinked and /or grafted onto PET NWF in Presence of 0.5-4% of MAA _m Crosslinker.	189
Table(3.33b):	Absorption Characteristics at 298 K for 50/50 mol% CEMA/IOA Copolymers Thermally Crosslinked and /or Grafted onto PET NWF in Presence of 0.5-4% of MMA _m Crosslinker	189
Table (3.34a):	Absorption Characteristics at 298 K for 50/50 mol% CEMA/ODA Copolymers Photochemically Crosslinked and /or Grafted onto PET NWF in Presence of 0.5-4% of MAA _m crosslinker.	190
Table(3.34b):	Absorption Characteristics at 298 K for 50/50 mol% CEMA/ODA Copolymers Photochemically Crosslinked and /or Grafted onto PET NWF in	190

Presence of 0.5-4% of MMA_m Crosslinker

Table (3.35a):	Absorption Characteristics at 298 K for 50/50 mol% CEMA/DDA Copolymers Photochemically Crosslinked and /or Grafted onto PET NWF in Presence of 0.5-4% of MAA_m crosslinker.	191
Table (3.35b):	Absorption Characteristics at 298 K for 50/50 mol% CEMA/DDA Copolymers Photochemically Crosslinked and /or Grafted onto PET NWF in Presence of 0.5-4% of MMA_m Crosslinker	191
Table (3.36a):	Absorption Characteristics at 298 K for 50/50 mol% CEMA/IOA Copolymers Photochemically Crosslinked and /or Grafted onto PET NWF in Presence of 0.5-4% of MAA_m crosslinker	192
Table (3.36b):	Absorption Characteristics at 298 K for 50/50 mol% CEMA/IOA Copolymers Photochemically Crosslinked and /or Grafted onto PET NWF in Presence of 0.5-4% of MMA_m Crosslinker	192

CONTENTS

	Page
ACKNOWLEDGEMENT.....	I
ABSTRACT.....	II
AIM OF THE WORK.....	III
SUMMARY.....	IV
LIST OF ABBREVIATIONS.....	V
LIST OF FIGURES.....	VI
LIST OF TABLES.....	VII
CONTENTS	VIII
CHAPTER 1.....	
1. INTRODUCTION.....	1
1.1. NATURAL OIL SORBERS	7
1.2. SYNTHETIC OIL SORBERS.....	12
1.3. MINERAL PRODUCTS AS OIL SORBERS.....	22
<i>a-Silica Aerogels</i>	22
<i>b-Zeolites</i>	27
<i>c- Organophilic Clays</i>	30
<i>d- Other Mineral Products</i>	33
1.4. CHARACTERIZATION OF OIL SORBERS.....	35
1.5. METHODS USED TO CONTROL OIL SPILL.....	41
1.5.1. Mechanical Recovery of oil spill.....	43
<i>a-Adhesive surface devices</i>	44
<i>b-Weir devices</i>	44
<i>C- Centrifugal or vortex devices</i>	44
<i>d- The floating suction devices</i>	44
1.5.2. Using of Chemicals as Oil Spill Dispersants.....	45
1.5.3. Using of Oil Sorbers to Control Oil Spill.....	47
1.6. FUTURE TRENDS FOR OIL SORBERS.....	48
CHAPTER 2.....	
2. EXPERIMENTAL.....	51

2.1. MATERIALS.....	51
2.1.1. Monomeric Compounds.....	51
2.1.2. Reagents for synthesis of Crosslinking Agents.....	53
2.1.3. Thermal Initiators.....	54
2.1.4. Solvents	54
2.2. SYNTHESIS AND PURIFICATION OF CROSSLINKERS ...	56
2.2.1. Synthesis and purification of N melamine acrylamide Crosslinkers.....	56
2.3. PREPARATION OF LINEAR AND CROSSLINKED COPOLYMERS.....	56
2.3.1. Synthesis of cinnamoyloxyethyl methacrylate monomer (CEMA).....	56
2.3.2. Low Conversion Copolymerization (Synthesis of Linear Acrylate Copolymers).....	57
2.3.3. High Conversion Copolymerization (Synthesis of Crosslinked Acrylates Copolymers).....	59
2.4. COPOLYMERIZATION AND CROSSLINKING OF CEMA/ALKYL ACRYLATE ONTO PET NONWOVEN FIBER (NWF).....	61
2.4.1. Thermally.....	61
2.4.2. Photochemically.....	61
2.5. UV CROSSLINKING OF LINEAR COPOLYMERS ONTO PET NONWOVEN FIBER.....	62

2.6. CHARACTERIZATION OF THE PREPARED COPOLYMER.....	62
2.6.1. FTIR SPECTROSCOPY.....	62
2.6.2. ¹ HNMR Spectroscopy.....	64
2.6.3. Thermogravimetric Analysis (TGA).....	64
2.6.4. Dynamic Mechanical Analysis (DMA).....	64
2.6.5. Scan Electron Microscopy (SEM).....	64
2.7. EVALUATION OF CROSSLINKED POLYMERS.....	65
2.7.1. Extraction of Soluble Fraction Materials (SF).....	65
2.7.2. Oil Absorption Test.....	65
2.7.3. Swelling Kinetics of Oil Absorption.....	66
2.7.4. Network Parameters of Gels.....	67
CHAPTER 3.....	
3. RESULTS AND DISCUSSION.....	69
3.1. SYNTHESIS OF NEW CROSSLINKERS AND MONOMER.....	71
3.1.1. Chemical Structure of MAA _m and MMA _m Crosslinkers....	77
3.1.2. Synthesis of Cinnamoyloxy ethyl methacrylate Monomer (CEMA).....	77
3.2. PREPARATION OF LINEAR AND CROSSLINKED COPOLYMERS.....	79
3.2.1. Preparation of Linear Copolymers.....	79
3.2.2. Crosslinked Copolymers.....	83
3.2.2.1 Soluble Fraction	86
<i>a- Copolymerization of CEMA with ODA</i>	87
<i>b- Copolymerization of CEMA with DDA</i>	90
<i>c- Copolymerization of CEMA with IOA</i>	92

3.2.2.2. Thermal characteristics of crosslinked CEMA-alkyl acrylate copolymers.....	94
3.2.2.3 Morphology of the crosslinked polymers.....	100
3.2.2.4. Elasticity of CEMA-ODA Networks.....	114
3.3 Crosslinking of CEMA/Alkyl Acrylate Copolymers onto NWPET Fiber.....	124
3.4. SWELLING BEHAVIOR OF THE CROSSLINKED COPOLYMERS.....	134
3.4.1. Oil absorbencies for CEMA/IOA crosslinked copolymers...	137
3.4.2. Oil absorbencies for CEMA/ DDA or ODA crosslinked Copolymers.....	144
3.4.3. Swelling kinetics of the synthesized crosslinked CEMA/ alkyl acrylate copolymers.....	155
3.4.4. Effect of Temperature on Swelling Characteristics of Crosslinked CEMA/Alkyl Acrylate Copolymers.....	157
3.5. NETWORK PARAMETERS OF CROSSLINKED CEMA/ACRYLATE COPOLYMERS.....	164
3.6. SWELLING CHARACTERISTICS OF GRAFTED AND CROSSLINKED PET NWF.....	176
4. CONCLUSIONS	194
5. REFERENCES	197