

# LIST OF TABLES

<b>Table</b>		<b>page</b>
<b>(I)</b>	Nerve supply of the larynx.	<b>4</b>
<b>(II)</b>	Comparison between the three studied groups according to age.	<b>24</b>
<b>(III)</b>	Comparison between the three studied groups according to body weight.	<b>25</b>
<b>(IV)</b>	Comparison between the three studied groups according to sex.	<b>26</b>
<b>(V)</b>	Distribution of the studied cases according to heart rate in group I.	<b>30</b>
<b>(VI)</b>	Distribution of the studied cases according to heart rate in group II.	<b>32</b>
<b>(VII)</b>	Distribution of the studied cases according to heart rate in group III.	<b>34</b>
<b>(VIII)</b>	Comparison between the three studied groups according to hear rate.	<b>36</b>
<b>(IX)</b>	Distribution of the studied cases according to SBP in group I.	<b>39</b>
<b>(X)</b>	Distribution of the studied cases according to SBP in group II.	<b>41</b>
<b>(XI)</b>	Distribution of the studied cases according to SBP in group III.	<b>43</b>
<b>(XII)</b>	Comparison between the three studied groups according to SBP.	<b>45</b>
<b>(XIII)</b>	Distribution of the studied cases according to DBP in group I.	<b>48</b>
<b>(XIV)</b>	Distribution of the studied cases according to DBP in group II.	<b>50</b>
<b>(XV)</b>	Distribution of the studied cases according to DBP in group III.	<b>52</b>
<b>(XVI)</b>	Comparison between the three studied groups according to DBP.	<b>54</b>
<b>(XVII)</b>	Distribution of the studied cases according to MBP in group I	<b>57</b>
<b>(XVIII)</b>	Distribution of the studied cases according to MBP in group II.	<b>59</b>
<b>(XIX)</b>	Distribution of the studied cases according to MBP in group III.	<b>61</b>
<b>(XX)</b>	Comparison between the three studied groups according to MBP.	<b>63</b>
<b>(XXI)</b>	Comparison between the three studied groups according to sedation level (Ramsay sedation scale).	<b>66</b>

# LIST OF FIGURES

<b>Figure</b>		<b>page</b>
(1)	Upper airway anatomy.	1
(2)	Larynx – anterior view.	2
(3)	Larynx – lateral view.	2
(4)	Stress response in hypothalamus-pituitary-suprarenal and sympathoadrenal system	8
(5)	Chemical structure of pregabalin.	12
(6)	Comparison between the three studied groups according to age.	27
(7)	Comparison between the three studied groups according to body weight.	27
(8)	Comparison between the three studied groups according to sex	28
(9)	Comparison between the three studied groups according to heart rate.	37
(10)	Comparison between the three studied groups according to SBP	46
(11)	Comparison between the three studied groups according to DBP	55
(12)	Comparison between the three studied groups according to MBP	64
(13)	Comparison between the three studied groups according to sedation level according to Ramsay sedation scale.	67

## LIST OF ABBREVIATIONS

<b>AIT</b>	:	Alanine Amino Transferase.
<b>ASA</b>	:	American Society Of Anesthesiologists.
<b>AST</b>	:	Aspartate Amino Transferase.
<b>DAP</b>	:	Diastolic Arterial Blood Pressure.
<b>ECG</b>	:	Electrocardiogram.
<b>Et CO<sub>2</sub></b>	:	End Tidal Carbon Dioxide Tension.
<b>GABA</b>	:	Gamma Aminobutyric Acid.
<b>HPA</b>	:	Hypothalamus – Pituitary – Adrenocortical.
<b>LTS</b>	:	Laryngeal Tube Suction Airway.
<b>MAP</b>	:	Mean Arterial Blood Pressure.
<b>PACU</b>	:	Post Anaesthesia Care Unit.
<b>PLMA</b>	:	Proseal Laryngeal Mask Airway.
<b>SAM</b>	:	Sympathetic Adrenomedullary.
<b>SaO<sub>2</sub></b>	:	Arterial Oxygen Saturation .
<b>SAP</b>	:	Systolic Arterial blood pressure.