

Chapter 7

Conclusions

Developing countries offer a specific unique local context with regards to urban transport. In spite of the deteriorating travel conditions, car ownership continues to rise with increasing population growth and improving living standard. Under these circumstances, infinite transport demands (mainly motorized) continually increase within a finite transport infrastructure. Consequently the quality of urban life is starting to deteriorate and the street has become unpleasant.

Urban Public transport faces significant challenges in developing countries. The government funding is basically directed to construction, expansion and maintenance of roads, while the public transport often does not receive the same care. The implementation of public transport projects may be postponed due to budget constraints, and some existing public transport lines may be canceled, on the assumption that public transport hinders the movement of private cars.

Failure of governments to supply organized public transport and the inadequate public transport capacities compared to the increase in demand have induced the explosion and the intensive use of privately operated minibuses, microbuses, collective taxis, motorcycle taxis, which are often randomly operated under substandard and unsafe conditions.

The travel situation in metropolitan areas of developing counties should be improved, and the traffic conflicts should be released. The only way is to promote safe, attractive and effective public transport. In Alexandria, for example, a lot of public transport projects are already available as results of different transportation studies. However, the decision for implementing one or more of these projects has not been taken so far because of the conflicting opinions and the lack of a mechanism for screening and prioritizing the candidate projects.

The main purpose of this thesis is to review the current techniques used for evaluating and rating transportation projects and to verify their capability and practicality. The thesis also aims to develop a procedure for a comprehensive evaluation of large-scale and long-term public transportation projects, taking into consideration the four essential sustainable criteria (economic, social, environmental, and transport efficiency).

A comprehensive evaluation procedure can provide great advantages by integrating the benefits of the cost-effectiveness with indicators reflecting the community needs and goals; i.e. identify indicators that also support the development in the metropolitan area. In this case, a transportation project option may lead to economic progress, regional expansion, and land use development, as well as creating new jobs and activities within friendly and harmless environment.

The proposed approach should also deal with quantitative criteria and qualitative criteria, and either with “less is better” or “more is better” indicators. It should take also direct and indirect impacts into consideration. Other two facts is also considered by the development of the proposed

procedure: (1) large scale public transport projects in urban areas in developing countries, like Alexandria, are nonprofit and depend mainly on public funds, and (2) the transport tariff is not economic, but social and subsidized.

The current techniques used for evaluation of transport projects can be classified as follows:

- Economic Feasibility
- Multi-Criteria Decision Analysis (MCDA); i.e. both Weighted Sum Model (WSM) and Multifactor Evaluation Process (MFEP)
- Analytical Hierarchy Process (AHP)

Conventional transport feasibility studies often require detailed economic analysis. They tend to focus on a limited set of criteria; such as infrastructure costs, operating costs, travel time saving, and accident damage costs. They overlook many non-monetized impacts, and disregard indirect impacts. Otherwise, the methods are not sufficient for evaluating transportation projects from all viewpoints, and there is no need in an economic analysis to include stakeholders into analysis.

In developing countries, the economic analysis of transportation projects is more complicated due to lack of a consistent database. The economic analysis is by nature complex and strongly interrelated with socio-economic and environmental systems, which cannot be easily monetize. Economic analysis is always associated with risks and uncertainties regarding variations in inflation, foreign exchange, and interest rates (i.e. unstable economy). Furthermore, as the public transport projects are nonprofit and depend mainly on public funds, the application of some economic evaluation tools, such as cost/effectiveness and benefit/cost ratio, may be accompanied by some assumptions and the results will be inaccurate and unreliable.

Multi-Criteria Decision Analysis (MCDA) is one of the established branches of Decision Theory. MCDA techniques are classified into weighted sum model (WSM), the weighted product model (WPM), and the Multifactor Evaluation Process (MFEP). The different MCDA techniques produce a specific single evaluation priority score for each project option, which is used for ranking the various options among each other's. Specifically, MCDA is used for developing guidance to decision makers in dealing with multiple criteria instead of utilizing a common single attribute such as cost-benefit ratio. Additionally, MCDA approaches have been explicitly applied to the problem of incorporating sustainability into transport planning processes. Knowledge generated by MCDA is derived subjectively based on comparative analyses of various elements.

However, MCDA may lead to doubt the results, due to the complexity nature of the methodology and the large amounts of data and information that must be "stored and operated". It can be described as "an exercise in data handling" which may lead to non-transparent results. In addition, charging weights without testing the consistency of allocated weights may lead to subjective results. The stability of the option ranking should then be edited through a sensitivity analysis. A sensitivity analysis is performed in order to see if the result varies, when the weights are changed. Meanwhile, the use of local knowledge in scientific analysis is limited and often ignored in developing countries. The local knowledge is restricted only to setting the criteria weights.

The Analytical Hierarchy Process (AHP) is a decision making tool helping decision-maker facing a complex problem with multiple conflicting and subjective criteria. AHP is used to integrate qualitative and quantitative information into a single output. The main advantages of applying AHP for evaluating alternatives can be summarized as follows: (1) it is carried out in successive steps, so that data management is not complicated as in the MCDA, (2) it is based on pairwise comparison and the participation of stakeholders at each step, (3) it is supported with a mechanism to insure the consistency of the stockholders weights at each step, and (4) the judgment is established on preference relative linear scale that is practically attractive, user-friendly and more common than values.

If a large number of evaluation criteria and project options exist in an evaluation process, AHP will suffer hard debates during allocation of weights for pairwise comparison. The pairwise comparison should be conducted for the different options regarding all criteria. Thus, the proposed procedure described later (CETP) overcomes this problem by decision making on sequential stages, in the context of a hierarchical structure, with visual presentation of results at every stage.

The main objective of the proposed approach (CETP) is the comprehensive analysis of candidate transportation project options and arranging them regarding their importance to the target sustainability of the community. It is based on integration between Multi-Criteria Decision Analysis (MCDA) and the Analytical Hierarchy Process (AHP). Thus, it can combine benefits of both techniques. These two techniques are chosen because of their capability to deal with preference-based decisions over a lot of alternative options based on criteria that are characterized by multiple, usually conflicting, attributes. In the proposed approach, the MCDA is used for analyzing the quantitative criteria and the AHP for the qualitative criteria.

CEPT organizes the decision-making problem into a relative hierarchy structure of four levels. This structure allows criteria comparisons related to their importance from the viewpoint of multiple stockholders with different interests step-by-step, through a logical systematic manner. Thus, it helps decision-makers facing a complex problem with multiple conflicting and subjective criteria, and understanding the internal complications in the process. The consequence of applying this approach can be summarized as follows:

- Defining the relative importance of the four sustainable criteria (economic, social, environmental, and transportation efficiency)
- Identifying the indicators of the sustainable criteria and indicate their relative importance
- Prioritizing projects options regarding the indicators (Global Priority)
- Rating projects options according to their composite sustainability indexes (Priorities Aggregation)
- Determining a visual composite sustainability level for each Option.

These different above stated techniques are applied for Evaluation and rating of APTA Master Plan projects (2006) and Section 1 of the project “Alexandria Regional Metro: Abou Qir to El Aamiria” (1998). The aim of the application is only to investigate the practicality of the various techniques used for the sustainable evaluation of large-scale and long-term public transport projects in metropolitan areas of developing countries, like Alexandria. The application is performed with EXCEL programming to utilize its wide range capability in a decision making

process, such as formatting, formulating, and analyzing of large amount of data and information in spreadsheets, creating graphical and visual representations, and capability for what if analysis for supporting decision making.

For the feasibility analysis, four programs are developed in the framework of the thesis. Three programs are shaped for analyzing LRT, BRT, and RRT, individually, based on life cycle cost analysis. Each of which includes 4 spreadsheets; Introduction, Input/output, Investments, and graphical representation. The programs enable the calculations for projects with one, two, or three construction periods. The last program is designed to compare the options. It includes ten spreadsheets; from which seven include the inputs/outputs of the feasibility analysis of the projects options, an options comparison, input, and graphical representation spreadsheets. All the spreadsheets are integrated with each other's. They transfer automatically the inputs and outputs between them.

A program (MCDA) is developed for the application of the Multi-Criteria Decision Analysis. It includes four spreadsheets, "Introduction" that contains the application theory, "WSM" for performing the Weighted Sum Model, "MFEP" for applying the Multifactor Evaluation Process, and Graphics for visual presentation of results.

The program (AHP) is developed for the application of the Analytical Hierarchy Process. It includes three spreadsheets, "Introduction" that contains the application theory, "Calculations", and Graphics for visual presentation of results.

The program (CETP) is developed for the comprehensive analysis of transportation project options and arranging them regarding their importance to sustainable criteria. It is an interactive program that includes eight spreadsheets, Introduction, Criteria, Indicators, Economic, Social, Environment, Transport, and Graphics.

For testing the capabilities of the programs, a limited sensitivity analysis is carried out to identify the variation of the results by changing the weights

As expected, there are major variations in the ranking of the projects by the application of the different techniques. The Reasons can be resumed as follows:

- The theoretical nature of each technique.
- The feasibility analysis is essential for highlighting the differences between alternatives, but is insufficient for a comprehensive evaluation.
- MCDA is not used qualitative criteria, while the application AHP and CEPT are used for both quantitative and qualitative Criteria.
- MCDA utilizes scientific analysis of data and the professional judgment for weighting criteria.
- AHP depends mainly in the pairwise comparison on allocating criteria weights
- CEPT integrates scientific analysis with local knowledge by setting weights at the different steps of the process.

The application confirms the practicality and capability of the proposed procedure and program CETP for comprehensive evaluation of large-scale and long-term transport projects. It uses

Multi-Criteria Decision Analysis (MCDA), in a combination with the Analytical Hierarchy Process (AHP) to investigate precisely a large number of project options and a wide range of indicators to identify clearly superior options. CEPT produces a global priority index which is used for rating the project options, and a composite sustainability level, which presents the percentage of the achieved sustainability of each option to the maximum achievable sustainability. CETP can also support the decision making through a visual presentation of the interrelationships between indicators and results, and performing a sensitivity test in situations where uncertainties exist in the definition of criteria weights. In case of non-identical, but comparable options, the visualizing tool enables assessing a trade-offs to identify dominant options.

References

1. Ahmed, Q. I., Lu, H., & Ye, S. (2008). Urban transportation and equity: A case study of Beijing and Karachi. *Transportation Research Part A: Policy and Practice*, 42(1), 125–139.
2. Alonso, J. A., & Lamata, M. T. (2006). Consistency in the analytic hierarchy process: a new approach. *International Journal of Uncertainty, Fuzziness and Knowledge-Based Systems*, 14(04), 445–459.
3. Altuzarra, A., Moreno-Jiménez, J. M., & Salvador, M. (2007). A Bayesian periodization procedure for AHP-group decision making. *European Journal of Operational Research*, 182(1), 367–382.
4. Anable, J. (2008). The cost-effectiveness of carbon abatement in the transport sector. Project Report, London.
5. Ananda, J., & Herath, G. (2009). A critical review of multi-criteria decision making methods with special reference to forest management and planning. *Ecological Economics*, 68(10), 2535–2548.
6. Annandale, D., & Lantzke, R. (2000). Making good decisions: a guide to using decision-aiding techniques in waste facility siting. Institute for Environmental Science, Murdoch University, Perth, Australia.
7. APTA (2006). Upgrading the APTA Tram Network in Alexandria. ATM/MENA RAIL.
8. Awasthi, A., & Chauhan, S. S. (2011). Using AHP and Dempster–Shafer theory for evaluating sustainable transport solutions. *Environmental Modelling & Software*, 26(6), 787–796.
9. Awasthi, A., & Omrani, H. (2009). A hybrid approach based on AHP and belief theory for evaluating sustainable transportation solutions. *International Journal of Global Environmental Issues*, 9(3), 212–226.
10. Balana, B. B., Vinten, A., & Slee, B. (2011). A review on cost-effectiveness analysis of Environmental Measures related to the EU WFD: Key Issues, Methods, and Applications. *Ecological Economics*, 70(6), 1021–1031.
11. Berger, G., Feindt, P. H., Holden, E., & Rubik, F. (2014). Sustainable Mobility—Challenges for a Complex Transition. *Journal of Environmental Policy & Planning*, 16(3), 303–320.
12. Bickel, P., Friedrich, R., Burgess, A., Fagiani, P., Hunt, A., Jong, G. D., Mackie, P. (2006). HEATCO—Developing Harmonized European Approaches for Transport Costing and Project Assessment. IER University Stuttgart.

13. Blank, L. T., Tarquin, A. J., & Iverson, S. (2005). *Engineering Economy*. McGraw-Hill New York.
14. Bongardt, D., Schmid, D., & Huizenga, C. (2011). *Sustainable Transport Evaluation - Developing Practical Tools for Evaluation in the Context of the Commission on Sustainable Development Process*. United Nations.
15. Bristow, A. L., & Nellthorp, J. (2000). Transport project appraisal in the European Union. *Transport Policy*, 7(1), 51–60.
16. Browne, D., & Ryan, L. (2011). Comparative analysis of evaluation techniques for transport policies. *Environmental Impact Assessment Review*, 31(3), 226–233.
17. Brugha, C. M. (2004). Structure of multi-criteria decision-making. *Journal of the Operational Research Society*, 55(11), 1156–1168.
18. Brundtland, G. H. (1987). *Our Common Future*, World Commission on Environment and Development (WCED). Oxford University Press.
19. Buselich, K. (2002). An outline of current thinking on sustainability assessment. Institute for Sustainability and Technology Policy, [Http://www. Sustainability. Dpc. Wa. Gov. au/docs/BGPapers/KathrynBuselich](http://www.sustainability.dpc.wa.gov.au/docs/BGPapers/KathrynBuselich). Button, K. (2010). *Transport economics*. Edward Elgar Publishing.
20. Carbone, F., De Montis, A., De Toro, P., & Stagl, S. (2000). MCDA methods comparison: environmental policy evaluation applied to a case study in Italy. In *Third International Conference of the European Society for Ecological Economics*, Vienna, Austria (pp. 3–6).
21. Castillo, H., & Pitfield, D. E. (2010). ELASTIC—A methodological framework for identifying and selecting sustainable transport indicators. *Transportation Research Part D: Transport and Environment*, 15(4), 179–188.
22. Chamodrakas, I., Batis, D., & Martakos, D. (2010). Supplier selection in electronic marketplaces using satisficing and fuzzy AHP. *Expert Systems with Applications*, 37(1), 490–498.
23. Chen, H., & Kocaoglu, D. F. (2008). A sensitivity analysis algorithm for hierarchical decision models. *European Journal of Operational Research*, 185(1), 266–288.
24. Chen, M.-K., & Wang, S.-C. (2010). The critical factors of success for information service industry in developing international market: Using analytic hierarchy process (AHP) approach. *Expert Systems with Applications*, 37(1), 694–704.
25. Condon, E., Golden, B., & Wasil, E. (2003). Visualizing group decisions in the analytic hierarchy process. *Computers & Operations Research*, 30(10), 1435–1445.

26. De Brucker, K., Macharis, C., & Verbeke, A. (2013). Multi-criteria analysis and the resolution of sustainable development dilemmas: A stakeholder management approach. *European Journal of Operational Research*, 224(1), 122–131.
27. Douglas, N. J., & Brooker, T. (2013). International Comparison of Transport Appraisal Practice.
28. Eißel, D., & Chu, C. P. (2013). The future of sustainable transport system for Europe. *AI & SOCIETY*, 1–16.
29. Escobar, M. T., & Moreno-jiménez, J. M. (2007). Aggregation of individual preference structures in AHP-group decision making. *Group Decision and Negotiation*, 16(4), 287–301.
30. Fuller, S. (2010). Life-cycle cost analysis (LCCA). National Institute of Building Sciences, An Authoritative Source of Innovative Solutions for the Built Environment, 1090.
31. Grant-Muller, S. M., Mackie, P., Nellthorp, J., & Pearman, A. (2001). Economic appraisal of European transport projects: the state-of-the-art revisited. *Transport Reviews*, 21(2), 237–261.
32. Gühnemann, A., Laird, J. J., & Pearman, A. D. (2012). Combining cost-benefit and multi-criteria analysis to prioritise a national road infrastructure programme. *Transport Policy*, 23, 15–24.
33. Gunnarsson-Östling, U., & Höjer, M. (2011). Scenario planning for sustainability in Stockholm, Sweden: environmental justice considerations. *International Journal of Urban and Regional Research*, 35(5), 1048–1067.
34. Gwilliam, K. M. (1997). The value of time in economic evaluation of transport projects: lessons from recent research. World Bank (Washington DC).
35. Haghshenas, H., & Vaziri, M. (2012). Urban sustainable transportation indicators for global comparison. *Ecological Indicators*, 15(1), 115–121.
36. Hasibuan, H. S., Soemardi, T. P., Koestoer, R., & Moersidik, S. (2014). The Role of Transit Oriented Development in Constructing Urban Environment Sustainability, the Case of Jabodetabek, Indonesia. *Environmental Sciences*, 20, 622–631.
37. Hatzopoulou, M., & Miller, E. J. (2009). Transport policy evaluation in metropolitan areas: The role of modelling in decision-making. *Transportation Research Part A: Policy and Practice*, 43(4), 323–338.
38. Hayashi, Y., & Morisugi, H. (2000). International comparison of background concept and methodology of transportation project appraisal. *Transport Policy*, 7(1), 73–88.

39. Hess, S., Bierlaire, M., & Polak, J. W. (2005). Estimation of value of travel-time savings using mixed logit models. *Transportation Research Part A: Policy and Practice*, 39(2), 221–236.
40. Hickman, R., Saxena, S., Banister, D., & Ashiru, O. (2012). Examining transport futures with scenario analysis and MCA. *Transportation Research Part A: Policy and Practice*, 46(3), 560–575.
41. Ho, W., Xu, X., & Dey, P. K. (2010). Multi-criteria decision making approaches for supplier evaluation and selection: A literature review. *European Journal of Operational Research*, 202(1), 16–24.
42. Ishizaka, A., Balkenborg, D., & Kaplan, T. (2011). Influence of aggregation and measurement scale on ranking a compromise alternative in AHP. *Journal of the Operational Research Society*, 62(4), 700–710.
43. Ishizaka, A., & Labib, A. (2011). Review of the main developments in the analytic hierarchy process. *Expert Systems with Applications*, 38(11), 14336–14345.
44. Islam, R., & Saaty, T. L. (2010). The analytic hierarchy process in the transportation sector. In *Multiple Criteria Decision Making for Sustainable Energy and Transportation Systems* (pp. 79–91). Springer.
45. Jeon, C. M., Amekudzi, A. A., & Guensler, R. L. (2013). Sustainability assessment at the transportation planning level: Performance measures and indexes. *Transport Policy*, 25, 10–21.
46. Jones, S., Tefe, M., & Appiah-Opoku, S. (2013). Proposed framework for sustainability screening of urban transport projects in developing countries: A case study of Accra, Ghana. *Transportation Research Part A: Policy and Practice*, 49, 21–34.
47. Jones, S., Tefe, M., & Appiah-Opoku, S. (2014). Incorporating stakeholder input into transport project selection—A step towards urban prosperity in developing countries? *Habitat International*.
48. Joumard, R., & Nicolas, J.-P. (2010). Transport project assessment methodology within the framework of sustainable development. *Ecological Indicators*, 10(2), 136–142.
49. Kabir, G., Sadiq, R., & Tesfamariam, S. (2013). A review of multi-criteria decision-making methods for infrastructure management. *Structure and Infrastructure Engineering*, (ahead-of-print), 1–35.
50. Kampman, B., de Bruyn, S., & den Boer, E. (2006). Cost effectiveness of CO₂ mitigation in transport. *An Outlook and Comparison with Measures in Other Sectors*. CE, Delft, Netherlands.

51. Khisty, C. J., & Arslan, T. (2005). Possibilities of steering the transportation planning process in the face of bounded rationality and unbounded uncertainty. *Transportation Research Part C: Emerging Technologies*, 13(2), 77–92.
52. Kolak, O. İ., Akın, D., Birbil, Ş. İ., Feyzioğlu, O., & Noyan, N. (2011). Multicriteria sustainability evaluation of transport networks for selected European countries. *Lecture Notes in Engineering and Computer Science*, 2190(1), 117–122.
53. Kunreuther, H., Slovic, P., & MacGregor, D. (1996). Risk perception and trust: Challenges for facility siting. *Risk*, 7, 109.
54. Lai, Y.-J., Liu, T.-Y., & Hwang, C.-L. (1994). Topsis for MODM. *European Journal of Operational Research*, 76(3), 486–500.
55. Laird, J., Mackie, P., & Nellthorp, J. (2005a). *Distribution of Benefits and Impacts on Poor People*.
56. Laird, J., Mackie, P., & Nellthorp, J. (2005b). *Treatment of Maintenance*, TRN-13. THE WORLD BANK, WASHINGTON, DC: World Bank, Washington, DC.
57. Laird, J., Mackie, P., & Nellthorp, J. (2005c). *Valuation of Time Savings*. World Bank, Washington, DC.
58. Lee, D. B. (2000). Methods for evaluation of transportation projects in the USA. *Transport Policy*, 7(1), 41–50.
59. Li, R. Y. M., & Poon, S. W. (2013). A Literature Review on the Causes of Construction Accidents. In *Construction Safety* (pp. 1–11). Springer.
60. Litman, T. (2003). *Transportation cost and benefit analysis: techniques, estimates and implications*.
61. Litman, T. (2008). *Sustainable transportation indicators: a recommended program to define a standard set of indicators for sustainable transportation planning*.
62. Litman, T. (2008). *Well measured. Developing Indicators for Comprehensive and Sustainable Transport Planning*. Victoria Transport Policy Institute.
63. Litman, T. (2009). *Transportation Cost and Benefit Analysis*. Victoria Transport Policy Institute.
64. Litman, T. (2013a). *Critical Analysis of Conventional Transport Economic Evaluation*.
65. Litman, T. (2013b). *The New Transportation Planning Paradigm*. ITE Journal ([www. Ite. Org](http://www.ite.org)).
66. Litman, T., & Fitzroy, S. (2009). *Safe travels: evaluating mobility management traffic safety impacts*. *Transport Policy*, 7, 41 – 50.

67. Liu, W., Lund, H., & Mathiesen, B. V. (2013). Modelling the transport system in China and evaluating the current strategies towards the sustainable transport development. *Energy Policy*, 58, 347–357.
68. Lucas, K., Grosvenor, T., & Simpson, R. (2001). *Transport, the environment and social exclusion*. York Publishing Services Limited.
69. Macharis, C., De Witte, A., & Ampe, J. (2009). The multi-actor, multi-criteria analysis methodology (MAMCA) for the evaluation of transport projects: Theory and practice. *Journal of Advanced Transportation*, 43(2), 183–202.
70. Macharis, C., Van Hoeck, E., Pekin, E., & Van Lier, T. (2010). A decision analysis framework for intermodal transport: Comparing fuel price increases and the internalisation of external costs. *Transportation Research Part A: Policy and Practice*, 44(7), 550–561.
71. May, A. D., Shepherd, S. P., & Timms, P. M. (2000). Optimal transport strategies for European cities. *Transportation*, 27(3), 285–315.
72. McAdoo, B. G., Moore, A., & Baumwoll, J. (2009). Indigenous knowledge and the near field population response during the 2007 Solomon Islands tsunami. *Natural Hazards*, 48(1), 73–82.
73. Mercer, J., Kelman, I., Suchet-Pearson, S., & Lloyd, K. (2009). Integrating indigenous and scientific knowledge bases for disaster risk reduction in Papua New Guinea. *Geografiska Annaler: Series B, Human Geography*, 91(2), 157–183.
74. Mihyeon Jeon, C., & Amekudzi, A. (2005). Addressing sustainability in transportation systems: definitions, indicators, and metrics. *Journal of Infrastructure Systems*, 11(1), 31–50.
75. Miller, H. J., Witlox, F., & Tribby, C. P. (2013). Developing context-sensitive livability indicators for transportation planning: a measurement framework. *Journal of Transport Geography*, 26, 51–64.
76. Morisugi, H. (2000). Evaluation methodologies of transportation projects in Japan. *Transport Policy*, 7(1), 35–40.
77. Munda, G. (2004). Social multi-criteria evaluation: Methodological foundations and operational consequences. *European Journal of Operational Research*, 158(3), 662–677.
78. Nash, C. A. (1979). The use of economic appraisal in transportation analysis. *Omega*, 7(5), 441–450.
79. NAT (1998). *Alexandria Regional Metro – Abou Qir to El Amiria*. The National Authority of Tunnels/SYSTRA

80. Nellthorp, J., Laird, J., & Mackie, P. (2005a). Notes on the Economic Evaluation of Transport Projects. Project Report, The World Bank, Washington D.C., TRN-15. Retrieved from TRN-15
81. Nellthorp, J., Laird, J., & Mackie, P. (2005b). Projects with a very long life, TRN-18. Project Report, The World Bank, Washington, D.C.
82. Nellthorp, J., Laird, J., & Mackie, P. (2005c). Sources of Operating Costs, TRN-14. Project Report, The World Bank, Washington, D.C.
83. Odgaard, T., Kelly, C. E., & Laird, J. (2006). Current practice in project appraisal in Europe. HEATCO (Developing Harmonised European Approaches for Transport Costing and Project Assessment). HEATCO (Developing Harmonised European Approaches for Transport Costing and Project Assessment): HEATCO. doi:FP6-2002-SSP-1/502481
84. Ozbay, K., & Jawad PhD, D. (2006). The Discount Rate in Life-Cycle Cost Analysis of Transportation Projects. In Transportation Research Board 85th Annual Meeting.
85. Ozbay, K., Parker, N. A., & Jawad, D. (2003). Guidelines for Life Cycle Cost Analysis.
86. Pan, N.-F. (2009). Selecting an appropriate excavation construction method based on qualitative assessments. *Expert Systems with Applications*, 36(3), 5481–5490.
87. Peden, M. M., Scurfield, R., Sleet, D., Mohan, D., Hyder, A. A., Jarawan, E., & Mathers, C. D. (2004). World report on road traffic injury prevention, World Health Organization; Geneva. doi:World Health Organization; Geneva
88. Pérez, J. C., Carrillo, M. H., & Montoya-Torres, J. R. (2014). Multi-criteria approaches for urban passenger transport systems: a literature review. *Annals of Operations Research*, 1–19.
89. Povellato, A., Bosello, F., & Giupponi, C. (2007). Cost-effectiveness of greenhouse gases mitigation measures in the European agro-forestry sector: a literature survey. *Environmental Science & Policy*, 10(5), 474–490.
90. Pucher, J., Korattyswaroopam, N., & Ittyerah, N. (2004). The crisis of public transport in India: overwhelming needs but limited resources. *Journal of Public Transportation*, 7, 95–113.
91. Reisi, M., Aye, L., Rajabifard, A., & Ngo, T. (2014). Transport sustainability index: Melbourne case study. *Ecological Indicators*, 43, 288–296.
92. Robust Foundations. (2010). Galway Public Transport Feasibility Study. Galway City.
93. Saaty, T. L. (2006). Rank from comparisons and from ratings in the analytic hierarchy/network processes. *European Journal of Operational Research*, 168(2), 557–570.

94. Saaty, T. L. (2008). Decision making with the analytic hierarchy process. *International Journal of Services Sciences*, 1(1), 83–98.
95. Saaty, T. L., & Vargas, L. G. (1998). Diagnosis with dependent symptoms: Bayes theorem and the analytic hierarchy process. *Operations Research*, 46(4), 491–502.
96. Saaty, T. L., & Vargas, L. G. (2001). *Models, methods, concepts & applications of the analytic hierarchy process*. 2001. Kluwer Academic Publishers, Boston, MA. Retrieved from 2001
97. Saaty, T. L., & Vargas, L. G. (2007). Dispersion of group judgments. *Mathematical and Computer Modelling*, 46(7), 918–925.
98. Sagaris, L. (2014). Citizen participation for sustainable transport: the case of “Living City” in Santiago, Chile (1997–2012). *Journal of Transport Geography*, 41, 74–83.
99. Sahin, B., Yilmaz, H., Ust, Y., Guneri, A. F., & Gulsun, B. (2009). An approach for analysing transportation costs and a case study. *European Journal of Operational Research*, 193(1), 1–11.
100. Samberg, S., Bassok, A., & Holman, S. (2011). Method for Evaluation of Sustainable Transportation. *Transportation Research Record: Journal of the Transportation Research Board*, 2242(1), 1–8.
101. Sayers, T. M., Jessop, A. T., & Hills, P. J. (2003). Multi-criteria evaluation of transport options—flexible, transparent and user-friendly? *Transport Policy*, 10(2), 95–105.
102. Schutte, I. C., & Brits, A. (2013). Prioritising transport infrastructure projects: towards a multi-criterion analysis. *Southern African Business Review*, 16(3), 97–117.
103. Shakhshi-Niaei, M., Torabi, S. A., & Iranmanesh, S. H. (2011). A comprehensive framework for project selection problem under uncertainty and real-world constraints. *Computers & Industrial Engineering*, 61(1), 226–237.
104. Shiftan, Y., Kaplan, S., & Hakkert, S. (2003). Scenario building as a tool for planning a sustainable transportation system. *Transportation Research Part D: Transport and Environment*, 8(5), 323–342.
105. Shrieves, R. E., & Wachowicz Jr, J. M. (2001). Free Cash Flow (FCF), Economic Value Added (EVATM), and net present value (NPV): A reconciliation of variations of discounted-cash-flow (DCF) valuation. *The Engineering Economist*, 46(1), 33–52.
106. Shuh Liang, W. W. (2013). Resource allocation and uncertainty in transportation infrastructure planning. *Habitat International*, 30, 128 – 136.
107. Sinha, K. C., & Labi, S. (2011). *Transportation decision making: Principles of project evaluation and programming*. Wiley. com.

108. Sipahi, S., & Timor, M. (2010). The analytic hierarchy process and analytic network process: an overview of applications. *Management Decision*, 48(5), 775–808.
109. SPARTACUS. (1998). System for Planning and Research In Towns And Cities For Urban Sustainability (SPARTACUS). System for planning and research in towns and cities for urban sustainability (SPARTACUS).
110. Spiekermann, K., & Wegener, M. (2003). *Modelling Urban Sustainability*, 7(1), 47–64.
111. Spiekermann, K., & Wegener, M. (2004). Evaluating Urban Sustainability Using Land-Use Transport Interaction Models.
112. Stuart, K., & Thompson-Fawcett, M. (2010). *Tāone Tupu Ora: Indigenous Knowledge and Sustainable Urban Design*. Steele Roberts.
113. Sun, D., Jia, A., & Lv, J. (2007). Sustainable Transportation Planning and Project Evaluation Using Multiple Criteria Decision Making. In 11th World Conference on Transport Research.
114. Szyliowicz, J. S. (2003). Decision-making, intermodal transportation, and sustainable mobility: towards a new paradigm. *International Social Science Journal*, 55(176), 185–197.
115. Tefe, M., Jones, S., & Appiah-Opoku, S. (2014). System user involvement in sustainable urban transport decision-making. *Journal of Emerging Trends in Engineering and Applied Sciences*, 5(8), 145–150.
116. The Mendeley Support Team. (2011a). *Getting Started with Mendeley*. Mendeley Desktop. London: Mendeley Ltd. Retrieved from <http://www.mendeley.com>
117. The Mendeley Support Team. (2011b). *Getting Started with Mendeley*. Mendeley Desktop. London: Mendeley Ltd. Retrieved from <http://www.mendeley.com>
118. Timms, P. (2008). Transport models, philosophy and language. *Transportation*, 35(3), 395–410.
119. White, L., & Lee, G. J. (2009). Operational research and sustainable development: tackling the social dimension. *European Journal of Operational Research*, 193(3), 683–692.
120. White, P. (2008). *Public transport: its planning, management and operation*. Taylor & Francis US.
121. Yang, K. K., Talbot, F. B., & Patterson, J. H. (1993). Scheduling a project to maximize its net present value: an integer programming approach. *European Journal of Operational Research*, 64(2), 188–198.
122. Yigitcanlar, T., & Dur, F. (2010). Developing a sustainability assessment model: the sustainable infrastructure, land-use, environment and transport model. *Sustainability*, 2(1), 321–340.

123. Zegras, C. (2006). Sustainable Transport Indicators and Assessment Methodologies. In Biannual Conference and Exhibit of the Clean Air Initiative for Latin American Cities (pp. 25–27).
124. ZHOU, C., & NIE, Y. (2011). Study on the Analytical Method for Economic Benefits of Urban Transportation Comprehensive Improvement Project. *Traffic & Transportation*, 1, 44.
125. Zietsman, J., Rilett, L. R., & Kim, S.-J. (2006). Transportation corridor decision-making with multi-attribute utility theory. *International Journal of Management and Decision Making*, 7(2), 254–266.