

Acknowledgment

Thanks to Allah, most merciful, most graceful and most compassionate, for giving me the help and patience to achieve this work.

It is a great pleasure to express my sincere gratitude to **Prof. Dr. Eman Adel Seif**, *Professor of Forensic Medicine and Clinical Toxicology, Faculty of Medicine, University of Alexandria*, for her parenthood attitude, moral support, and endless scientific advice.

My gratitude and thanks go to **Dr. Fatma Mohamed Magdi Abd El Salam Badr Eldine**, lecturer of Forensic Medicine and Clinical Toxicology, Faculty of Medicine, *University of Alexandria*, for her generous efforts, keen supervision and meticulous guidance in the details of this work.

I would like to express my gratitude to the patients in this work, may Allah bless them all.

I extend my sincere thanks to everyone who in one way or another has contributed to the successful completion of this project.

LIST OF CONTENTS

| Chapter | Page |
|--|-------------|
| ACKNOWLEDGMENT..... | i |
| LIST OF CONTENTS | ii |
| LIST OF TABLES | iii |
| LIST OF FIGURES | iv |
| LIST OF ABBREVIATIONS..... | v |
| I. INTRODUCTION..... | 1 |
| Definition of an elderly person..... | 1 |
| Impact of aging on the occurrence and outcome of injury | 2 |
| Classification of the most commonly encountered injuries among elderly population..... | 2 |
| Trauma scoring systems | 13 |
| II. AIM OF THE WORK | 16 |
| III. PATIENTS..... | 17 |
| III. METHODS | 18 |
| IV. RESULTS | 27 |
| V. DISCUSSION | 50 |
| VI. SUMMARY | 57 |
| VII. CONCLUSIONS | 60 |
| VIII. RECOMMENDATIONS..... | 61 |
| IX. REFERENCES..... | 62 |
| PROTOCOL | |
| ARABIC SUMMARY | |

LIST OF TABLES

| Table | | page |
|--------------|--|--------------|
| (1) | Shows coded values of each parameter in RTS | 19 |
| (2) | Shows the three parameters of the patient's best response to calculate the GCS | 20 |
| (3) | The Abbreviated Injury Scale, 1985 | 22-25 |
| (4) | Distribution of the studied patients (n = 104) according to demographic data | 28 |
| (5) | Distribution of the studied patients (n = 104) according to site of injury | 35 |
| (6) | Distribution of the studied patients (n = 104) according to type of injury | 36 |
| (7) | Statistical analysis of TRISS | 37 |
| (8) | Relation between TRISS (%) and age | 37 |
| (9) | Relation between TRISS (%) and site of injury | 38 |
| (10) | Relation between TRISS (%) and type of injury | 39 |
| (11) | Statistical analysis of hospital stay | 41 |
| (12) | Correlation between hospital stay with TRISS (%) | 41 |
| (13) | Relation between hospital stay (days) and age | 42 |
| (14) | Relation between hospital stay (days) and site of injury | 42 |
| (15) | Relation between hospital stay (days) with type of injury | 43 |
| (16) | Relation between outcome and age | 45 |
| (17) | Relation between outcome and type of injury | 46 |
| (18) | Relation between outcome and site of injury | 47 |
| (19) | Relation between outcome and TRISS (%) | 48 |
| (20) | Relation between outcome and hospital stay (days) | 49 |

LIST OF FIGURES

| Figure | | Page |
|--------|--|------|
| 1. | Distribution of the studied patients (n = 104) by age | 29 |
| 2. | Distribution of the studied patients (n = 104) by sex. | 29 |
| 3. | Distribution of the studied patients (n = 104) by marital status | 30 |
| 4. | Distribution of the studied patients (n = 104) by smoking habits | 30 |
| 5. | Distribution of the studied patients (n = 104) by residency | 31 |
| 6. | Distribution of the studied patients (n = 104) by history of chronic illness | 31 |
| 7. | Distribution of the studied patients (n = 104) by history of previous injury | 32 |
| 8. | Distribution of the studied patients (n= 104) according to disability for daily activities | 32 |
| 9. | Distribution of the studied patients (n = 104) according to month of admission | 33 |
| 10. | Distribution of the studied patients (n=104) according to place of injury | 33 |
| 11. | Distribution of the studied patients (n = 104) according to circumstances of injury | 34 |
| 12. | Distribution of the studied patients (n=104) according to cause of injury | 34 |
| 13. | Distribution of the studied patients (n=104) according to site of injury | 35 |
| 14. | Distribution of the studied patients (n=104) according to type of injury | 36 |
| 15. | Relation between TRISS (%) and type of injury | 39 |
| 16. | Distribution of the studied patients (n=104) according to treatment received | 40 |
| 17. | Correlation between hospital stay with TRISS (%) | 41 |
| 18. | Relation between hospital stay (days) with type of injury | 43 |
| 19. | Distribution of the studied patients (n=104) according to the outcome | 44 |
| 20. | Relation between outcome and TRISS (%) | 48 |
| 21. | Relation between outcome and hospital stay (days) | 49 |

LIST OF ABBREVIATION

| | |
|----------------------|---|
| AAAM | : Association for the Advancement of Automotive Medicine |
| AIS | : Abbreviated injury scale |
| CT | : Computed tomography |
| DM | : Diabetes Mellitus |
| DSM-IV | : The fourth edition of the Diagnostic and Statistical Manual of Mental Disorders |
| ED | : Emergency Department |
| GCS | : The Glasgow Coma Scale |
| GLF | : Ground level fall |
| ISS | : Injury Severity Score |
| MTOS | : Major Trauma Outcome Study |
| NISS | : New Injury Severity Score |
| PMC | : Pre-existing medical conditions |
| ProFaNE | : Prevention of Falls Network Europe |
| Ps | : Probability of survival |
| PTSD | : Post-traumatic stress disorder |
| RTS | : The Revised Trauma Score |
| SD | : Standard deviation |
| SDH | : Subdural hematomas |
| SPSS-9 | : Statistical Package for Social Sciences version 9 |
| TBI | : Traumatic brain injury |
| TBSA | : Total body surface area |
| TRISS | : Trauma score-Injury Severity Score |
| U.S. | : United States |
| WHO | : World Health Organization |
| X² | : Chi-square |

obeykandl.com