

RECOMMENDATIONS

The following recommendations are suggested:

1. Most of elderly injuries are amenable to be prevented. Falls (one of the geriatric giants) can be prevented through community based programs involving first identification of elderly patients who are at risk of falls, reduction of household hazards, improving gait and balance, regular health care screening for chronic illness, monitoring medications and visual changes.
2. Burns and electrical injuries are important and also preventable home injuries in elderly, especially for patients with dementia. The use of alarms, smoke detectors and automatic shut off features in domestic appliances can help to prevent such injuries.
3. Complications of elderly trauma should be the scope of forthcoming studies based on the fact that elderly is a highly vulnerable group.
4. TRISS is a valuable trauma scoring system and should be effectively applied in the ED in order to predict the outcome of injuries in elderly.
5. Elder abuse and neglect is still a hidden and underreported problem and must be taken into consideration as an underlying cause of injuries in the elderly.
6. It is mandatory to increase the awareness of emergency care physicians and health care professionals about suspecting and management of physical elder abuse.
7. Elderly nursing homes can be considered a very rich and valuable field for conducting many researches about elder abuse and neglect.

REFERENCES

- 1- Daly J, Elliott D, Romanini J, Johnson D. Assessment and management of trauma in the aged. *Australas Emerg Nurs J* 1999; 2(3):30-5.
- 2- Saukko P, Knight B. The pathology of wounds. In: Saukko P, Knight B. *Knight's forensic pathology*. 3rd ed. London: Arnold, 2004; 136-7.
- 3- Fillit MH, Rockwood K, Woodhouse K. Injury in older people. In: Fillit MH, Rockwood K, Woodhouse K. *Brocklehurst's textbook of geriatric medicine and gerontology*. 7th ed. Philadelphia: Saunders Elsevier, 2010; 865-6.
- 4- Dikshit PC. Mechanical injuries. In: Dikshit PC. *Textbook of forensic medicine and toxicology*. New Delhi: PeePee Publishers and Distributors Pvt, 2010; 199-212.
- 5- WHO. Peden MM, Sharma G. The injury chart book: a graphical overview of the global burden of injuries. Geneva: WHO 2002; 150-7.
- 6- Mokdad AH, Jaber S, Aziz MI, AlBuhairan F, AlGhaithi A, AlHamad NM. The state of health in the Arab world, 1990–2010: an analysis of the burden of diseases, injuries, and risk factors. *Lancet* 2014; 383(9914):309-20.
- 7- Wahab MM. Incidence and patterns of injury-related mortality: a register-based follow-up study in Alexandria, Egypt (2000–2010). *J Egypt Public Health Assoc* 2012; 87(1-2):8-15.
- 8- Jugdutt B. Aging and heart failure: changing demographics and implications for therapy in the elderly. *Heart Fail Rev* 2010; 15(5):401-5.
- 9- Pasqualotti A, Barone DAC, Doll J. Communication, technology and ageing: elderly, senior citizen groups and interaction process in the information age. *Saude Soc* 2012; 21(2):435-45. (Abstract)
- 10- Bowling A, Dieppe P. What is successful ageing and who should define it? *BMJ* 2005; 331(7531):1548-51.
- 11- Orimo H, Ito H, Suzuki T, Araki A, Hosoi T, Sawabe M. Reviewing the definition of “elderly”. *Geriatr Gerontol Int* 2006; 6(3):149-58.
- 12- Hafez G, Bagchi K, Mahaini R. Caring for the elderly: a report on the status of care for the elderly in the Eastern Mediterranean Region. *East Mediterr Health J* 2000; 6(4):636-43.
- 13- McMurdo ME. A healthy old age: realistic or futile goal? *BMJ* 2000; 321(7269):1149-51.
- 14- Lutz W, Sanderson W, Scherbov S. The coming acceleration of global population ageing. *Nature* 2008; 451(7179):716-9.
- 15- Szucs TD. Future disease burden in the elderly: rationale for economic planning. *Cardiovasc Drugs Ther* 2001; 15:359-61.

References

- 16- World Health Organization (WHO). Health and nutritional status of the elderly in the Former Yugoslav Republic of Macedonia: Results of a national household survey. WHO 2001; 1052-8.
- 17- Zaki H. Facing the challenge of geriatric trauma. *Ain-Shams J Anaesthesiol* 2013; 6(3):209.
- 18- Gillies D. Elderly trauma: they are different. *Aust Crit Care* 1999; 12(1):24-30.
- 19- Grossman MD, Miller D, Scaff DW, Arcona S. When is an elder old? Effect of preexisting conditions on mortality in geriatric trauma. *J Trauma* 2002; 52(2):242-6.
- 20- Taylor MD, Tracy JK, Meyer W, Pasquale M, Napolitano LM. Trauma in the elderly: intensive care unit resource use and outcome. *J Trauma* 2002; 53(3):407-14.
- 21- Nurmi I, L uthje P. Incidence and costs of falls and fall injuries among elderly in institutional care. *Scand J Prim Health Care* 2002; 20(2):118-22.
- 22- Hamza S, El Raashid AH, Kahla O. The impact of anxiety, depression and cognitive impairment on functioning in the physically ill elderly in Egypt. *Curr Psychiatry* 2006; 13(2):152-65.
- 23- Bonne S, Schuerer DJ. Trauma in the older adult: epidemiology and evolving geriatric trauma principles. *Clin Geriatr Med* 2013; 29(1):137-50.
- 24- De Guise E, LeBlanc J, Dagher J, Tinawi S, Lamoureux J, Marcoux J. Traumatic brain injury in the elderly: a level 1 trauma centre study. *Brain Inj* 2015:1-7.
- 25- Thompson HJ, McCormick WC, Kagan SH. Traumatic brain injury in older adults: epidemiology, outcomes, and future Implications. *J Am Geriatr Soc* 2006; 54(10):1590-5.
- 26- Depreitere B, Meyfroidt G, Roosen G, Ceuppens J, Grandas FG. Traumatic brain injury in the elderly: a significant phenomenon. *Acta Neurochir Suppl* 2012; 114:289-94.
- 27- Wolf H, Machold W, Frantal S, Kecht M, Pajenda G, Leitgeb J. Risk factors indicating the need for cranial CT scans in elderly patients with head trauma: an Austrian trial and comparison with the Canadian CT head rule. *J Neurosurg* 2014; 120(2):447-452.
- 28- Kinsella G J, Olver J, Ong B, Gruen R, Hammersley E. Mild traumatic brain injury in older adults: early cognitive outcome. *J Int Neuropsychol Soc* 2014; 20(6):663-71.
- 29- Alz.org [internet]. Chicago: Alzheimer's association, Inc.; c2015 [updated 2014 Oct 5; cited 2015 Jan 25]. Available from <http://www.alz.org/dementia/traumatic-brain-injury-head-trauma-symptoms.asp>.

References

- 30- Bergeron E, Lavoie A, Clas D, Moore L, Ratte S, Tetreault S, Lemaire J, Martin M. Elderly trauma patients with rib fractures are at greater risk of death and pneumonia. *J Trauma* 2003; 54(3):478-85.
- 31- Elmistekawy EM, Hammad AM. Isolated rib fractures in geriatric patients. *Ann Thorac Med* 2007; 2:166-8.
- 32- Tinetti ME. Clinical practice. Preventing falls in elderly persons. *N Engl J Med* 2003; 348(1):42-9.
- 33- Marks R, Allegrante JP, MacKenzie CR, Lane JM. Hip fractures among the elderly: causes, consequences and control. *Ageing Res Rev* 2003; 2(1):57-93.
- 34- Finsterwald M, Sidelnikov E, Orav E J, Dawson-Hughes B, Theiler R, Egli A. Gender-specific hip fracture risk in community-dwelling and institutionalized seniors age 65 years and older. *Osteoporos Int* 2014; 25:167-76.
- 35- Labib N, Nouh T, Winocour S, Deckelbaum D, Banici L, Fata P, Razek T, Khwaja K. Severely injured geriatric population: morbidity, mortality, and risk factors. *J Trauma* 2011; 71(6):1908-14.
- 36- Wang H, Coppola M, Robinson RD, Scribner JT, Vithalani V, de Moor CE, Gandhi RR, Burton M, Delaney KA. Geriatric trauma patients with cervical spine fractures due to ground level fall: five years experience in a level one trauma center. *J Clin Med Res* 2013; 5(2):75-83
- 37- Cruz DT, Ribeiro LC, Vieira Mde T, Teixeira MT, Bastos RR, Leite IC. Prevalence of falls and associated factors in elderly individuals. *Rev Saude Publica* 2012; 46(1):138-46.
- 38- O'Neill S, Brady RR, Kerssens JJ, Parks RW. Mortality associated with traumatic injuries in the elderly: a population based study. *Arch Gerontol Geriatr* 2012; 54(3):426-30.
- 39- Greenhouse AH. Falls among the elderly. In: Albert ML, Knoefel JE, eds. *Clinical neurology of aging*. 2nd ed. New York: Oxford University Press, 1994: 611-26.
- 40- Adam SH, Eid HO, Barss P, Lunsjo K, Grivna M, Torab FC, et al. Epidemiology of geriatric trauma in United Arab Emirates. *Arch Gerontol Geriatr* 2008; 47(3):377-82.
- 41- Kamel MH, Abdulmajeed AA, Ismail SE-S. Risk factors of falls among elderly living in Urban Suez-Egypt. *Pan Afr Med J* 2013; 14(1):1609-16.
- 42- Johnson SJ. Frequency and nature of falls among older women in India. *Asia Pac J Public Health* 2006; 18(1):56-61.
- 43- Zecevic AA, Salmoni AW, Speechley M, Vandervoort AA. Defining a fall and reasons for falling: comparisons among the views of seniors, health care providers, and the research literature. *Gerontologist* 2006; 46(3):367-76.

References

- 44- Chisholm KM, Harruff RC. Elderly deaths due to ground-level falls. *Am J Forensic Med Pathol* 2010; 31(4):350-4.
- 45- Damián J, Pastor-Barriuso R, Valderrama-Gama E, de Pedro-Cuesta J. Factors associated with falls among older adults living in institutions. *BMC Geriatr.* 2013; 13(1):6-10.
- 46- Rice LA, Ousley C, Sosnoff JJ. A systematic review of risk factors associated with accidental falls, outcome measures and interventions to manage fall risk in non-ambulatory adults. *Disabil Rehabil* 2014; 1:1-9.
- 47- Budnitz DS, Lovegrove MC, Shehab N, Richards CL. Emergency hospitalizations for adverse drug events in older Americans. *N Engl J Med* 2011; 365(21):2002-12.
- 48- Ambrose AF, Paul G, Hausdorff JM. Risk factors for falls among older adults: a review of the literature. *Maturitas* 2013; 75(1):51-61.
- 49- Rubenstein LZ. Falls in older people: epidemiology, risk factors and strategies for prevention. *Age Ageing* 2006; 35 suppl 2: ii37-ii41.
- 50- Kannus P, Sievänen H, Palvanen M, Järvinen T, Parkkari J. Prevention of falls and consequent injuries in elderly people. *Lancet* 2005; 366(9500):1885-93.
- 51- Centers for Disease Control and Prevention. Fatalities and injuries from falls among older adults in United States, 1993-2003 and 2001-2005. *Morb Mortal Wkly Rep.* 2006; 55(45):1221-4.
- 52- Roudsari BS, Ebel BE, Corso PS, Molinari N-AM, Koepsell TD. The acute medical care costs of fall-related injuries among the US older adults. *Injury* 2005; 36(11):1316-22.
- 53- Ojo P, O'Connor J, Kim D, Ciardiello K, Bonadies J. Patterns of injury in geriatric falls. *Conn Med* 2009; 73(3):139-45.
- 54- Alamgir H, Muazzam S, Nasrullah M. Unintentional falls' mortality among elderly in the United States: time for action. *Injury* 2011; 43(12):2065-71.
- 55- Aschkenasy MT, Rothenhaus TC. Trauma and falls in the elderly. *Emerg Med Clin North Am* 2006; 24(2):413-32.
- 56- Bloch F, Blandin M, Ranerison R, Claessens Y, Rigaud A, Kemoun G. Anxiety after a fall in elderly subjects and subsequent risk of developing post traumatic stress disorder at two months: a pilot study. *J Nutr Health Aging* 2014; 18(3):303-6.
- 57- Scheffer AC, Schuurmans MJ, van Dijk N, van der Hooft T, de Rooij SE. Fear of falling: measurement strategy, prevalence, risk factors and consequences among older persons. *Age Ageing* 2008; 37:19-24.
- 58- Murphy J, Isaacs B. The post-fall syndrome. A study of 36 elderly patients. *Gerontology* 1982; 28:265-70.

References

- 59- American Psychiatric Association. Diagnostic and statistical manual of mental disorders. 4th Ed. Washington DC: American Psychiatric Association 1994.
- 60- Averill PM, Beck JG. Posttraumatic stress disorder in older adults: a conceptual review. *J Anxiety Disord* 2000; 14:133–56.
- 61- Terranova C, Cardin F, Martella B, Amato B, Militello C. Death after an accidental fall of a 101 year old hospitalized patient. Medico-legal implication of falling in geriatrics. *BMC Surg* 2012; 12 Suppl 1:S34.
- 62- Bux R, Parzeller M, Bratzke H. Causes and circumstances of fatal falls downstairs. *Forensic Sci Int* 2007; 171(2):122-6.
- 63- Choi JH, Kim SH, Kim SP, Jung KY, Ryu JY, Choi SC, Park IC. Characteristics of intentional fall injuries in the ED. *Am J Emerg Med* 2014; 32(6):529-34.
- 64- Eid HO, Barss P, Adam SH, Torab FC, Lunsjo K, Grivna M, Abu-Zidan FM. Factors affecting anatomical region of injury, severity, and mortality for road trauma in a high-income developing country: lessons for prevention. *Injury* 2009; 40(7):703-7.
- 65- Bener A. The neglected epidemic: road traffic accidents in a developing country, State of Qatar. *Int J Inj Contr Saf Promot* 2005; 12(1):45-7.
- 66- Jović F, Vorko Jović A, Antoljak N, Slavek N. A model of road traffic as a resource risk loss in the elderly population of Croatia. *Period Biol* 2013; 115(4):549-52.
- 67- Kong LB, Lekawa M, Navarro RA, McGrath J, Cohen M, Margulies DR, Hiatt JR. Pedestrian-motor vehicle trauma: an analysis of injury profiles by age. *J Am Coll Surg* 1996; 182(1):17-23.
- 68- Puvanachandra P, Hoe C, El-Sayed H, Saad R, Al-Gasseer N, Bakr M, Hyder AA. Road traffic injuries and data systems in Egypt: addressing the challenges. *Traffic Inj Prev* 2012; 13 Suppl 1:44-56.
- 69- Abou-Raya S, ElMeguid LA. Road traffic accidents and the elderly. *Geriatr Gerontol Int* 2009; 9(3):290-7.
- 70- Li G, Braver ER, Chenb L-H. Fragility versus excessive crash involvement as determinants of high death rates per vehicle-mile of travel among older drivers. *Accid Anal Prev* 2003; 35:227–35.
- 71- Malik A, Dal N, Talpur K. Road traffic injuries and their outcome in the elderly patients 60 years and above. Does age make a difference. *J Trauma* 2012;1(4):1167-1222.
- 72- Ahlner J, Holmgren A, Jones AW. Prevalence of alcohol and other drugs and the concentrations in blood of drivers killed in road traffic crashes in Sweden. *Scand J Public Health* 2014; 42(2):177-83.
- 73- Li X, Peng Y, Shang X, Liu S. Epidemiologic investigation of geriatric burns in Southwest China. *Burns* 2009; 35(5):714-8.