

ACKNOWLEDGMENT

First of all I thank **Allah** the most gracious for helping me to accomplish this research and for providing me with such very encouraging and supportive supervisors.

I would like to express my deepest gratitude to **Prof. Dr. Alaa Eldin Mohamed Abdelhamid**, who suggested this topic. I appreciate his unforgettable support as well as his generous efforts in the evaluation of this work. It is honorable to be supervised by him.

I am greatly indebted and grateful to **Dr. Mona Adbdelhadi Ebrahim**, for her fruitful suggestions, insistence on perfection together with the invaluable assistance she devoted in the supervision of this study.

I would like to express my deepest thanks and gratitude to **Dr. Heba Allah Hasan Mamdouh**, for her unlimited guidance. Without her help, this thesis could not have achieved its present form.

I would like to thank all the staff members and personnel of the Radiodiagnosis and Intervention department.

Finally, I would like to express my appreciation and gratitude to all my family.

LIST OF CONTENTS

Chapter	Page
ACKNOWLEDGMENT	i
LIST OF CONTENTS	ii
LIST OF TABLES	iii
LIST OF FIGURES	iv
LIST OF ABBREVIATIONS	vi
I. INTRODUCTION	1
II. AIM OF THE WORK	41
III. PATIENTS	42
IV. METHODS	43
V. RESULTS	48
VI. DISCUSSION	64
VII. SUMMARY	69
VIII. CONCLUSIONS	71
IX. REFERENCES	72
PROTOCOL	
ARABIC SUMMARY	

LIST OF TABLES

Table	Page
(I) Differential diagnostic considerations for echo-genic breast masses include both benign and malignant entities.....	10
(II) Echogenicity of the various breast tissues.....	29
(III) BI-RADS classification for mammographic findings.....	35
(IV) Age distribution of 30 patients with hyperechoic breast lesions.....	48
(V) Personal history of 30 patients with hyperechoic breast lesions.....	49
(VI) The clinical presentation of the 30 patients with hyperechoic lesions.....	50
(VII) Histopathological Diagnosis of the 30 patients with hyperechoic breast lesions.....	51
(VIII) The mammographic findings of the 26 hyperechoic lesions.....	52
(IX) Margins of the lesions of the 30 patients with hyperechoic breast lesions.....	54
(X) Statistical analysis of mammography versus ultrasonography in verification of nature of focal breast lesions.....	55

LIST OF FIGURES

Figure	Page
(1) Right breast. The skin and subcutaneous layer have been extracted in order to view the lobi glandulae mammae, ductus lactiferi and sinus lactiferi (anterior view)	2
(2) Zonal Anatomy of Breast	3
(3) A cross-section view of the alveolus. (b): Lateral view with anatomical overlay	9
(4) Angiolipoma in a 64-year-old man with a palpable mass at the 1-o'clock position in the right breast	11
(5) Evolving hematoma in a 68-year-old woman with a history of trauma	12
(6) Postoperative seroma in a 66-year-old woman with a history of ductal carcinoma in situ (DCIS) and right breast lumpectomy	13
(7) Fat necrosis in a 55-year-old woman with a history of cancer in the right breast who underwent breast reconstruction, along with reduction mammoplasty of the left breast	14
(8) Silicone granulomas in a 35-year-old woman with palpable breast masses	15
(9) Breast abscess in a 64-year-old man with a palpable lump in the retroareolar left breast and a 4-week history of pain and redness	16
(10) Lactational change in a 31-year-old lactating woman with a palpable lump in the right breast	17
(11) Invasive ductal carcinoma in a 75-year-old woman in whom a mass developed in the right breast since the preceding screening examination.....	19
(12) Angiosarcoma in a 64-year-old woman with a history of cancer in the left breast, lumpectomy, and radiation therapy who presented with an ex-panding "hematoma" in the left breast	20
(13) Mammographic anatomy of the breast	22
(14) Almost entirely fatty	23
(15) Scattered fibro glandular tissue	23
(16) Heterogeneously Dense	24
(17) Extremely Dense	24
(18) Normal sonographic anatomy of the breast	25
(19) Mammary ducts	28
(20) Magnified CC image: Calcifications are pleomorphic, linearly arranged, and have jagged irregular margins, all of which are suspicious features for malignancy	33

Figure	Page
(21) Left ML (A) views show a high-density, irregular mass superiorly. On spot compression (B), the mass is noted to have markedly speculated margins.....	34
(22) MLO (A) and CC (B) views show a-segment of dilated ducts. Tubular-nodular densities extend from the nipple posteriorly into the breast (arrows).	34
(23) Right CC view shows a high-density speculated mass is present in the subareolar area. Long spicules surround the mass and extend anteriorly to the periareolar area, where they tether the skin. Focal prominent skin thickening is seen	35
(24) Depth: Width ratio is about 1 or more by the malignant breast mass	36
(25) Irregular shape malignant breast mass with internal echoes	37
(26) Automated core biopsy gun.....	38
(27) Ultrasound-guided CNB performed with an automated large core device	39
(28) Schematic for ultrasound-guided cyst aspiration shows that the needle is placed vertically, directly toward the mass. The needle tip is visible when it bisects the scan plane at the level of the lesion	40
(29) Illustrative image showing the Technique of horizontal needle insertion.....	40
(30) A female patient aged 39 years with breast lump in the upper outer quadrant of the right breast.....	56
(31) Female patient aged 62 years complaining of breast lump in the upper outer quadrant of the right breast and had history of lumpectomy for breast cancer in the same breast.	57
(32) A female patient aged 25 years was complaining of breast pain, she was lactating.	58
(33) A female patient aged 23 years complaining of right mastalgia, with some focal skin change such as redness and oedema. She was lactating. Mammography was not done for this patient.	59
(34) A female patient aged 71 years complaining of breast lump in the upper outer quadrant of the left breast, she had a history of breast cancer on the contralateral breast which was managed by mastectomy followed by radiotherapy.	60
(35) Female patient aged 72 years she had a history of breast cancer managed by lumpectomy followed by radiotherapy during follow up of the surgically managed side.	61
(36) A female patient aged 53 years complaining of breast lump in the retro areolar region, she gave a history of breast trauma	62
(37) A female patient aged 64 years complaining of left mastalgia.	63

LIST OF ABBREVIATIONS

¹⁸F	Fluoro deoxy glucose
AMF	Anterior Mammary Fascia
ASLs	Anterior suspensory ligaments
BIRADS	Breast imaging reporting & data system
CC	Cranio caudal
DCIS	Ductal carcinoma insitu
FNAC	Fine needle aspiration cytology
MLO	Medio lateral oblique
MRI	Magnetic resonance
NCI	National cancer institute
PMF	Posterior mammary fascia
PSLs	Posterior suspensory ligament
TDLUs	Terminal ductal lobular units
US	Ultrasonography
US-CNB	Ultrasound guided core needle biopsy