LIST OF TABLES

Table		Page
(1)	Contents of PRP: Growth factors and their actions	**18**
(2)	Other Different therapeutic applications using platelet rich plasma therapies	**22**
(3)	Age distribution of patients	**32**
(4)	Distribution of patients according to Fitzpatrick skin type	**33**
(5)	Distribution of striae distensae	**34**
(6)	Stretch mark clinical scoring	**36**
(7)	Comparison between the right and left side regarding stretch mark clinical score before and after treatment	**37**
(8)	Patient satisfaction score	**38**
(9)	Comparison of the 2 sides regarding the patient satisfaction score	**38**
(10)	Comparison between the two sides regarding quartile grading score	**39**
(11)	Relation between the quartile grading score and age	**40**
(12)	Relation between the quartile grading score and Fitzpatrick skin types	**41**
(13)	The relation of striae type to Quartile grade on both sides	**42**
(14)	Relation between the quartile grading score and site for both sides	**42**
(15)	Relation between the quartile grading score and duration of the disease	**43**
(16)	Relation between the quartile grading score and etiology	**44**
(17)	relation between quartile score and patient satisfaction score in a table	**45**
(18)	Distribution of the studied patients regarding side effects	**47**

obeikandi.com

LIST OF FIGURES

Figure		Page
(1)	Layers and structure of the skin.	**3**
(2)	Molecular character of a collagen fibril in increasing order of structure	**5**
(3)	Collagen fibril and cross-striation	**6**
(4)	Schematic representation of the components of elastic fibers	**7**
(5)	Stretch marks that develop during pregnancy are known as striae gravidarum	**11**
(6)	Collagen induction therapy	**17**
(7)	Dermaroller	**28**
(8)	A 15 years old female patient showing erythema and pin point bleeding after the session	**30**
(9)	Age distribution of striae distensae patients	**32**
(10)	Sex distribution	**32**
(11)	Fitzpatrick skin type distribution	**33**
(12)	Types of striae distensae	**34**
(13)	Distribution of striae distensae	**34**
(14)	Duration of the disease in years	**35**
(15)	Etiology of striae distensae	**35**
(16)	Comparison between the right and left side regarding stretch mark clinical score 3 months after treatment	**37**
(17)	Comparison of 2 sides in view of patient satisfaction score	**38**
(18)	Comparison between right and left sides with Quartile grading system	**39**
(19)	Relation between marked improvements of the Quartile grading and age for both sides	**40**
(20)	Relation between marked improvement measured by quartile grading and Fitzpatrick skin types on both sides	**41**
(21)	Relation between the marked improvement using quartile grading and site for both sides.	**43**
(22)	Relation between marked improvements using the quartile grading and duration of the disease for both sides	**44**
(23)	Relation between Quartile grading and patient satisfaction score for the right side	**46**
(24)	Relation between Quartile grading and patient satisfaction score for the left side	**46**

openkandi.com

Figure		Page
(25)	Distribution of the studied patients regarding side effects	**47**
(26)	Distribution of the studied patients regarding the severity of pain	**48**
(27)	Distribution of the studied patients regarding the duration of erythema	**48**
(28)	A 15 years old female patient has striae distensae of 1 year duration before and 3 months after micro-needling and PRP treatments	**49**
(29)	A 17 years old female patient has striae distensae of 1 year duration before and 3 months after micro-needling and PRP treatments	**50**
(30)	A 28 years old female patient has striae distensae of 1.5 year duration before and 3 months after micro-needling and PRP treatments	**51**
(31)	A 21 years old female patient has striae distensae of 1 year duration before and 3 months after micro-needling and PRP treatments	**52**
(32)	A 25 years old female patient has striae distensae of 6 months duration before and 3 months after micro-needling and PRP treatments	**53**
(33)	A 21 years old female patient has striae distensae of 1 year duration before and 3 months after micro-needling and PRP treatments	**54**

obeikandl.com