

## LIST OF TABLES

Table	Page
1. Distribution of patients according to age and sex	55
2. Distribution of patients according to the presenting symptoms	55
3. Distribution of the examined pelvic masses according to anatomical location and final pathological/surgical diagnosis	57
4. Distribution of the examined neoplastic pelvic masses according to the specific final pathological diagnosis	59
5. Distribution of the examined neoplastic pelvic masses according to benign and malignant nature	59
6. Distribution of the examined non-neoplastic pelvic masses according to the final surgical and/or pathological diagnosis.	60
7. Distribution of patients according to the number of pelvic masses	61
8. MRI findings of examined neoplastic pelvic masses	64
9. MRI findings in cases presenting with vaginal and/or uterine distension due to vaginal obstruction	65

## LIST OF FIGURES

Figure		page
1	Sacral aneurysmal bone cyst ( AP x-ray pelvis)	2
2	Presacral dermoid(lateral view barium enema)	3
3	Pelvic neuroblastoma(pelvic axial US)	3
4	Hematometrocolpos (longitudinal US)	4
5	Mature Sacrococcygeal teratoma (CT with IV contrast)	5
6	Pelvic neuroblastoma(CT with IV contrast)	5
7	MR of urinary bladder rhabdomyosarcoma in 2 year old girl	10
8	MR of urinary bladder rhabdomyosarcoma in 27 month old boy	11
9	Burkitt's lymphoma of the bladder ( lateral VCUG and axial and sagittal MR)	11
10	MR of vaginal rhabdomyosarcoma in 2 year old girl	13
11	MR of persistent cloaca in 12 month old girl	15
12	Classification of MDAs on the basis of the American Society for Reproductive Medicine system	16
13	MR and US of hematocolpos due to imperforate hymen in 13 year old girl	16
14	MR of hematocolpos due to imperforate hymen in 11 year old girl	17
15	MR of bicornuate bicollis uterus with hemi-hematocolpos in 13 year old girl	17
16	US and CT of mature ovarian teratoma	22
17	MR of bilateral mature ovarian teratoma	22
18	MR of mature ovarian teratoma( Dermoid cyst with intra cystic non dependent spheres of lipid material)	23
19	MR of ovarian mucinous cystadenoma	23
20	MR of ovarian sex-cord stromal tumor	24
21	MR of simple ovarian cyst	25
22	US and CT of ovarian torsion	27
23	MR of ovarian torsion	27
24	MR of ovarian torsion	28
25	MR of PID with bilateral tubo-ovarian abscess	29
26	Classification of pediatric presacral masses	30
27	Schematic diagram of the Altman classification system for sacrococcygeal teratomas	33

28	MR of large sacrococcygeal teratoma in newborn girl	33
29	MR of extensive presacral yolk sac tumor	34
30	MR of presacral Ewing sarcoma	35
31	MR of presacral Ewing sarcoma	35
32	MR of sacral giant cell tumor	36
33	MR of pelvic neuroblastoma	38
34	The new staging system for neuroblastoma developed by the INRG in 2009	38
35	MR of pelvic neurofibromas in a case with NF1	39
36	MR of para spinal neurofibromatosis	40
37	Rectal duplication cyst (oblique X-ray image of barium enema)	41
38	MR of presacral dermoid cyst	41
39	MR of presacral duplication cyst	42
40	MR of anterior sacral meningocele	43
41	MR of pelvi-abdominal lymphangioma	44
42	MR of pelvic Burkitt's lymphoma	45
43	MR of pelvic abscess	46
44	MR of pelvic vascular malformation in 2 year old girl	47
45	MR of peri rectal hemangioma	47
46	MR of desmoplastic small round cell tumor	48
47	A case of Currarino triad with anterior sacral meningocele(x-ray, CT and MR)	50
48	Case (1) mature ovarian teratoma	67
49	Case (2) pelvic yolk sac tumor	68
50	Case (3) pelvic yolk sac tumor	69
51	Case (4) pelvic yolk sac tumor	70
52	Case (5) ovarian yolk sac tumor	71
53	Case (6) cervical RMS	72
54	Case (7) prostatic RMS	74
55	Case (8) presacral chordoma	75
56	Case (9) pelvic bone spindle cell sarcoma	76
57	Case (10) presacral ganglioneuroma	77
58	Case (11) Burkitt's lymphoma	78
59	Case (11) Burkitt's lymphoma: post-chemotherapy follow up	79

60	Case (12) recurrent neuroblastoma	79
61	Case (13) hematometra and haematosalpinges due to atresia/hypoplasia of the cervix and upper vagina (Mullerian anomaly type Ib)	80
62	Case (14) hematometrocolpos due to vaginal obstruction by imperforate hymen.	81
63	Case (15) hematocolpos due to vaginal obstruction by imperforate hymen	81
64	Case (16) Didelphys uterus with hemi-hematocolpos due to low transverse vaginal septum	82
65	Case (17) ovarian hemorrhagic infarction secondary to torsion	83
66	Case (18) sizable pelvi-abdominal lymphangioma	84
67	Case (19) complicated benign ovarian cyst	85
68	Case (20) presacral dermoid cyst	86

## LIST OF ABBREVIATIONS

<b>ADC</b>	: Apparent diffusion Coefficient
<b>AFP</b>	: Alfa Feto Protein
<b>ALARA</b>	: As Low As Reasonably Achievable
<b>CS</b>	: Currarino Syndrome
<b>DSRCT</b>	: Desmoplastic Small Round Cell Tumor
<b>DWI</b>	: Diffusion Weighted Imaging
<b>GE</b>	: Gradient Echo(MRI sequence)
<b>HMA</b>	: Homovanillic Acid
<b>HWW</b>	: Herlyn-Werner-Wunderlich syndrome
<b>IDRF</b>	: Image-defined risk factors
<b>INRG</b>	: International neuroblastoma risk group
<b>LDH</b>	: Lactate Dehydrogenase
<b>MDA</b>	: Mullerian Duct Anomalies
<b>MDCT</b>	: Multi-detector computed tomography
<b>MIBG</b>	: iodine-123-meta-iodobenzylguanidine
<b>MRI</b>	: Magnetic resonance imaging
<b>NBL</b>	: Neuroblastoma
<b>NF</b>	: Neurofibromatosis
<b>NHL</b>	: Non Hodgkin Lymphoma
<b>NSE</b>	: Neuron-Specific Enolase
<b>RMS</b>	: Rhabdomyosarcoma
<b>S/N</b>	: Signal to noise ratio
<b>SCT</b>	: Sacrococcygeal teratoma
<b>SE</b>	: Spin Echo(MRI sequence)
<b>STIR</b>	: Short Tau Inversion recovery
<b>T1W</b>	: T1 weighted images
<b>T2W</b>	: T2 weighted images
<b>TCC</b>	: Transitional cell carcinoma
<b>US</b>	: Ultrasound
<b>VCUG</b>	: Voiding CystoUrethrogram
<b>VMA</b>	: Vanillyl Mandelic Acid
<b>YST</b>	: Yolk Sac Tumor