

ACKNOWLEDGMENT

First and foremost, all thanks are to "Allah" the most gracious, for helping me during this work.

*I take this opportunity to express my deepest gratitude and special thanks to my **Prof. Dr. Mahmoud Adel Abdel-Moneim**, Professor of Pediatrics, Faculty of Medicine, Alexandria University, who in spite of being extraordinarily busy with his duties, took time out to guide and keep me on the correct path and allowing me to complete this work. Unless his great guidance, this work was not to be in your hands today.*

*My thanks and appreciations also go to **Prof. Dr. Mahmoud Mohi Eldin Ibrahim Elkersh**, Professor of Pediatrics, Faculty of Medicine, University of Alexandria, for his guidance and assistance.*

*I would also like to thank all members of staff and personnel of Department of Pediatrics and the pediatric nephrology clinic for helping me to accomplish this work, with my special appreciation to **Ms. Marwa Mohammed Abd-Alsamad** for her help.*

*Most importantly, none of this achievement could have happened without the support of my family. My **father**, who taught me how to aim high for my dreams and achieve them, he have made me see that any man can be a father, but it takes someone special to be a dad like him. Of course I am lucky for having a very kind **mother** who provided me with love, encouragement and co-operation. To my **sisters**, my **husband** and my **daughters**, this work stands as a testament to your unconditional love and encouragement.*

LIST OF CONTENTS

Chapter	Page
ACKNOWLEDGMENT	i
LIST OF CONTENTS	ii
LIST OF TABLES	iii
LIST OF FIGURES	v
LIST OF ABBREVIATIONS	vi
I. INTRODUCTION	1
II. AIM OF THE WORK.	18
III. MATERIAL	19
IV. METHODS	20
V. RESULTS	24
VI. DISCUSSION	42
VII. CONCLUSIONS	51
VIII. RECOMMENDATIONS	52
IX. SUMMARY	53
X. REFERENCES	56
PROTOCOL	
ARABIC SUMMARY	

LIST OF TABLES

Table		Page
(1)	Criteria for the definition of CKD	2
(2)	NKF-K/DOQI classification of the stages of CKD	2
(3)	Causes of CKD in children	4
(4)	Pathophysiology of chronic kidney disease	8
(5)	High index of suspicion of CKD	10
(6)	Normal GFR in children and adolescents	12
(7)	Demographic data of the 65 studied cases of CKD (stages II-IV)	24
(8)	Distribution of the studied cases according to stage of CKD at presentation	25
(9)	Age of the patients in the different stages of CKD at presentation	26
(10)	Annual number of cases of CKD (stages II-IV)	27
(11)	Etiologic diagnosis of the 65 studied cases of CKD	28
(12)	Relation of age group to etiology of CKD	29
(13)	Relation of gender to etiology of CKD	30
(14)	The etiologic diagnosis in the different stages of CKD at presentation	30
(15)	Standardized weight and height (SD scores) of the 65 cases of CKD	31
(16)	Frequency of underweight and short stature among the 65 cases of CKD	31
(17)	Frequency of underweight and short stature in the different stages of CKD	31
(18)	Clinical and urine findings among the 65 cases of CKD at presentation	32
(19)	Clinical and urine findings in the different stages of CKD	33
(20)	Results of kidney function tests of the studied cases of CKD at presentation	34
(21)	Results of kidney function tests (mean±SD) in the different stages of CKD at presentation	34

Table		Page
(22)	Blood analytes of the 65 cases of CKD at presentation	34
(23)	Blood analytes in the different stages of CKD at presentation (Mean \pm SD)	35
(24)	Pathological blood analytes among the studied cases of CKD at presentation	36
(25)	Results of renal biopsy of 15 cases of CKD	36
(26)	Imaging findings in the studied cases of CKD	37
(27)	Treatment given to the studied cases of CKD	38
(28)	Treatment given in the different stages of CKD	39
(29)	Follow- up data and fate of the 65 cases of CKD	39
(30)	Relation between etiology and fate of CKD	40
(31)	Relation between stage of CKD and fate	40
(32)	The demographic features in the present study compared to the epidemiology of CKD stages II-V in Europe	45
(33)	Comparison between the causes of CKD in the present study and those in some other studies	46

LIST OF FIGURES

Figure		Page
(1)	Stages of CKD in the studied cases at presentation	25
(2)	Age of the patients at presentation in the studied stages of CKD	26
(3)	Annual number of cases of CKD (stages II-IV)	27
(4)	Etiologic diagnosis of the 65 cases of CKD	29
(5)	Relation between stage of CKD and fate	41

LIST OF ABBREVIATIONS

ACEIs	Angiotensin-Converting-Enzyme Inhibitors
ARBs	Angiotensin Receptor Blockers
AUCH	Alexandria University Children's Hospital
CAPD	Continuous Ambulatory Peritoneal Dialysis
CKD	Chronic Kidney Disease
CRF	Chronic Renal Failure
CRI	Chronic Renal Insufficiency
ESAs	Erythrocyte- Stimulating Agents
ESRD	End Stage Renal Disease
GFR	Glomerular Filtration Rate
HD	Hemodialysis
HRQOL	Health Related Quality Of Life
HUS	Hemolytic-Uremic Syndrome
NAPRTCS	North American Pediatric Renal Trials and Collaborative Studies
NKF-K/DOQI	National Kidney Foundation's Kidney Disease Outcomes Quality Initiative
NSAID	Non-Steroidal Anti Inflammatory Drugs
PD	Peritoneal Dialysis
PMARP	Per Million of the Age-Related Population
RHuGH	Recombinant Human Growth Hormone
ROD	Renal Osteodystrophy
RRT	Renal Replacement Therapy