

List of Figures

No.		Page
1	Anatomy of femur - Anterior view	3
2	Anatomy of femur –posterior view	3
3	Ossification of the femur	4
4	Cross section of the middle third of the thigh showing the relative positions of the neurovascular structures, bones, and muscles.	5
5	muscles of the thigh anterior view	6
6	muscles of the thigh lateral view	7
7	muscles of the thigh posterior view	8
8	Axes of the femur	10
9	Inner architecture of the shaft of the femur.	11
10	Biomechanical principle of the titanium elastic nail.	12
11	Application of a compression plate to the lateral aspect of The femur demonstrates the combination of static and dynamic compression.	13
12	Direct bone healing	15
13	Contact healing: cutting cone	16
14	Secondary bone healing	17
15	Winquist and Hansen classification of femoral shaft fractures	19
16	The relationship of fracture level and displacement of the fragments	21
17	Unilateral external fixator	24
18	Titanium nails	26
19	Retrograde flexible intramedullary nailing	26
20	Comparison between the two studied groups regarding age and sex.	32
21	Comparison between the two studied groups regarding the affected side	33
22	Comparison between the two studied groups regarding the mechanism of trauma.	34
23	Comparison between the two studied groups regarding type of fracture.	35
24	Comparison between the two studied groups regarding shape of fracture.	36
25	Comparison between the two studied groups regarding presence of associated injuries.	37
26	Comparison between the two studied groups regarding time lapse before surgery and hospital stay.	38
27	Implants and instruments.	40

28	Patient positioning	40
29	Pre-bending the nail	41
30	Entry hole	41
31	The first pre-bent nail advanced to the fracture site.	42
32	Proximal positioning of the nail.	42
33	Nail Cutting	43
34	Dynamic Compression Plate	44
35	Comparison between the two studied groups regarding final score	48
36	Comparison between the two studied groups regarding union time.	49
37	sex in relation to final results	50
38	Relation between final score and age of the patients.	51
39	side affected in relation to final results	52
40	mechanism of trauma in relation to final results	53
41	Type of fracture in relation to final results	54
42	level of fracture in relation to final results	55
43	shape of fracture in relation to final results	56
44	Relation between final score and time lapse before surgery.	57
45	Relation between final score and Union time (wks)	58
46	Prominent nails.	60
47	Radiographic angulation	61
48	Limb-length inequality.	62
49	External rotation deformity (10°).	62
50	a): Deep infection and skin sinus. b): Superficial infection and skin sinus.	63 63
51	Patient (1).	65
52	Patient (2)	67
53	Patient (3).	69
54	Patient (4).	71

List of Tables

No.		Page
1.	Comparison between the two studied groups regarding age and sex.	31
2.	Comparison between the two studied groups regarding the affected side.	33
3.	Comparison between the two studied groups regarding the mechanism of trauma.	34
4.	Comparison between the two studied groups regarding type of fracture.	35
5.	Comparison between the two studied groups regarding shape of fracture.	36
6.	Comparison between the two studied groups regarding presence of associated injuries.	37
7.	Comparison between the two studied groups regarding time lapse before surgery and hospital stay.	38
8.	Comparison between the two studied groups regarding time lapse before surgery and hospital stay.	38
9.	Neer's modified score.	45
10.	Final score in the two studied groups.	48
11.	Comparison between the two studied groups regarding union time.	49
12.	Sex in relation to final results	50
13.	Relation between final score and age of the patients.	51
14.	side affected in relation to final results	52
15.	Mechanism of trauma in relation to final results	53
16.	Type of fracture in relation to final results	54
17.	level of fracture in relation to final results	55
18.	shape of fracture in relation to final results	56
19.	Relation between final score and time lapse before surgery.	57
20.	Relation between final score and Union time (wks)	58
21.	Comparison between the two studied groups regarding the incidence of postoperative complications.	59