

## LIST OF TABLES

<u>Table No.</u>	<u>Title</u>	<u>Page No.</u>
(1):	Some physical and chemical properties of the experimental soil in 2013 and 2014 season.....	22
(2):	Humic acid analysis.....	23
(3):	Plant height (cm) at harvest of three maize hybrids as affected by water stress, humic acid and their interaction during 2013 and 2014 seasons...	27
(4):	Interaction between water stress and three maize hybrids on plant height (cm) during 2013 and 2014 seasons.....	28
(5):	Interaction between water stress and humic acid on plant height (cm) of maize during 2013 and 2014 seasons.....	28
(6):	Interaction between maize hybrid and humic acid on plant height (cm) of maize during 2013 season.....	29
(7):	Interaction between water stress and humic acid on plant height (cm) of three maize hybrids during 2013 and 2014 seasons.....	29
(8):	Leaf area index of three maize hybrids as affected by water stress, humic acid and their interaction during 2013 and 2014 seasons.....	31
(9):	Dry matter accumulation (g)/plant of three maize hybrids as affected by water stress, humic acid and their interaction during 2013 and 2014 seasons.....	33
(10):	Interaction between water stress and three maize hybrids on dry matter accumulation (g)/plant at two periods 70 and 85 DAS during 2013 seasons.....	34
(11):	Interaction between water stress and humic acid on Dry matter accumulation (g)/plant at 55 , 70 and 85 DAS of maize during 2013 and 2014 seasons.....	34
(12):	Interaction between maize hybrid and humic acid on Dry matter accumulation (g)/plant at 55 days sowing (DAS) of maize during 2013 season.....	35
(13):	Interaction between water stress and humic acid on dry matter accumulation (g)/plant at 55, 70 and 85 DAS of three maize hybrids during 2013 and 2014 seasons.....	35
(14):	Crop growth rate (CGR) (g/m <sup>2</sup> /day) at two periods 55 – 70, 70 – 85 DAS of three maize hybrids as affected by water stress, humic acid and their interaction during 2013 and 2014 seasons.....	37
(15):	Interaction between water stress and three maize hybrids on crop growth rate (CGR) (g/m <sup>2</sup> /day) at the growth period 55 – 70, 70 – 85 DAS during 2013 season.....	38
(16):	Interaction between water stress and humic acid on Crop growth rate (CGR) (g/m <sup>2</sup> /day) at the growth period 55 – 70, 70 – 85 DAS of maize during 2013 season.....	38
(17):	Interaction between water stress and humic acid on Crop growth rate (CGR) (g/m <sup>2</sup> /day) at growth period (55 – 70 DAS) of maize during 2014 season	39
(18):	Interaction between water stress and humic acid on crop growth rate (CGR) (g/m <sup>2</sup> /day) at the growth period 55 – 70, 70 – 85 DAS of three maize hybrids during 2013 season.....	39
(19):	Relative growth rate (RGR) (g/g/week) at growth period 55 – 70, 70 – 85 DAS of three maize hybrids as affected by water stress, humic acid and their interaction during 2013 and 2014 seasons.....	41

(20):	Interaction between water stress and three maize hybrid on relative growth rate (RGR) (g/g/week) at growth period 70 – 85 DAS during 2013 season.....	42
(21):	Interaction between water stress and humic acid on relative growth rate (RGR) (g/g/week) at the growth period 70 – 85 DAS of maize during 2013 season.....	42
(22):	Interaction between maize hybrid and humic acid on relative growth rate (RGR) (g/g/week) at the growth period 55 – 70 DAS of maize during 2013 and 2014 seasons.....	43
(23):	Interaction between water stress and humic acid on Relative growth rate (RGR) (g/g/week) at the growth period 55 – 70 DAS of three maize hybrids during 2013 and 2014 seasons.....	43
(24):	Total chlorophyll content of three maize hybrids as affected by water stress, humic acid and their interaction during 2013 and 2014 seasons	45
(25):	Interaction between water stress and three maize hybrid on total chlorophyll content during 2013 and 2014 seasons.....	46
(26):	Interaction between water stress and humic acid on total chlorophyll content of maize during 2013 and 2014 seasons.....	46
(27):	Interaction between water stress and humic acid on total chlorophyll content (mg/m <sup>2</sup> ) of three maize hybrids during 2013 season.....	47
(28):	Ear length (cm) of three maize hybrids as affected by water stress, humic acid and their interaction during 2013 and 2014 seasons.....	48
(29):	Interaction between maize hybrid and humic acid on ear length (cm) of maize during 2013 season.....	49
(30):	Number of kernels/row of three maize hybrids as affected by water stress, humic acid and their interaction during 2013 and 2014 seasons...	50
(31):	Interaction between water stress and humic acid on number of kernels/row of maize during 2014 season.....	51
(32):	Interaction between water stress and humic acid on Number of kernels/row of three maize hybrids during 2013 and 2014 seasons....	51
(33):	Number of rows/ear of three maize hybrids as affected by water stress, humic acid and their interaction during 2013 and 2014 seasons.....	53
(34):	Number of kernels/ear of three maize hybrids as affected by water stress, humic acid and their interaction during 2013 and 2014 seasons...	55
(35):	Interaction between water stress and humic acid on Number of kernels/ear of maize during 2013 and 2014 seasons.....	55
(36):	Interaction between water stress and humic acid on Number of kernels/ear of three maize hybrids during 2013 and 2014 seasons.....	56
(37):	100- kernel weight (g) of three maize hybrids as affected by water stress, humic acid and their interaction during 2013 and 2014 seasons...	58
(38):	Interaction between water stress and humic acid on 100- kernel weight (g) of maize during 2013 and 2014 seasons.....	58
(39):	Straw yield (tons/ha.) of three maize hybrids as affected by water stress, humic acid and their interaction during 2013 and 2014 seasons.....	
(40):	Interaction between water stress and three maize hybrid Straw yield (tons/ha.) during 2014 season.....	60
(41):	Interaction between water stress and humic acid on straw yield (tons/ha.) of maize during 2013 and 2014 seasons.....	60
(42):	Interaction between water stress and humic acid on Straw yield (tons/ha.) of three maize hybrids during 2014 season.....	61

<b>(43):</b> Grain yield (tons/ha.) of three maize hybrids as affected by water stress, humic acid and their interaction during 2013 and 2014 seasons.....	<b>61</b>
<b>(44):</b> Interaction between water stress and three maize hybrids on grain yield (tons/ha.) during 2013 and 2014 seasons.....	<b>63</b>
<b>(45):</b> Interaction between water stress and humic acid on grain yield (tons/ha.) of maize during 2013 and 2014 seasons.....	<b>64</b>
<b>(46):</b> Interaction between water stress and humic acid on grain yield (tons/ha.) of three maize hybrids during 2013 and 2014 seasons.....	<b>64</b>
<b>(47):</b> Biological yield (tons/ha.) of three maize hybrids as affected by water stress, humic acid and their interaction during 2013 and 2014 seasons...	<b>65</b>
<b>(48):</b> Interaction between water stress and three maize hybrids on grain yield (tons/ha.) during 2014 season.....	<b>67</b>
<b>(49):</b> Interaction between water stress and humic acid on biological yield (tons/ha.) of maize during 2014 season .....	<b>67</b>
<b>(50):</b> Interaction between maize hybrid and humic acid on Biological yield (tons/ha.) of maize during 2013 season.....	<b>68</b>
<b>(51):</b> Interaction between water stress and humic acid on biological yield (tons/ha.) of three maize hybrids during 2014 season.....	<b>69</b>
<b>(52):</b> Harvest index (HI %) of three maize hybrids as affected by water stress, humic acid and their interaction during 2013 and 2014 seasons.....	<b>70</b>
<b>(53):</b> Interaction between water stress and three maize hybrids on harvest index (HI %) during 2013 and 2014 seasons.....	<b>71</b>
<b>(54):</b> Interaction between water stress and humic acid on harvest index (HI % ) of maize during 2013 and 2014 seasons.....	<b>71</b>
<b>(55):</b> Interaction between maize hybrid and humic acid on harvest index (HI % ) of maize during 2014 season.....	<b>72</b>
<b>(56):</b> Interaction between water stress and humic acid on harvest index (HI % ) of three maize hybrids during 2014 season.....	<b>72</b>
<b>(57):</b> Protein percentage (%) of three maize hybrids as affected by water stress, humic acid and their interaction during 2013 and 2014 seasons.	<b>74</b>
<b>(58):</b> Interaction between water stress and humic acid on protein percentage (%) of maize during 2013 and 2014 seasons.....	<b>74</b>
<b>(59):</b> Relative water content of three maize hybrids as affected by water stress, humic acid and their interaction during 2013 and 2014 seasons...	<b>76</b>
<b>(60):</b> Interaction between water stress and three maize hybrids on relative water content during 2013 season.....	<b>76</b>
<b>(61):</b> Interaction between water stress and humic acid on relative water content of maize during 2013 and 2014 season.....	<b>77</b>
<b>(62):</b> Interaction between water stress and humic acid on relative water content of three maize hybrids during 2013 season.....	<b>77</b>
<b>(63):</b> Water use efficiency (WUE) of three maize hybrids as affected by water stress, humic acid and their interaction during 2013 and 2014 seasons.....	<b>79</b>
<b>(64):</b> Interaction between water stress and three maize hybrids on Water use efficiency (WUE) during 2013 and 2014 seasons.....	<b>79</b>
<b>(65):</b> Interaction between water stress and humic acid on water use efficiency (WUE) of maize during 2013 and 2014 seasons.....	<b>80</b>
<b>(66):</b> Interaction between water stress and humic acid on water use efficiency (WUE) of three maize hybrids during 2013 and 2014 seasons.....	<b>80</b>