

## List of table

Table No.	Title	<u>Page No.</u>
1	<i>In vitro</i> and <i>in vivo</i> studies assessing subculturing on the virulence of certain entomopathogenic fungi.	30
2	Bioassay of the biocontrol agent <i>Verticillium lecaii</i> used at different concentrations against <i>Icerya seychellarum</i> (On citrus) in the greenhouse during October 2012.	60
3	LT <sub>50</sub> values (days) of the biocontrol agent <i>Verticillium lecaii</i> used at different concentrations against <i>Icerya seychellarum</i> (on citrus) in the greenhouse.	61
4	Mortality of <i>Icerya seychellarum</i> treated with $1.7 \times 10^8$ spores/ml of <i>Verticillium lecanii</i> derived from different passages maintained on MYB medium and its insect-host <i>I.seychellarum</i>	67
5	LT <sub>50</sub> values on <i>Icerya seychellarum</i> exposed to <i>Verticillium lecanii</i> (Zimm.) derived from different passages maintained through artificial media and an insect host ( <i>I. seychellarum</i> )	68
6	Effect of different liquid media on biomass, spore production and spore germination	71
7	Effect of different solid media on biomass, spore production and spore germination of the entomopathogenic fungus <i>V. lecanii</i>	73
8	Effect of different combined diphase media (liquid + solid) on biomass, spore production and spore germination of <i>V. lecanii</i>	74
9	Stability and viability of laboratory prepared wettable powder formulation of the entomopathogenic fungi <i>Verticillium lecanii</i> (Zimm.) Viegas at ambient room temperature (30 -35 °C)	76

10	Shelf life and viability of laboratory prepared wettable powder formulation of the entomopathogenic fungi <i>Verticillium lecanii</i> (Zimm.) Viegas at refrigerated condition (4-6 °C)	77
11	Biological performance of a prepared formulation of <i>V. lecanii</i> a bio-pesticide, a mineral oils, botanical and chemical insecticides aganist the mealy bug <i>Icerya seychellarum</i> in Citrus trees during the summer season of 2013 at Alexandria governorate: <u>at sunset</u>	80
12	Biological performance of a prepared formulation of <i>V. lecanii</i> a bio-pesticide, a mineral oil, botanical and chemical insecticides aganist the mealy bug <i>Icerya seychellarum</i> in Citrus trees during the summer season of 2013 at Alexandria governorate <u>in the morning</u>	86

## List of figure

Figure No.	Title	<u>Page No.</u>
1	LT <sub>50s</sub> lines of the four tested concentrations of the fungus <i>Verticillium lecanii</i> against the mealy bugs <i>Icerya seychellarum</i> located on young citrus trees	62
2	LT <sub>50</sub> values (days) of the strain biocontrol agent <i>Verticillium lecaii</i> used at different concentrations against <i>Icerya seychellarum</i> (on citrus) in the greenhouse	63
3	LT <sub>50</sub> valus of the <i>Verticillium lecanii</i> (Zimm.) Viegas passage through artificial media and an insect host <i>Icerya seychellarum</i>	69
4	Biological performance of a prepared formulation of <i>V. lecanii</i> a bio-pesticide, a mineral oils, botanical and chemical insecticides aganist the mealy bug <i>Icerya seychellarum</i> in Citrus trees during the summer season of 2013 at Alexandria governorate: <u>at sunset</u>	81
5	Biological performance of a prepared formulation of <i>V. lecanii</i> a bio-pesticide, a mineral oils, botanical and chemical insecticides aganist the mealy bug <i>Icerya seychellarum</i> in Citrus trees during the summer season of 2013 at Alexandria governorate: <u>at sunset</u>	87