

## LIST OF TABLES

Table	Page
(1) Comparison between the two studied groups according to sex.....	24
(2) Comparison between the two studied groups according to age .....	25
(3) Distribution of the studied cases according to clinical data in the non-recurrence group .....	26
(4) Distribution of the studied cases according to clinical data in the recurrence group.....	29
(5) Comparison between the two studied groups according to clinical data.....	32
(6) Comparison between the two studied groups according to pre-operative Glasgow Coma Scale score.....	35
(7) Comparison between the two studied groups according to post-operative Outcome Scale score .....	36
(8) Distribution of the studied cases according to internal architecture of the hematoma in the non-recurrence group .....	37
(9) Distribution of the studied cases according to internal architecture of the hematoma in the recurrence group .....	38
(10) Comparison between the two studied groups according to internal architecture of the hematoma.....	39
(11) Comparison between the two studied groups according to width of the hematoma.....	40
(12) Comparison between the two studied groups according to post-operative mid line shift.....	41
(13) Comparison between the two studied groups according to post-operative subdural air collection.....	42
(14) Summary of variables of post-operative subdural space in the post-operative CT brain in both studied groups.....	43
(15) Comparison between the two studied groups according to Bilaterality of the hematoma.....	45
(16) Comparison between the two studied groups according to the post-operative position.....	46
(17) Comparison between the two studied groups according to post-operative drainage volume.....	47
(18) Comparison between the two studied groups according to type of anesthesia used in the evacuation of the hematoma.....	48

## LIST OF FIGURES

Figure	Page
(1) Classification of CSDHs according to their internal architectures.....	6
(2) Radiological features of bilateral CSDH in CT brain.....	11
(3) Radiological features of CSDH in MRI brain.....	12
(4) Pre-operative CT brain scan reveals right chronic subdural hematoma with midline shifting.....	17
(5) Post-operative CT brain showing intracerebral hemorrhage in right basal ganglia .....	17
(6) "Mount Fuji sign".....	18
(7) Distribution of the studied cases according to the post-operative histopathological diagnosis. ....	24
(8) Comparison between the two studied groups according to age.....	25
(9) Distribution of the studied cases according to causes of CSDF in the non-recurrence group.....	27
(10) Distribution of the studied cases according to other comorbidities in the non-recurrence group.....	27
(11) Distribution of the studied cases according to trauma to surgery interval in the non-recurrence group.....	28
(12) Distribution of the studied cases according to causes of CSDH in the recurrence group.....	30
(13) Distribution of the studied cases according to other comorbidities in the recurrence group.....	30
(14) Distribution of the studied cases according to trauma to surgery interval in the recurrence group.....	31
(15) Comparison between the two studied groups according to Causes of CSDH.	33
(16) Comparison between the two studied groups according to Other Comorbidities.....	33
(17) Comparison between the two studied groups according to trauma to surgery interval.....	34
(18) Comparison between the two studied groups according to Pre-operative GCS score.....	35
(19) Comparison between the two studied groups according to post-operative outcome scale score.....	36
(20) Distribution of the studied cases according to internal architecture of the hematoma in the non-recurrence group.....	37
(21) Distribution of the studied cases according to internal architecture of the hematoma in the recurrence group.....	38

<b>Figure</b>	<b>Page</b>
(22) Comparison between the two studied groups according to internal architecture of the hematoma.....	39
(23) Comparison between the two studied groups according to width of the hematoma.....	40
(24) Comparison between the two studied groups according to post-operative mid line shift.....	41
(25) Comparison between the two studied groups according to post-operative subdural air collection.....	42
(26) Summary of variables of post-operative subdural space in the post-operative CT brain in both studied groups.....	44
(27) Comparison between the two studied groups according to Bilaterality of the hematoma.....	45
(28) Comparison between the two studied groups according to the post-operative position.....	46
(29) Comparison between the two studied groups according to post-operative drainage volume.....	47
(30) Comparison between the two studied groups according to type of anesthesia used in the evacuation of the hematoma.....	48
(31) A case of recurrent CSDH.....	49
(32) A case of recurrent CSDH.....	50
(33) A case of recurrent CSDH.....	51
(34) A case of recurrent CSDH.....	52

## LIST OF ABBREVIATIONS

<b>CSDH</b>	Chronic subdural hematoma
<b>CT</b>	Computed tomography
<b>CSF</b>	Cerebro spinal fluid
<b>ICP</b>	Intra cranial pressure
<b>MRI</b>	Magnetic resonance imaging
<b>AED</b>	Antiepileptic drug
<b>GCS</b>	Glasgow Coma Scale
<b>SGPT</b>	Serum glutamic-pyruvic transaminase
<b>SGOT</b>	Serum glutamic oxaloacetic transaminase
<b>INR</b>	International normalized ratio
<b>PT</b>	Prothrombin time
<b>ECG</b>	Electrocardiography
<b>ECHO</b>	Echocardiogram
<b>FLAIR</b>	Fluid Attenuated Inversion Recovery