

## LIST OF TABLES

Table	Page
(1) Normal Wound-healing Process.....	4
(2) Factors Affecting Wound Healing .....	6
(3) Summary of Factors Related to Wound Impairment in Obesity .....	13
(4) The different etiologies of poor scars.....	17
(5) Vancouver scar scale.....	37
(6) Comparison between the lesion groups as regard to patient's age.....	39
(7) Comparison between the lesion groups as regard to patient's sex .....	41
(8) Comparison between the lesion groups as regard to causes of lesions .....	42
(9) Comparison between the lesion groups as regard to site.....	43
(10) Comparison between injectable and non injectable halves before and after treatment as regard to Pliability in Extensive Dermal Scar lesion patients.....	45
(11) Comparison between injectable and non injectable halves before and after treatment as regard to Pliability in Hypertrophic Scar lesion patients .....	46
(12) Comparison between injectable and non injectable halves before and after as regard to Pliability in Keloid lesion patients.....	47
(13) Comparison between the injectable and non injectable halves before and after as regard to Thickness in Extensive Dermal Scar lesion patients.....	48
(14) Comparison between the injectable and non injectable halves before and after s as regard to Thickness in Hypertrophic Scar lesion patients.....	49
(15) Comparison between the injectable and non injectable halves before and after as regard to Thickness in keloid lesion patients.....	50
(16) Comparison between the injectable and non injectable halves before and after as regard to Pigmentation in Extensive Dermal Scar lesion patients.....	51
(17) Comparison between the injectable and non injectable halves before and after treatment as regard to Pigmentation in Hypertrophic Scar lesion patients.....	52
(18) Comparison between the injectable and non injectable halves before and after as regard to Pigmentation in keloid lesion patients.....	53
(19) Comparison between the injectable and non injectable hal before and after as regard to Vascularity in Extensive Dermal Scar lesion patients .....	54
(20) Comparison between the injectable and non injectable halves before and after as regard to Vascularity in Hypertrophic Scar lesion patients .....	55

<b>Table</b>	<b>Page</b>
(21) Comparison between the injectable and non injectable halves before and after as regard to Vascularity in keloid lesion patients .....	<b>56</b>
(22) Comparison between the injectable and non-injectable halves as regard to patient's response in Extensive Dermal Scar lesion patients .....	<b>57</b>
(23) Comparison between the injectable and non-injectable halves as regard to patient's response in Hypertrophic Scar lesion patients.....	<b>58</b>
(24) Comparison between the injectable and non-injectable halves as regard to patient's response in keloid lesion patients .....	<b>59</b>
(25) Comparison between patients response as regard to patient's age.....	<b>60</b>
(26) Comparison between patients response as regard to patient's sex .....	<b>62</b>
(27) Comparison between patients response as regard to patient's causes of lesions.....	<b>63</b>
(28) Comparison between patients response as regard to patient's lesions sites .....	<b>65</b>

## LIST OF FIGURES

Figure		Page
(1)	Anatomy and Histology of the Skin Contents .....	1
(2)	Anatomy and Histology of the Skin Contents .....	2
(3)	Ear lobe keloid scar from piercing.....	18
(4)	Hypertrophic scar in the volar aspect of forearm.....	20
(5)	Comparison between the lesion groups as regard to patient's age .....	40
(6)	Comparison between the lesion groups as regard to patient's sex.....	41
(7)	Comparison between the lesion groups as regard to causes of lesions.....	42
(8)	Comparison between the lesion groups as regard to site .....	44
(9)	Comparison between injectable and non injectable halves before and after treatment as regard to Pliability in Extensive Dermal Scar lesion patients .....	45
(10)	Comparison between injectable and non injectable halves before and after treatment as regard to Pliability in Hypertrophic Scar lesion patients ..	46
(11)	Comparison between injectable and non injectable halves before and after as regard to Pliability in Keloid lesion patients.....	47
(12)	Comparison between the injectable and non injectable halves before and after as regard to Thickness in Extensive Dermal Scar lesion patients .....	48
(13)	Comparison between the injectable and non injectable halves before and after as regard to Thickness in Hypertrophic Scar lesion patients.....	49
(14)	Comparison between the injectable and non injectable halves before and after as regard to Thickness in keloid lesion patients .....	50
(15)	Comparison between the injectable and non injectable halves before and after as regard to Pigmentation in Extensive Dermal Scar lesion patients ...	51
(16)	Comparison between the injectable and non injectable halves before and after as regard to Pigmentation in Hypertrophic Scar lesion patients....	52
(17)	Comparison between the injectable and non injectable halves before and after as regard to Pigmentation in keloid lesion patients .....	53
(18)	Comparison between the injectable and non injectable halves before and after as regard to Vascularity in Extensive Dermal Scar lesion patients .....	54
(19)	Comparison between the injectable and non injectable halves before and after as regard to Vascularity in Hypertrophic Scar lesion patients.....	55
(20)	Comparison between the injectable and non injectable halves before and after as regard to Vascularity in keloid lesion patients.....	56
(21)	Comparison between the injectable and non-injectable halves as regard to patient's response in Extensive Dermal Scar lesion patients.....	57

<b>Figure</b>	<b>Page</b>
(22)	Comparison between the injectable and non-injectable halves as regard to patient's response in Hypertrophic Scar lesion patients ..... <b>58</b>
(23)	Comparison between the injectable and non-injectable halves as regard to patient's response in keloid lesion patients..... <b>59</b>
(24)	Comparison between patients response as regard to patient's age ..... <b>61</b>
(25)	Comparison between patients response as regard to patient's sex ..... <b>62</b>
(26)	Comparison between patients response as regard to patient's causes of lesions ..... <b>64</b>
(27)	Comparison between patients response as regard to patient's lesions sites.. <b>66</b>
(28)	A case of keloid showing bundles of hyalinized collagen arranged haphazardly. (H&E stain x100) ..... <b>68</b>
(29)	High power view of the previous case showing the broad glassy eosinophilic collagen (keloid Collagen), few fibroblasts H&E x200 ..... <b>68</b>
(30)	A case of hypertrophic scar exhibiting nodules of fibrillary collagen. H&E x100 ..... <b>69</b>
(31)	Another view of the previous case showing whorls of collagen with regular thicknes. H&E stain x100 ..... <b>69</b>
(32)	Masson trichrome stain of the previous case to highlight the whorls of collagen. X200 ..... <b>70</b>
(33)	A closer view of the previous case showing numerous fibroblasts. H&Ex200 ..... <b>70</b>
(34)	Case of keloid after injection of 5 fluorouracil. Notice the fragmentation of the collagen fibers. H&E x100 ..... <b>71</b>
(35)	Another view for keloid after injection. H&E x100 ..... <b>71</b>
(36)	A case of keloid showing marked vascularity of the lesion before treatment. Masson trichrome stainx100 ..... <b>72</b>
(37)	The same case after injection of 5 fluorouracil. Notice the decreased vascularity.masson trichrome stain. X100 ..... <b>72</b>
(38)	A case of hypertrophic scar exhibiting marked vascularity. Masson trichrome x200 ..... <b>73</b>
(39)	The same case after injection showing decreased vascularity. Masson trichrome x200 ..... <b>73</b>
(40)	Immunohistochemical staining fro Ki67 antibody showing proliferation of basal layer of epidermis and few dermal fibroblasts. X200 ..... <b>74</b>
(41)	Immunohistochemical staining for ki67 of the same case after injection showing absent staining of fibroblasts for ki67.x400 ..... <b>74</b>
(42 a)	A case of post auricular keloid..... <b>75</b>

<b>Figure</b>	<b>Page</b>
(42 b) After healing of wound .....	75
(42 c) Show good result in upper half (injectable half) and bad result in lower half (non injectable half).....	75
(43 a) A case of keloid in the back of the shoulder .....	76
(43 b) After surgical excision .....	76
(43 c) Show bad results in both halves after 10 months.....	76
(44 a) A case keloid in the foot .....	77
(44 b) Show good results in both halves after 6 months .....	77
(45 a) A case of hyper trophic scar in the face.....	78
(45 b) After surgical excision .....	78
(45 c) Show good result in injectable half and bad result in Non-injectable half after 1 year	78
(46 a) A case of extensive dermal scar in the arm.....	79
(46 b) Show diagram of lesion before excision.....	79
(46 c) After surgical excision .....	79
(46 d) Show good result in injectable half (upper half) and average result in non-injectable half (lower half) after 10 months .....	79
(47 a) A Case of hypertrophic scar in the face and the neck.....	80
(47 b) After surgical excision .....	80
(47 c) Show good result injectable half toward mandible and bad result in non injectable half after 10 months.....	80