

## LIST OF FIGURES

Figure	Page
1. The cardiac diamond	2
2. Suggested algorithm for traumatic cardiac arrest	3
3. Traumatic cardiac arrest treatment algorism	4
4. Chest radiographs. A: Initial supine chest radiograph a trauma patient. B: Repeat chest X-ray study 22 h later demonstrating significant increased density involving the right hemithorax, believed to represent mediasti0l blood.	6
5. Heamothorax at the left side with mediastinal shift to the right side	7
6. FAST scan showing echo-free space around the heart consistent with haemopericardium	8
7. Transthoracic four-chamber echocardiographic view showing the large pericardial fluid (marked with arrow).	9
8. Large pericardial effusion at CT scan.	9
9. J wave on the ECG (J-wave indicated by the arrow).	10
10. Indications for thoracotomy	11
11. Antero-lateral thoracotomy, opening of the pericardium to relieve tamponade by incising the pericardium anterior to the phrenic nerve.	12
12. A: An instrument passed through the aortic root emerges in the right ventricular outflow tract, confirming the presence of a defect in the fibrous outlet ventricular septum, B: associated with a perforation of the right coronary leaflet of the aortic valve and C: a perforation of the anterior mitral leaflet. This lesion pattern reflects the trajectory of a single anterolateral to posteromedial cardiac stab injury.	14
13. A: Percentages of the patients according to systolic blood pressure and the mechanism of injury B: Percentages of the patients according to pulse and the mechanism of injury C: Percentages of the patients according to respiratory rate and the mechanism of injury D: Percentages of the patients according to Glasgow coma scale and the mechanism of injury E: Percentages of the patients according to central venous pressure and the mechanism of injury	22-24

<b>Figure</b>	<b>Page</b>
<p><b>14.</b> A: Percentages of the patients according to systolic blood pressure and the age</p> <p>B: Percentages of the patients according to pulse and the age</p> <p>C: Percentages of the patients according to respiratory rate and the age</p> <p>D: Percentages of the patients according to Glasgow Coma Scale and the age</p> <p>E: Percentages of the patients according to central venous pressure and the age</p>	<b>27-29</b>
<p><b>15.</b> A: Percentages of the patients according to clinical changes on neck veins and the mechanism of injury</p> <p>B: Percentages of the patients according to chest auscultation findings and the mechanism of injury</p> <p>C: Percentages of the patients according to other associated injuries and the mechanism of injury</p>	<b>30-31</b>
<p><b>16.</b> A: Percentages of the patients according to clinical changes on neck veins and the age</p> <p>B: Percentages of the patient according to chest auscultation findings and the age</p> <p>C: Percentages of the patients according to other associated injuries and the age</p>	<b>33-34</b>
<p><b>17.</b> A: Percentages of the patients according to pre-operative focused assessment with sonography for trauma and the mechanism of injury</p> <p>B: Percentages of the patients according to pre-operative electrocardiogram and the mechanism of injury</p> <p>C: Percentages of the patients according to pre-operative CT-Chest and the mechanism of injury</p> <p>D: CT-Chest of patients with penetrating cardiac injury by gunshot and stab</p> <p>E: Percentages of the patients according to pre-operative Chest X-ray and the mechanism of injury</p> <p>F: Chest X-ray of patients with penetrating cardiac injury by gunshot and stab</p>	<b>36-38</b>
<b>18.</b> Arterial blood gases interpretation	<b>39</b>
<p><b>19.</b> A: Percentages of the patients according to pre-operative focused assessment with sonography for trauma and the age</p> <p>B: Percentages of the patients according to pre-operative CT-Chest and the age</p> <p>C: Percentages of the patients according to pre-operative Chest X-ray and the age</p>	<b>41-42</b>

<b>Figure</b>	<b>Page</b>
	D: Percentages of the patients according to pre-operative electrocardiogram and the age
<b>20.</b>	Percentages of the patients according to types of management and the mechanism of injury <b>44</b>
<b>21.</b>	Percentages of the patients according to types of management and the age <b>45</b>
<b>22.</b>	Percentages of the patients according to the time spent before going to operating theater and the mechanism of injury <b>46</b>
<b>23.</b>	Percentage of the patients according to the time spent before going to operating theater and the age <b>47</b>
<b>24.</b>	Percentage of internal cardiac injuries of the patients according to the mechanism of injury <b>48</b>
<b>25.</b>	Percentage of internal cardiac injuries of the patients according to the age <b>49</b>
<b>26.</b>	Percentage of intra-abdominal injuries of the patients according to the age <b>51</b>
<b>27.</b>	Amount of the blood transfusion and blood loss according to the age <b>53</b>
<b>28.</b>	A: Effect of age on mortality <b>57-60</b> B: Effect of Mechanism of injury on mortality C: Effect of Systolic blood pressure on mortality D: Effect of Glasgow coma scale on mortality E: Effect of Other associated injuries on mortality F: Effect of Time spent before going to operating theater on mortality G: Effect of Tamponade on mortality H: Effect of Intra-abdominal injuries on mortality
<b>29.</b>	A: ECG shows sinus tachycardia <b>61-62</b> B: ECG shows normal sinus rhythm
<b>30.</b>	Echo show minimal pericardial effusion <b>62</b>

## LIST OF ABBREVIATIONS

<b>ABG</b>	Arterial Blood Gases
<b>ALS</b>	Advanced Life Support
<b>AMUH</b>	Alexandria Main University Hospital
<b>CPA</b>	Cardio-Pulmonary Arrest
<b>CPR</b>	Cardio-Pulmonary Resuscitation
<b>CT</b>	Multi slice Computed Tomography
<b>CVC</b>	Central Venous Catheter
<b>CVP</b>	Central Venous Pressure
<b>ECG</b>	Electrocardiogram
<b>Echo</b>	Echocardiogram
<b>ED</b>	Emergency Department
<b>ET</b>	Emergency Thoracotomy
<b>FAST</b>	Focused Assessment Sonography for Trauma
<b>GCS</b>	Glasgow Coma Scale
<b>ICU</b>	Intensive Care Unit
<b>ISS</b>	Injury Severity Score
<b>PHC</b>	Pre Hospital Care
<b>RR</b>	Respiratory Rate
<b>RTA</b>	Road Traffic Accidents
<b>RTS</b>	Revised Trauma Score
<b>SBP</b>	Systolic Blood Pressure
<b>SPW</b>	Sub-xiphoid Pericardial Window
<b>TCA</b>	Trauma Cardiac Arrest
<b>TEE</b>	Trans-esophageal Echocardiogram
<b>TRISS</b>	Trauma Revised Injury Severity Score
<b>VSD</b>	Ventricular Septal Defect