

LIST OF FIGURES

LIST OF FIGURES

| | |
|--|-----|
| Figure (2.1): Esterification Reaction Flask. | 65 |
| Figure (3.1): Scheme of Synthesis of MPA-PEG and APA-PEG Esters | 85 |
| Figure (3.2 a-c): IR spectra of a)-APA, b)MPA and c)MPA-PEG 600. | 89 |
| Figure (3.3): a) ¹ HNMR Spectrum of APA-PEG-1000 and b)MPA-PEG 1000 | 92 |
| Figure (3.4) : ¹ HNMR Spectrum of APA-PEG-2000. | 93 |
| Figure (3.5): Scheme of Synthesis of RFA-PEG and RFAP-PEG Surfactants | 96 |
| Figure (3.6): IR spectra of a)RFA-PEG1000 and b)RFA-PEG2000-ST | 100 |
| Figure (3.7): ¹ HNMR Spectra of a) RFA-PEG1000 & b) RFAP-PEG2000ST | 101 |
| Figure(3.8): Surface tension-concentration Isotherms of a)MPA-PEG600, b)MPA-PEG1000 and c)MPA-PEG2000 Surfactants. | 111 |
| Figure (3.9): Surface tension-concentration Isotherms of a)APA-PEG600, b)APA-1000 c)APA-2000. | 112 |
| Figure (3.10): Surface tension-concentration Isotherms of a) RFA - PEG600, b)RFA-1000 c)RFA-2000. | 113 |
| Figure (3.11): Surface tension-concentration Isotherms of a) RFA - 1000ST & b) RFA -2000ST. | 114 |
| Figure (3.12): Surface tension-concentration Isotherms of a)RFAP- 2000 & b) RFAP-2000ST. | 115 |
| Figure (3.13): The relation between SOR and dispersion efficiency for | 145 |

MPA and APA surfactants for a-Asp, b-wax.

Figure (3.14): The relation between SOR and dispersion efficiency for RFA and RFAP for a-Asp, b-wax. 146

Figure (3.15):The relation between absorbance values of Bakr and Qarun crude oils versus their concentrations. 147

Figure (3.16): Droplet size Distribution of Crude oil without dispersants. 153

Figure (3.17): Droplet size distribution of treated crude oil with RFA- PEG600 dispersant. 153

Figure (3.18): Relation Between HLB of Blends and IFT Values for both a)Bakr and b)Qarun crude oils 161

Figure (3.19): Relation between HLB of Surfactant Blends and their efficiency with a)Bakr and b)Qarun crude oils. 165