

## LIST OF FIGURES

Figure		page
(1)	Positioning of the patient for hysterectomy.	5
(2)	Positioning of trocars for laparoscopic hysterectomy.	6
(3)	(A and B) Uterine manipulation using the uterine manipulator, exposing the left round ligament. (C) The first assistant pulls the left round ligament and the surgeon starts the coagulation with bipolar cautery. (D) Coagulation and section of the round ligament with laparoscopic scissors	7
(4)	(A) Coagulation of the capillaries of the posterior leaf of the broad ligament (red circle). (B and C) Opening of the blue region of the posterior leaf of the left broad ligament. (D and E) Fenestration of the broad ligament and the anteroposterior divergent pull of two instruments (scissors and bipolar forceps). (F) The ureter stays laterally along the left pelvic sidewall (yellow arrows)	8
(5)	Traction of the left adnexa by the assistant, followed by progressive bipolar coagulation of the infundibulopelvic ligament	9
(6)	Coagulation and section of the left fallopian tube and utero-ovarian ligament in case of left adnexal preservation	9
(7)	Opening of the posterior leaf of the broad ligament up to the uterosacral ligament (in yellow)	10
(8)	Dissection of the vesicovaginal space. The green arrows indicate the area to be coagulated (vesico-uterine ligaments)	11
(9)	(A to C) Progressive coagulation of the left uterine vessels using bipolar forceps. (D to F) Intra-fascial plane on right side	11
(10)	(A to C) Fixation of the ovary to the round ligament on the right side using 2-0 Ethibond®. (D) Final appearance of the vaginal vault after homeostasis	12
(11)	Use of endoscopic linear cutting staplers for total laparoscopic hysterectomy	13
(12)	Use of the LigaSure® Vessel Sealing for control of the infundibulopelvic ligament in total laparoscopic hysterectomy	13
(13)	Use of EnSeal® during total laparoscopic hysterectomy	14
(14)	Use of Ultracision® harmonic scalpel in total laparoscopic hysterectomy	14
(15)	Comparison between the two studied groups according to age	22
(16)	Comparison between the two studied groups according to indication	22
(17)	Comparison between the two studied groups according to gravidity	23

<b>Figure</b>		<b>page</b>
(18)	Comparison between the two studied groups according to parity	23
(19)	Comparison between the two studied groups according to abortion	24
(20)	Comparison between the two studied groups according to Hb	26
(21)	Comparison between the two studied groups according to Ht	26
(22)	Comparison between the two studied groups according to TVUS uterine size and TVUS concomitant pelvic pathology	27
(23)	Comparison between the two studied groups according to total scar length	28
(24)	Comparison between the two studied groups according to blood loss	30
(25)	Comparison between the two studied groups according to procedure duration	30
(26)	Comparison between the two studied groups according to suture materials cost	31
(27)	Comparison between the two studied groups according to anesthesia cost	31
(28)	Comparison between the two studied groups according to analgesics needed	33
(29)	Comparison between the two studied groups according to time to peristalsis (Hs)	33
(30)	Comparison between the two studied groups according to time to flatus Hs	34
(31)	Comparison between the two studied groups according to hospital stay	34
(32)	Comparison between the two studied groups according to time to ambulation (Hs)	35
(33)	Comparison between the two studied groups according to Hb (g/dl)	37
(34)	Comparison between the two studied groups according to Ht (%)	37
(35)	Comparison between the two studied groups according to patients satisfaction	38
(36)	Comparison between the two studied groups according to Full recovery to basal activities (Ds) and Analgesics needed (Ds)	39
(37)	Comparison between the two studied groups according to SSI	40
(38)	Comparison between the two studied groups according to scar pain	41
(39)	Correlation between procedure duration and Anesthesia cost in group A	43
(40)	Correlation between procedure duration and Anesthesia cost in group B	43

## LIST OF ABBREVIATION

<b>AUB</b>	: Abnormal uterine bleeding
<b>BT</b>	: Bleeding time
<b>CBC</b>	: Complete blood count
<b>CI</b>	: Confidence interval
<b>CT</b>	: Clotting time
<b>CXR</b>	: Chest X-ray
<b>DUB</b>	: Dysfunctional uterine bleeding
<b>ECG</b>	: Electrocardiogram
<b>FBS</b>	: Fasting and blood sugar
<b>LASH</b>	: Laparoscopic supracervical hysterectomy
<b>OR</b>	: Odds ratio
<b>SCH</b>	: Supracervical hysterectomy
<b>SSI</b>	: Surgical site infection
<b>TAH</b>	: Total abdominal hysterectomy
<b>TVUS</b>	: Trans vaginal ultrasound