

LIST OF TABLES

Table		page
(1)	Ramsay sedation score	15
(2)	Scoring system for intubating conditions	15
(3)	Comparison between the two studied groups regarding sex and age (years)	16
(4)	Changes in heart rate in sevoflurane group (n = 20)	20
(5)	Changes in heart rate in isoflurane group (n = 20)	20
(6)	Comparison between the studied groups regarding changes in heart rate (n=20)	21
(7)	Changes in systolic blood pressure in sevoflurane group (n = 20)	22
(8)	Changes in systolic blood pressure in isoflurane group (n = 20)	22
(9)	Comparison between the studied groups regarding changes in systolic blood pressure (n = 20)	23
(10)	Changes in pulse oximetry (SpO ₂) in sevoflurane group (n = 20)	24
(11)	Changes in pulse oximetry (SpO ₂) in isoflurane group (n = 20)	24
(12)	Comparison between the studied groups regarding changes in pulse oximetry (SpO ₂) (n = 20)	25
(13)	Comparison between the two studied groups according to ease of laryngoscopy	27
(14)	Comparison between the two studied groups according to vocal cords movement	28
(15)	Comparison between the two studied groups according to coughing severity	28
(16)	Comparison between the two studied groups according to jaw relaxation	30
(17)	Comparison between the two studied groups according to limb movement	32
(18)	Comparison between the two studied groups according to hoarseness of voice	34
(19)	Comparison between the two studied groups according to post-extubation croup	34
(20)	Comparison between the two studied groups according to post-extubation laryngeal spasm	34
(21)	Comparison between the two studied groups according to sedation score	36

Table**page**

(22)	Comparison between the two studied groups according to time from induction to loss of consciousness (seconds)	37
(23)	Comparison between the two studied groups according to time from induction to successful endotracheal intubation	39
(24)	Comparison between the two studied groups according to time from successful endotracheal intubation to return of spontaneous breathing (minutes)	40

LIST OF FIGURES

Figure		page
(1)	Rocuronium chemical structure	4
(2)	Midazolam chemical structure	5
(3)	Isoflurane chemical structure	8
(4)	Sevoflurane chemical structure	10
(5)	Comparison according to sex in sevoflurane group	17
(6)	Comparison according to sex in Isoflurane group	17
(7)	Comparison between the two studied groups according to age (years)	18
(8)	Comparison between the studied groups regarding changes in heart rate	21
(9)	Comparison between the studied groups regarding changes in systolic blood pressure	23
(10)	Comparison between the studied groups regarding to pulse oximetry (SpO ₂)	25
(11)	Comparison between the two studied groups according to ease of laryngoscopy	27
(12)	Comparison between the two studied groups according to coughing severity	29
(13)	Comparison between the two studied groups according to jaw relaxation	31
(14)	Comparison between the two studied groups according to limb movement	32
(15)	Comparison between the two studied groups according to sedation score	36
(16)	Comparison between the two studied groups according to time from induction to loss of consciousness	37
(17)	Comparison between the two studied groups according to time from induction to successful endotracheal intubation	39
(18)	Comparison between the two studied groups according to time from successful endotracheal intubation to return of spontaneous breathing in minutes	40

LIST OF ABBREVIATION

ATP	Adenosine tri-phosphate
ASA	American Society of Anesthesia
b/m	Beat per minute
ED95	Effective dose 95
IM	intramuscular
IV	Intravenous
L/M	liter/minute
Mg/kg	Milligram per kilogram
mmHg	Millimetre mercury
MAC	Minimal Alveolar Concentration
NMDA	N- Methyl -D- Aspartate
NADH	Nicotinamide adenine dinucleotide
K	Potassium
SBP	Systolic blood pressure
TIVA	Total intravenous anaesthesia
Vd	Volume of distribution
GABA	γ -amino butyric acid