

RECOMMENDATIONS

RECOMMENDATIONS

- Larger scope studies are recommended for establishing pediatric OCT normative database considering the age, sex and race.

REFERENCES

REFERENCES

1. Panda-Jonas S, Jonas JB, Jakobczk-Zmija M. Retinal pigment epithelial cell count, distribution and correlations in normal human eyes. *Am J Ophthalmol* 1996; 121: 181-9.
2. Boulton M, Dayhaw-Barker P. The role of the retinal epithelium: topographical variation and ageing changes. *Eye* 2001; 15: 384-9.
3. La Cour M. The retinal pigment epithelium. In: Kaufman PL, Alm A (eds). *Adler's Physiology of the Eye*. 10th ed. St Louis: Mosby, 2003. 348-57.
4. Schnaudigel O. Die Vitalfärbung mit Trypanblau am Auge. *Albrecht von Graefes Arch. Ophthalmol* 1913; 86: 93-7.
5. Cunha-Vaz JG. The blood-ocular barriers. *Surv Ophthalmol* 1979; 23: 279-96.
6. Cunha-Vaz JG. The blood-retinal barriers system. Basic concepts and clinical evaluation. *Review Exp Eye Res* 2004; 78: 715-21.
7. Davson H. The aqueous humour and the intraocular pressure. In: Davson H (ed). *Physiology of the Eye*. 5th ed. Ch 1. London: MacMillan, 1990. 3-95.
8. Thumann G, Hoffmann S, Hinton DR. Cell biology of the retinal pigment epithelium. In: Ryan SJ (ed). *Retina*. 4th ed. St. Louis: Elsevier-Mosby, 2006. 137-52.
9. Strauss O. The retinal pigment epithelium in visual function. *Physiol Rev* 2005; 85: 845-81.
10. Kanski JJ, Milewski SA. Introduction. In: Kanski JJ, Milewski SA (eds). *Diseases of the Macula*. St Louis: Mosby, 2002. 1-18.
11. Kincaid MC. Pathology of the retina. In: Sassani JW (ed). *Ophthalmic Pathology with Clinical Correlations*. Philadelphia: Lippincott-Raven, 1997. 269-91.
12. Levin LA. Optic nerve. In: Kaufman PL, Alm A (eds). *Adler's Physiology of the Eye*. 10th ed. St Louis: Mosby, 2003. 603-38.
13. Tessier-Lavigne M. Visual processing by the retina. In: Kandel ER, Schwartz JH, Jessell TM (eds). *Principles of Neural Science*. 4th ed. New York: McGraw-Hill, 2000. 507-22.
14. Wurtz RH, Kandel ER. Central visual pathways. In: Kandel ER, Schwartz JH, Jessell TM (eds). *Principles of Neural Science*. 4th ed. New York: McGraw-Hill, 2000. 523-47.
15. Roof DJ, Makino CL. The structure and function of retinal photoreceptors. In: Albert DA, Jakobiec FA (eds). *Principles and Practice of Ophthalmology*. 2nd ed. Philadelphia: Saunders, 2000. 1624-73.
16. Oyster C. Retinal III. Regional variation and spatial organization. In: Oyster C (ed). *The Human Eye – Structure and Function*, Sinauer Associates. Ch 15. Massachusetts: Sunderland, 1999. 649-700.
17. Radius RH, Anderson DR. The histology of retinal nerve fiber layer bundles and bundle defects. *Arch Ophthalmol* 1979; 97: 948-50.

18. Minckler DS. The organization of nerve fiber bundles in the primate optic nerve head. *Arch Ophthalmol* 1980; 98: 1630-6.
19. Newman EA. Müller cells and the retinal pigment epithelium. In: Albert DA, Jakobiec FA (eds). *Principles and Practice of Ophthalmology*. 2nd ed. Philadelphia: Saunders, 2000. 1763–85.
20. Oyster C. Blood supply and drainage. In: Oyster C (ed). *The Human Eye - Structure and Function*, Sinauer Associates. Ch 6. Massachusetts: Sunderland, 1999. 247–89.
21. Harris A, Gingaman DP, Ciulla TA, Martin BJ. Retinal and choroidal blood flow in health and disease. In: Ryan SJ (ed). *The Retina*. 3rd ed. St Louis: Mosby, 2001. 68-88.
22. Saint-Geniez M, D'Amore PA. Development and pathology of the hyaloid, choroidal and retinal vasculature. *Int J Dev Biol* 2004; 48: 1045-58.
23. Cioffi GA, Granstam E, Alm A. Ocular circulation. In: Kaufman PL, Alm A (eds). *Adler's Physiology of the Eye*. 10th ed. Ch 33. St Louis: Mosby, 2003. 747-84.
24. Kolb H. The neural organization of the human retina. In: Heckenlively JR, Arden GB (eds). *Principles and practices of clinical electrophysiology of vision*. St. Louis: Mosby year Book Inc, 1991. 25-52.
25. Curcio CA, Sloan KR, Packer O, Hendrickson AE, Kalina RE. Distribution of cones in human and monkey retina: individual variability and radial asymmetry. *Science* 1987; 236: 579-82.
26. Olver JM, McCartney ACE. Orbital and ocular microvascular corrosion casting in man. *Eye* 1989; 3: 588-96.
27. Olver JM, Spalton DJ, McCartney ACE. Microvascular study of the retrolaminar optic nerve in man: The possible significance on anterior ischaemic optic neuropathy. *Eye* 1990; 4: 7-24
28. Alm A, Bill A, Young FA. The effects of pilocarpine and neostigmine on the blood flow through the anterior uvea in monkeys: a study with radioactively labelled microspheres. *Exp Eye Res* 1973; 15: 31.
29. Alm A, Bill A. Ocular and optic nerve blood flow at normal and increased intraocular pressures in monkeys (*Macaca*): a study with radioactively labelled microspheres including flow determinations in brain and some other tissues. *Exp Eye Res* 1973; 15: 15.
30. Sharma RK, Ehinger BEJ. Development and structure of the retina. In: Kaufman PL, Alm A (eds). *Adler's Physiology of the Eye*. 10th ed. St Louis: Mosby, 2003. 319-47.
31. Dowling JE. Retinal neurophysiology. In: Albert DA, Jakobiec FA (eds). *Principles and Practice of Ophthalmology*. 2nd ed. Philadelphia: Saunders, 2000. 1713-29.
32. Ogden TE. Nerve fiber layer of the macaque retina: retinotopic organization. *Invest Ophthalmol Vis Sci* 1983; 24: 85-98
33. Zhu M, Madigan MC, van Driel D, Maslim J, Billson FA, Provis JM, et al. The human hyaloids system: cell death and vascular regression. *Exp Eye Res* 2000; 70: 767-76.

34. Provis JM. Development of the primate retinal vasculature. *Prog Ret Eye Res* 2001; 20: 799-821.
35. Anderson DR, Quigley HA. The optic nerve. In: Hart WM Jr (ed). *Adler's Physiology of the Eye*. 9th ed. St. Louis: Mosby, 1992. 616-39.
36. Kincaid MC, Green WR. Anatomy of the vitreous, retina and choroid. In: Regillo CD, Brown GC, Flynn HW (eds). *Vitreoretinal Disease*. New York, Stuttgart: Thieme, 1999. 11-24.
37. Hogan MJ, Alvarado JA, Weddell JE. Retina. In: *Histology of the Human Eye. An Atlas and Textbook*. Philadelphia: Saunders, 1971. 393-521.
38. Curcio CA, Sloan KR, Kalina RE, Hendrickson AE. Human photoreceptor topography. *J Comp Neurol* 1990; 292: 497-523.
39. Hendrickson AE. Morphological development of the primate retina. In: Simons K (ed). *Early Visual Development, Normal and Abnormal*. New York, Oxford: Oxford University, 1993. 287-95.
40. Hendrickson AE. Primate foveal development: A micro-cosm of current questions in neurobiology. Recent developments. *Invest Ophthalmol Vis Sci* 1994; 35: 3129-33.
41. Provis JM, Diaz CM, Dreher B. Ontogeny of the primate fovea: a central issue in retinal development. *Prog Neurobiol* 1998; 54: 549-80.
42. Davydov A. Eye Anatomy /Retina, Macula, Fovea, Foveola. 2010. Available at: <http://www.forbestvision.com/page/4/>.
43. Provis JM, Penfold PL, Cornish EE, Sandercoe TM, Madigan MC. Anatomy and development of the macula: specialisation and the vulnerability to macular degeneration. *Clin Exp Optom* 2005; 88: 269-81.
44. Vajzovic L, Hendrickson AE, O'Connell RV, Clark LA, Tran-Viet D, Possin D, et al. Maturation of the human fovea: correlation of spectral-domain optical coherence tomography findings with histology. *Am J Ophthalmol* 2012; 154: 779-89.
45. Huang D, Swanson EA, Lin CP, Schuman JS, Stinson WG, Chang W, et al. Optical coherence tomography. *Science* 1991; 254: 1178-81.
46. Costa RA, Skaf M, Melo LAS, Calucci D, Cardillo JA, Castro JC, et al. Retinal assessment using optical coherence tomography. *Prog Retin Eye Res* 2006; 25: 325-53.
47. Chinn SR, Swanson EA, Fujimoto JG. Optical coherence tomography using a frequency-tunable optical source. *Opt Lett* 1997; 22: 340-2.
48. Yun SH, Tearney GJ, de Boer JF, Ifimia N, Bourma BE. High-speed optical frequency-domain imaging. *Opt Express* 2003; 11: 2953-63.
49. Lee ECW, de Boer JF, Mujat M, Lim H, Yun SH. In vivo optical frequency domain imaging of human retina and choroid. *Opt Express* 2006; 14: 4403-11.
50. Wojtkowski M, Leitgeb R, Kowalczyk A, Bajraszewski T, Fercher AF. In vivo human retinal imaging by Fourier domain optical coherence tomography. *J Biomed Opt* 2002; 7: 457-63.

51. Podoleanu A, Charalambous I, Plesea L, Dogariu A, Rosen R. Correction of distortions in optical coherence tomography imaging of the eye. *Phys Med Biol* 2004; 49: 1277-94.
52. Ko T, Adler D, Fujimoto J, Mamedov D, Prokhorov V, Shidlovski V, et al. Ultrahigh resolution optical coherence tomography imaging with a broadband superluminescent diode light source. *Opt Express* 2004; 12: 2112-9.
53. Ko TH, Fujimoto JG, Schuman JS, Paunescu LA, Kowalewicz AM, Hartl I, et al. Comparison of ultrahigh- and standard-resolution optical coherence tomography for imaging macular pathology. *Ophthalmology* 2005; 112: 1-15.
54. Leung CK, Cheung CY, Weinreb RN, Lee G, Lin D, Pang CP, et al. Comparison of macular thickness measurements between time domain and spectral domain optical coherence tomography. *Invest Ophthalmol Vis Sci* 2008; 49: 4893-7.
55. Krebs I, Smretschign E, Moussa S, Brannath W, Womastek I, Binder S. Quality and reproducibility of retinal thickness measurements in two spectral-domain optical coherence tomography machines. *Invest Ophthalmol Vis Sci* 2011; 52: 6925-33.
56. Han IC, Jaffe GJ. Comparison of spectral- and time-domain optical coherence tomography for retinal thickness measurements in healthy and diseased eyes. *Am J Ophthalmol* 2009; 147: 847-58.
57. Coscas G. Optical coherence tomography in age-related macular degeneration OCT in AMD. Heidelberg: Springer, 2009. Available at:
<http://rave.ohiolink.edu/ebooks/ebc/9783642014673>.
58. Heidelberg Engineering. Spectralis OCT. Available at: <http://www.ommalite.gr>.
59. Kiernan DF, Mieler WF, Hariprasad SM. Spectral-domain optical coherence tomography: a comparison of modern high-resolution retinal imaging systems. *Am J Ophthalmol* 2010; 149: 18-31.
60. Hangai M, Yamamoto M, Sakamoto A, Yoshimura N. Ultrahigh-resolution versus speckle noise-reduction in spectral-domain optical coherence tomography. *Opt Express* 2009; 17: 4221-35
61. Menke MN, Dabov S, Knecht P, Sturm V. Reproducibility of retinal thickness measurements in healthy subjects using spectralis optical coherence tomography. *Am J Ophthalmol* 2009; 147: 467-72
62. Wenner Y, Wismann S, Jager M, Pons-Kuhnemann J, Lorenz B. Interchangeability of macular thickness measurements between different volumetric protocols of Spectralis optical coherence tomography in normal eyes. *Graefes Arch Clin Exp Ophthalmol* 2011; 249: 1137-45.
63. Lujan BJ, Roorda A, Knighton RW, Carroll J. Revealing Henle's fiber layer using spectral domain optical coherence tomography. *Invest Ophthalmol Vis Sci* 2010; 52: 1486-92.
64. Drexler W, Sattmann H, Hermann B, Ko TH, Stur M, Unterhuber A, et al. Enhanced visualization of macular pathology with the use of ultrahigh-resolution optical coherence tomography. *Arch Ophthalmol* 2003; 121: 695-706.

65. Spaide RF, Curcio CA. Anatomical correlates to the bands seen in the outer retina by optical coherence tomography: literature review and model. *Retina* 2011; 31: 1609-19.
66. Srinivasan VJ, Monson BK, Wojtkowski M, Bilonick RA, Gorczynska I, Chen R, et al. Characterization of outer retinal morphology with high-speed, ultrahigh-resolution optical coherence tomography. *Invest Ophthalmol Vis Sci* 2008; 49: 1571-9.
67. Srinivasan VJ, Ko TH, Wojtkowski M, Carvalho M, Clermont A, Bursell SE, et al. Noninvasive volumetric imaging and morphometry of the rodent retina with high-speed, ultrahigh-resolution optical coherence tomography. *Invest Ophthalmol Vis Sci* 2006; 47: 5522-8.
68. Goesmann M, Hermann B, Schubert C, Sattmann H, Ahnelt PK, Drexler W. Histologic correlation of pig retina radial stratification with ultrahigh-resolution optical coherence tomography. *Invest Ophthalmol Vis Sci* 2003; 44: 1696-703.
69. Toth CA, Narayan DG, Boppart SA, Hee MR, Fujimoto JG, Birngruber R, et al. A comparison of retinal morphology viewed by optical coherence tomography and by light microscopy. *Arch Ophthalmol* 1997; 115: 1425-8.
70. Giammaria D, Ioni A, Bartoli B, Cofini V, Pellegrini G, Giannotti B. Comparison of macular thickness measurements between time-domain and spectral-domain optical coherence tomographies in eyes with and without macular abnormalities. *Retina* 2011; 31: 707-16.
71. Baker PS, Tasman W. Optical coherence tomography imaging of the fovea in retinopathy of prematurity. *Ophthalmic Surg Lasers Imaging* 2010; 41: 201-6.
72. Kaul S, Uparkar M, Mody K, Walinjkar J, Kothari M, Natarajan S. Intravitreal anti-vascular endothelial growth factor agents as an adjunct in the management of Coats' disease in children. *Indian J Ophthalmol* 2010; 58: 76-8.
73. Kumar V, Goel N, Ghosh B, Raina UK. Full-thickness macular hole and macular telangiectasia in a child with Coats' disease. *Ophthalmic Surg Lasers Imaging* 2010; 4: 1-3.
74. Shields JA, Shields CL. Review: Coats disease: the 2001 LuEsther T. Mertz lecture *Retina* 2002; 22: 80-91.
75. Kohly RP, Muni RH, Kertes PJ, Lam WC. Management of pediatric choroidal neovascular membranes with intravitreal anti-VEGF agents: a retrospective consecutive case series. *Can J Ophthalmol* 2011; 46: 46-50.
76. Garg S, Mets MB, Bearelly S, Mets R. Imaging of congenital toxoplasmosis macular scars with optical coherence tomography. *Retina* 2009; 29: 631-7.
77. Sturm V, Landau K, Menke MN. Optical coherence tomography findings in Shaken Baby syndrome. *Am J Ophthalmol* 2008; 146: 363-8.
78. Chong GT, Farsiu S, Freedman SF, Sarin N, Koreishi AF, Izatt JA, et al. Abnormal foveal morphology in ocular albinism imaged with spectral-domain optical coherence tomography. *Arch Ophthalmol* 2009; 127: 37-44.
79. Jacobson SG, Cideciyan AV, Aleman TS, Sumaroka A, Windsor EA, Schwartz SB, et al. Photoreceptor layer topography in children with leber congenital amaurosis caused by RPE65 mutations. *Invest Ophthalmol Vis Sci* 2008; 49: 4573-7.

80. Foster CS. Diagnosis and treatment of juvenile idiopathic arthritis- associated uveitis. *Curr Opin Ophthalmol* 2003; 14: 395-8.
81. Levy-Clarke GA, Nussenblatt RB, Smith JA. Management of chronic pediatric uveitis. *Curr Opin Ophthalmol* 2005; 16: 281-8.
82. Paroli MP, Spinucci G, Fabiani C, Pivetti-Pezzi P. Retinal complications of juvenile idiopathic arthritis-related uveitis: a microperimetry and optical coherence tomography study. *Ocul Immunol Inflamm* 2010; 18: 54-9.
83. Shields CL, Mashayekhi A, Luo CK, Materin MA, Shields JA. Optical coherence tomography in children: analysis of 44 eyes with intraocular tumors and simulating conditions. *J Pediatr Ophthalmol Strabismus* 2004; 41: 338-44.
84. Chang L, El-Dairi MA, Frempong TA, Burner EL, Bhatti MT, Young TL, et al. Optical coherence tomography in the evaluation of neurofibromatosis type-1 subjects with optic pathway gliomas. *J AAPOS* 2010; 14: 511-7.
85. Raouf N, Chan TKJ, Rogers NK, Abdullah W. Toy laser macular burns in children. *Eye (Lond)* 2014; 28: 231-4.
86. Symons RCA, mainester MA, Goldberg MF. Solar maculopathy in a young children. *Br J Ophthalmol* 2010; 94: 1258-59.
87. Turk A, Ceylan OM, Arici C, Keskin S, Erdurman C, Durukan AH, et al. Evaluation of the nerve fiber layer and macula in the eyes of healthy children using spectral-domain optical coherence tomography. *Am J Ophthalmol* 2012; 153: 552-9.
88. Early Treatment Diabetic Retinopathy Study design and baseline patient characteristics. ETDRS report number 7. *Ophthalmology* 1991; 98(Suppl 5): 741-56.
89. Grover S, Murthy RK, Brar VS, Chalam KV. Normative data for macular thickness by high-definition spectral-domain optical coherence tomography (spectralis). *Am J Ophthalmol* 2009; 148: 266-71.
90. Leung CK, Cheung CY, Weinreb RN, Qiu Q, Liu S, Li H, et al. Retinal nerve fiber layer imaging with spectral-domain optical coherence tomography: a variability and diagnostic performance study. *Ophthalmology* 2009; 116: 1257-63.
91. Altemir I, Pueyo V, Elía N, Polo V, Larrosa JM, Oros D. Reproducibility of optical coherence tomography measurements in children. *Am J Ophthalmol* 2013; 155: 171-6.
92. Salchow DJ, Oleynikov YS, Chiang MF, Kennedy-Salchow SE, Langton K, Tsai JC, Al-Aswad LA. Retinal nerve fiber layer thickness in normal children measured with optical coherence tomography. *Ophthalmology* 2006; 113: 786-91.
93. Eriksson U, Holmström G, Alm A, Larsson E. A population-based study of macular thickness in full-term children assessed with Stratus OCT: normative data and repeatability. *Acta Ophthalmol* 2009; 87: 741-5.
94. El-Dairi MA, Asrani SG, Enyedi LB, Freedman SF. Optical coherence tomography in the eyes of normal children. *Arch Ophthalmol* 2009; 127: 50-8.
95. Leung MM, Huang RY, Lam AK. Retinal nerve fiber layer thickness in normal Hong Kong Chinese children measured with optical coherence tomography. *J Glaucoma* 2010; 19: 95-9.

96. Huynh SC, Wang XY, Rochtchina E, Mitchell P. Peripapillary retinal nerve fiber layer thickness in a population of 6-year-old children: findings by optical coherence tomography. *Ophthalmology* 2006; 113:1583-92.
97. Huynh SC, Wang XY, Rochtchina E, Mitchell P. Distribution of macular thickness by optical coherence tomography: findings from a population-based study of 6-year-old children. *Invest Ophthalmol Vis Sci* 2006; 47: 2351-7.
98. Ahn HC, Son HW, Kim JS, Lee JH. Quantitative analysis of retinal nerve fiber layer thickness of normal children and adolescents. *Korean J Ophthalmol* 2005; 19:195-200.
99. Yanni SE, Wang J, Cheng CS, Locke KI, Wen Y, Birch DG, et al. Normative reference ranges for the retinal nerve fiber layer, macula, and retinal layer thicknesses in children. *Am J Ophthalmol* 2013; 155: 354-60.
100. Yilmaz I, Ozkaya A, Karakucuk Y, Perente I, Yazici AT. Macular thickness measurement via Heidelberg spectralis SD-OCT in pediatric patients. *Ophthalmology research. An International Journal* 2014; 2: 384-90.
101. Chopovska Y, Jaeger M, Rambow R. Comparison of central retinal thickness in healthy children and adults measured with Heidelberg spectralis OCT and Zeiss Stratus OCT3. *Ophthalmologica* 2011; 225: 27-36.
102. Chauhan DS, Marshall J. The interpretation of optical coherence tomography images of the retina. *Invest Ophthalmol Vis Sci* 1999; 40: 2332-42.
103. Loduca AL, Zhang C, Zelkha R, Shahidi M. Thickness mapping of retinal layers by spectral-domain optical coherence tomography. *Am J Ophthalmol* 2010; 150:849-55.
104. Asefzadeh B, Cavallerano AA, Fisch BM. Racial differences in macular thickness in healthy eyes. *Optom Vis Sci* 2007; 84: 941-5.
105. Wagner-Schuman M, Dubis AM, Nordgren RN, Lei Y, Odell D, Chiao H, et al. Race- and sex-related differences in retinal thickness and foveal pit morphology. *Invest Ophthalmol Vis Sci* 2011; 52: 625-34.
106. Nolan JM, Strnghan JM, Beatty S, Snodderly DM. Spatial profile of macular pigment and its relationship to foveal architecture. *Invest Ophthalmol Vis Sci* 2008; 49: 2134-42.
107. Al-Haddad C, Barikian A, Jaroudi M, Massoud V, Tamim H, Nouredin B. Spectral domain optical coherence tomography in children: Normative data and biometric correlations. *BMC Ophthalmol* 2014; 22: 14: 53.
108. Barrio-Barrio J, Noval S, Galdós M, Ruiz-Canela M, Bonet E, Capote M, et al. Multicenter Spanish study of spectral-domain optical coherence tomography in normal children. *Acta Ophthalmol* 2013; 91: e56-63.
109. Read SA, Collins MJ, Vincent SJ, Alonso-Caneiro D. Macular retinal layer thickness in childhood. *Retina* 2015. (In press)
110. Kiernan DF, Hariprasad SM. Normative Databases in SD-OCT: A Status Report. A comprehensive look at the evolution of OCT software design and database development. *Retinal physician*. 2010. Available at:

<http://www.retinalphysician.com/articleviewer.aspx?articleID=104438>

111. Chan A, Duker JS, Ko TH, Fujimoto JG, Schuman JS. Normal macular thickness measurements in healthy eyes using Stratus optical coherence tomography. *Arch Ophthalmol* 2006; 124: 193-8.
112. Kelty PJ, Payne JF, Trivedi RH, Kelty J, Bowie EM, Burger BM. Macular thickness assessment in healthy eyes based on ethnicity using Stratus OCT optical coherence tomography. *Invest Ophthalmol Vis Sci* 2008; 49: 2668-72.
113. El-Ashry M, Hegde V, James P, Pagliarini S. Analysis of macular thickness in British population using optical coherence tomography (OCT): an emphasis on interocular symmetry. *Curr Eye Res* 2008; 33: 693-9.
114. Lam DS, Leung KS, Mohamed S, Chan WM, Palanivelu MS, Cheung CY, et al. Regional variations in the relationship between macular thickness measurements and myopia. *Invest Ophthalmol Vis Sci* 2007; 48: 376-82.
115. Wu PC, Chen YJ, Chen CH, Chen YH, Shin SJ, Yang HJ, et al. Assessment of macular retinal thickness and volume in normal eyes and highly myopic eyes with third-generation optical coherence tomography. *Eye* 2008; 22: 551-5.
116. Eriksson U, Alm A. Macular thickness decreases with age in normal eyes: a study on the macular thickness map protocol in the Stratus OCT. *Br J Ophthalmol* 2009; 93: 1448-52.
117. Ooto S, Hangai M, Sakamoto A, Tomidokoro A, Araie M, Otani T, et al. Three-dimensional profile of macular retinal thickness in normal Japanese eyes. *Invest Ophthalmol Vis Sci* 2010; 51: 465-73.
118. Adhi M, Aziz S, Muhammad K, Adhi MI. Macular thickness by age and gender in healthy eyes using spectral domain optical coherence tomography. *PLoS One* 2012; 7: e37638.
119. Duan XR, Liang YB, Friedman DS, Sun LP, Wong TY, Tao QS, et al. Normal macular thickness measurements using optical coherence tomography in healthy eyes of adult Chinese persons: the Handan Eye Study. *Ophthalmology* 2010; 117: 1585-94.
120. Wexler A, Sand T, Elsas TB. Macular thickness measurements in healthy Norwegian volunteers: an optical coherence tomography study. *BMC Ophthalmol* 2010; 10: 13.
121. Choovuthayakorn J, Watanachai N, Chaikitmongkol V, Patikulsila D, Kunavisarut P, Ittipunkul N. Macular thickness measured by spectral-domain optical coherence tomography in healthy Thai eyes. *Jpn J Ophthalmol* 2012; 56: 569-76.
122. Song WK, Lee SC, Lee ES, Kim CY, Kim SS. Macular thickness variations with sex, age, and axial length in healthy subjects: a spectral domain-optical coherence tomography study. *Invest Ophthalmol Vis Sci* 2010; 51: 3913-8.
123. Bowd C, Weinreb RN, Williams JM, Zangwill LM. The retinal nerve fiber layer thickness in ocular hypertensive, normal, and glaucomatous eyes with optical coherence tomography. *Arch Ophthalmol* 2000; 118: 22-6.
124. Budenz DL, Anderson DR, Varma R, Schuman J, Cantor L, Savell J, et al. Determinants of normal retinal nerve fiber layer thickness measured by Stratus OCT. *Ophthalmology* 2007; 114: 1046-52.
125. Abou shousha MA, Ebraheim HA. Normal thickness of the ganglion cell-inner plexiform layer complex and retinal nerve fiber layer in the Egyptian population using the spectral domain optical coherence tomography. *DJO* 2013; 14: 58-61.

126. Ooto S, Hangai M, Tomidokoro A, Saito H, Araie M, Otani T, et al. Effects of age, sex, and axial length on the three-dimensional profile of normal macular layer structures. *Invest Ophthalmol Vis Sci* 2011; 52: 8769-79.
127. Yang Q, Reisman CA, Wang Z, Fukuma Y, Hangai M, Yoshimura N, et al. Automated layer segmentation of macular OCT images using dual-scale gradient information. *Opt Express* 2010; 18: 21293-307.
128. Appukuttan B, Giridhar A, Gopalakrishnan M, Sivaprasad S. Normative spectral domain optical coherence tomography data on macular and retinal nerve fiber layer thickness in Indians. *Indian J Ophthalmol* 2014; 62: 316-21.
129. Hendrickson AE, Yuodelis C. The morphological development of human fovea. *Ophthalmology* 1984; 91: 603-12.
130. Yuodelis C, Hendrickson A. A qualitative and quantitative analysis of the human fovea during development. *Vision Res* 1986; 26: 847-55.
131. Chan A, Duker JS, Ko TH, Fujimoto JG, Schuman JS. Normal macular thickness measurements in healthy eyes using stratus optical coherence tomography. *Arch Ophthalmol* 2006; 124: 193-8.
132. Wong AC, Chan CW, Hui SP. Relationship of gender, body mass index, and axial length with central retinal thickness using optical coherence tomography. *Eye* 2005; 19: 292-7.
133. Gobel W, Hartmann F, Haigis W. Determination of retinal thickness in relation to the age and axial length using optical coherence tomography (in German). *Ophthalmologie* 2001; 98:157-62.
134. Kanai K, Abe T, Murayama K, Yoneya S. Retinal thickness and changes with age. *Nippon Ganka Gakkai Zasshi* 2002; 106: 162-5.
135. Costa RA, Calucci D, Skaf M, Cardillo JA, Castro JC, Melo LA, et al. Optical coherence tomography.3:Automatic delineation of the outer neural retinal boundary and its influence on retinal thickness measurements. *Invest Ophthalmol Vis Sci* 2004; 45: 2399-406.
136. Drexler W, Sattmann H, Hermann B, Ko TH, Stur M, Unterhuber A, et al. Enhanced visualization of macular pathology with the use of ultra-high resolution optical coherence tomography. *Arch Ophthalmol* 2003; 121: 695-706.
137. El Kayal EH. Optical Coherenca Tomographic normative data on macular thickness in the Egyptian population. Master degree of Ophthalmology. Faculty of Medicine, Alexandria University, 2013. 35.