

LIST OF TABLES

No	Title	Page
Table (2.1):	Physicochemical Properties of the Used Petroleum Crude Oil.	40
Table (2.2):	Constituents of the Prepared CEMA/Alkyl Acrylate Crosslinked Copolymers.	44
Table (2.3):	Designation and Constitution of the Prepared Cinnamate esters.	46
Table (3.1):	Reaction Parameters for the Copolymerization of CEMA (M_1) With IOA (M_2).	65
Table (3.2):	Reaction Parameters for the Copolymerization of CEMA (M_1) With DDA (M_2).	65
Table (3.3):	Reaction Parameters for the Copolymerization of CEMA (M_1) With ODA (M_2).	65
Table (3.4):	Structural Data for CEMA/IOA Copolymers.	76
Table (3.5):	Structural Data for CEMA/DDA Copolymers.	76
Table (3.6):	Structural Data for CEMA/ODA Copolymers.	78
Table (3.7):	The Percentage Conversion of the Prepared CEMA/Alkyl Acrylate Sorbers Crosslinked by Either TPT or TPT _m Crosslinker.	95
Table (3.8):	Soluble Fraction Values of the Crosslinked CEMA/IOA Copolymers Having Different Crosslinker Content.	96
Table (3.9):	Soluble Fraction Values of the Crosslinked CEMA/DDA Copolymers Having Different Crosslinker Content.	96
Table (3.10):	Soluble Fraction Values of the Crosslinked CEMA/ODA Copolymer Having Different Crosslinker Content.	97

Table (3.11):	Absorption Characteristics of the CEMA/IOA Copolymers Crosslinked With TPT Crosslinker	105
Table (3.12):	Absorption Characteristics of the CEMA/IOA Copolymers Crosslinked With TPT _m Crosslinker	105
Table (3.13):	Absorption Characteristics of the CEMA/DDA Copolymers Crosslinked With TPT Crosslinker	114
Table (3.14):	Absorption Characteristics of the CEMA/DDA Copolymers Crosslinked With TPT _m Crosslinker	114
Table (3.15):	Absorption Characteristics of the CEMA/ODA Copolymers Crosslinked With TPT Crosslinker	115
Table (3.16):	Absorption Characteristics of the CEMA/ODA Copolymers Crosslinked With TPT _m Crosslinker	115
Table (3.17):	Network Parameters From Swelling Measurements for Different Composition of the CEMA/IOA Copolymers Crosslinked With Various Concentrations of TPT Crosslinker at 298°C.	120
Table (3.18):	Follow Network Parameters From Swelling Measurements for Different Composition of the CEMA/IOA Copolymers Crosslinked With Various Concentrations of TPT Crosslinker at 298°C.	120
Table (3.19):	Network Parameters From Swelling Measurements for Different Composition of the CEMA/IOA Copolymers Crosslinked With Various Concentrations of TPT _m Crosslinker at 298°C.	121
Table (3.20):	Follow Network Parameters From Swelling Measurements for Different Composition of the CEMA/IOA Copolymers Crosslinked With Various Concentrations of TPT _m Crosslinker at 298°C.	121

Table (3.21):	Network Parameters From Swelling Measurements for Different Composition Of the CEMA/DDA Copolymers Crosslinked With Various Concentrations of TPT Crosslinker at 298°C.	122
Table (3.22):	Follow Network Parameters From Swelling Measurements for Different Composition of the CEMA/DDA Copolymers Crosslinked With Various Concentrations of TPT Crosslinker at 298°C.	122
Table (3.23):	Network Parameters From Swelling Measurements for Different Composition Of the CEMA/DDA Copolymers Crosslinked With Various Concentrations of TPT _m Crosslinker at 298°C.	123
Table (3.24):	Follow Network Parameters From Swelling Measurements for Different Composition of the CEMA/DDA Copolymers Crosslinked With Various Concentrations of TPT _m Crosslinker at 298°C.	123
Table (3.25):	Network Parameters From Swelling Measurements for Different Composition of the CEMA/ODA Copolymers Crosslinked With Various Concentrations of TPT Crosslinker at 298°C.	124
Table (3.26):	Follow Network Parameters From Swelling Measurements for Different Composition of the CEMA/ODA Copolymers Crosslinked With Various Concentrations of TPT Crosslinker at 298°C.	124
Table (3.27):	Network Parameters From Swelling Measurements for Different Composition of the CEMA/ODA Copolymers Crosslinked With Various Concentrations of TPT _m Crosslinker at 298°C.	125
Table (3.28):	Follow Network Parameters From Swelling Measurements for Different Composition of the CEMA/ODA Copolymers Crosslinked With Various Concentrations of TPT _m Crosslinker at 298°C.	125

Table (3.29):	The Values of β and α for CEMA/Alkyl Acrylat Copolymer Crosslinked With Different wt % of Either TPT or TPT _m Crosslinker Using Pure Toluene as Swelling Medium.	129
Table (3.30):	Soluble Fraction Values of the Crosslinked PIB-MA-CM _n /ODA Copolymers Having Different Crosslinkers Weight Content.	133
Table (3.31):	Absorption Characteristics of the Crosslinked PIB-MA-CM _n /ODA Copolymers Having Different Crosslinker Weight Content in Toluene.	138
Table (3.32):	Absorption Characteristics of the Crosslinked PIB-MA-CM _n /ODA Copolymers Having Different Crosslinker Weight Content in 10% Crude Oil.	139
Table (3.33):	Network Parameters From Swelling Measurements of the Crosslinked PIB-MA-CM _n /ODA Copolymers in Toluene With Various Concentrations of TPT Crosslinker at 298°C.	145
Table (3.34):	Network Parameters From Swelling Measurements of the Crosslinked PIB-MA-CM _n /ODA Copolymers in 10% Crude Oil With Various Concentrations of TPT Crosslinker at 298°C.	146
Table (3.35):	Values of β and α for PIB-MA-CM _n /ODA Sorbers crosslinked with 1, 2 or 4 wt % TPT crosslinker using pure toluene.	149

CONTENTS

	Page
ACKNOWLEDGMENT	I
ABSTRACT	II
AIM OF THE WORK	III
SUMMARY	IV
LIST OF ABBREVIATIONS	V
LIST OF FIGURES	VI
LIST OF TABLES	VII
CHAPTER 1	
1- INTRODUCTION.....	1
1.1- GRAFT MODIFICATIONS OF POLYMER.....	1
1.1.1- Grafting of Monomers onto Polymers.....	2
1.1.2- Electron Beam Radiation Graft Modification	6
1.2- COPOLYMERIZATION AND COPOLYMER COMPOSITION EQUATIONS.....	9
1.2.1- Chemical Heterogeneity of Copolymers.....	11
1.2.2- Reactivity Ratios of Monomers.....	12
1.2.3- Characteristics of Reactivity Ratios	13
1.3- CROSSLINKING POLYMERIZATION.....	15
1.4- SWELLING BEHAVIORS OF CROSSLINKED POLYMERS.....	18
1.5- APPLICATION OF CROSSLINKED POLYMERS.....	21
1.6- CROSSLINKED POLYMERS AS OIL SORBERS	23
1.6.1 Mechanical Recovery of oil spill	25
1.6.2- Using of Chemicals as Oil Spill Dispersants.....	26
1.6.3- Using of Oil Sorbers to Control Oil Spill.....	28

CHAPTER 2

2- EXPERIMENTAL	35
2.1- MATERIALS	35
2.1.1- Monomeric Compounds.....	35
2.1.2- Polymeric Compound.....	38
2.1.3- Crosslinking Agents.....	38
2.1.4- Thermal Initiators.....	39
2.1.5- Solvents.....	39
2.2- PREPARATION OF LINEAR AND CROSSLINKED COPOLYMERS.....	41
2.2.1-Synthesis of Cinnamoyloxyethyl Methacrylate Monomer (CEMA).....	41
2.2.2- Low Conversion Copolymerization (Synthesis of Linear Acrylates copolymers).....	41
2.2.3- High Conversion Copolymerization (Synthesis of Crosslinked Acrylates copolymers).....	43
2.3- SYNTHESIS of CROSSLINKED REACTIVE POLYMERS.....	45
2.3.1- Synthesis of Cinnamate Esters.....	45
2.3.2- Synthesis of Maleic Anhydride/Polyisobutylene Adduct (PIB-MA).....	47
2.3.3- Reaction of Cinnamate Ester Monomers With PIB-MA Adduct.....	47
2.3.4- Synthesis of Crosslinked PIB-MA-CM _n /ODA Copolymers.....	47
2.4- CHARACTERIZATION OF THE PREPARED COPOLYMERS.....	48
2.4.1- FTIR Spectroscopy.....	48
2.4.2- ¹ HNMR Spectroscopy.....	48
2.5- EVALUATION OF CROSSLINKED POLYMERS.....	49
2.5.1- Extraction of Soluble Fraction Materials (SF).....	49
2.5.2- Oil Absorption Test.....	49
2.5.3- The Swelling Kinetics of Oil Absorption.....	50

2.5.4- Network Parameters of Gels.....	51
--	----

CHAPTER 3

3- RESULTS AND DISCUSSION	
3.1- COPOLYMERIZATION OF ALKYL ACRYLATE MONOMERS WITH CEMA.....	54
3.1.1- Reactivity Ratio Studies.....	62
a- Reactivity ratio of CEMA(M ₁) /IOA(M ₂)	64
b- Reactivity ratio of CEMA(M ₁)/DDA(M ₂).....	67
c- Reactivity ratio of CEMA(M ₁) /ODA(M ₂)	70
3.1.2- Copolymer Microstructure.....	73
3.2- SYNTHESIS OF PIB-MA GRAFTS.....	77
3.2.1- Synthesis of Hydroxyalkyloxy Cinnamate (CM _n)....	87
3.2.2- Synthesis of PIB-MA–CM _n Macromonomers.....	87
3.3- HIGH CONVERSION COPOLYMERIZATION.....	91
3.3.1- Crosslinked Copolymers.....	91
3.3.2- Soluble Fraction.....	93
3.3.3- Swelling Behavior of the Crosslinked Copolymers.....	98
a- Oil absorbencies for CEMA/IOA crosslinked copolymers.....	100
b- Oil absorbencies for CEMA/ linear alkyl acrylat(DDA or ODA) crosslinked copolymer.....	106
3.3.4- Swelling Kinetics of the Synthesized Crosslinked CEMA/ Acrylate Copolymers.....	113
3.3.5- Network Parameters of Crosslinked CEMA/ Alkyl Acrylate Copolymers.....	117
3.4- SYNTHESIS OF CROSSLINKED PIB-MA-CM _n /ODA COPOLYMERS.....	131
3.4.1- Soluble Fraction of Crosslinked Reactive Polymers....	132
3.4.2- Oil Absorbency of Crosslinked Reactive Grafting Polymer.....	134
3.4.3. Swelling Kinetics of Crosslinked Reactive Polymer...	141
3.4.4. Network Parameters of the Reactive Polymers.....	143

CONCLUSIONS	151
REFERANCES	154
ARABIC SUMMERY	