

## LIST OF FIGURES

Figure		Page
(1)	Transabdominal US image of a transverse view of normal prostate.	22
(2)	Transabdominal US image of a sagittal view of enlarged prostate.	22
(3)	Determination of the prostate size using transabdominal US.	23
(4)	Distribution of the studied cases according to age.	24
(5)	Body mass index (BMI) of all patients in the study.	25
(6)	Duration of diabetes mellitus (DM) treatment.	26
(7)	Distribution of the studied cases according to PSA.	27
(8)	Comparison between the two studied groups according to PSA with a cut-off value: 4 ng/ml.	28
(9)	Distribution of the studied cases according to testosterone.	29
(10)	Distribution of the studied cases according to PSA density.	31
(11)	Comparison between the two studied groups according to PSA density with a cut-off value: 0.15 ng/ml/cm <sup>3</sup> .	33
(12)	Correlation between duration of treatment of DM with FBG in diabetic group.	35
(13)	Correlation between duration of treatment of DM with HbA1c in diabetic group.	35
(14)	Correlation between duration of treatment of DM with PSA in diabetic group.	36
(15)	Correlation between duration of treatment of DM with testosterone in diabetic group.	36
(16)	Correlation between duration of treatment of DM with prostate volume in diabetic group.	37
(17)	Correlation between duration of treatment of DM with PSA density in diabetic group.	37
(18)	Correlation between BMI with FBG in diabetics group.	39
(19)	Correlation between BMI with PSA in diabetics group.	40
(20)	Correlation between BMI with PSA in non-diabetics group.	40
(21)	Correlation between BMI with PSA in each group.	41
(22)	Correlation between BMI with Testosterone in diabetics group.	41
(23)	Correlation between BMI with Testosterone in non-diabetics group.	42
(24)	Correlation between BMI with Testosterone in each group.	42
(25)	Correlation between BMI with prostate volume in diabetics group.	43

<b>Figure</b>		<b>Page</b>
<b>(26)</b>	Correlation between BMI with prostate volume in non-diabetics group.	<b>43</b>
<b>(27)</b>	Correlation between BMI with prostate volume in each group.	<b>44</b>
<b>(28)</b>	Correlation between BMI with PSA density in diabetics group.	<b>44</b>
<b>(29)</b>	Correlation between BMI with PSA density in non-diabetics group.	<b>45</b>
<b>(30)</b>	Correlation between BMI with PSA density in each group.	<b>45</b>
<b>(31)</b>	Correlation between PSA density with serum testosterone in diabetic group	<b>46</b>
<b>(32)</b>	Correlation between PSA density with serum testosterone in non-diabetic group.	<b>47</b>
<b>(33)</b>	Correlation between PSA density with serum testosterone in each group.	<b>47</b>

## LIST OF ABBREVIATIONS

<b>LKB1</b>	:	Liver kinase b 1
<b>BMI</b>	:	Body Mass Index
<b>BPH</b>	:	Benign Prostatic Hyperplasia
<b>DRE</b>	:	Digital Rectal Examination
<b>RR</b>	:	Relative risk
<b>HCC</b>	:	Hepatocellular carcinoma
<b>FSH</b>	:	Follicle-Stimulating Hormone
<b>GnRH</b>	:	Gonadotropin-Releasing Hormone
<b>NAFLD</b>	:	Nonalcoholic fatty liver disease
<b>LH</b>	:	Luteinizing Hormone
<b>IGF</b>	:	Insulin-like growth factor
<b>PSA</b>	:	Prostate Specific Antigen
<b>IR</b>	:	Insulin receptor
<b>RP</b>	:	Radical Prostatectomy
<b>AMPK</b>	:	Adenosine monophosphate kinase
<b>SHBG</b>	:	Sex Hormone-Binding Globulin
<b>ROS</b>	:	Reactive oxygen species