

---

**LIST OF FIGURES**

<b>Figure (1)</b>	Shape of a surfactant	9
<b>Figure (2)</b>	Corrosion arrested by release of corrosion inhibitor	26
<b>Figure (3)</b>	FTIR-spectrum of 6-(3-amino phenoxy) hexane-1-thiol(C6M)	56
<b>Figure (4)</b>	FTIR-spectrum of 8-(3-amino phenoxy) octane-1-thiol (C8M)	56
<b>Figure (5)</b>	FTIR-spectrum of 10-(3-amino phenoxy) decane-1-thiol (C10M)	57
<b>Figure (6)</b>	FTIR-spectrum of 12-(3-amino phenoxy) dodecane-1-thiol (C12M)	57
<b>Figure (7):</b>	<sup>1</sup> HNMR-spectrum of 6-(3-amino phenoxy) hexane-1-thiol (C6M)	59
<b>Figure (8):</b>	<sup>1</sup> HNMR-spectrum of 8-(3-amino phenoxy) octane thiol (C8M)	59
<b>Figure (9):</b>	<sup>1</sup> HNMR-spectrum of 10-(3-amino phenoxy) decane-1-thiol (C10M)	60
<b>Figure (10):</b>	<sup>1</sup> HNMR-spectrum of 12-(3-amino phenoxy) dodecane-1-thiol (C12M)	60
<b>Figure (11)</b>	FTIR-spectrum of poly 6-(3-amino phenoxy) hexane-1-thiol (C6P)	63
<b>Figure (12)</b>	FTIR-spectrum of poly 8-(3-amino phenoxy) octane-1-thiol (C8P)	63
<b>Figure (13)</b>	FTIR-spectrum of poly 10-(3-amino phenoxy) decane-1-thiol (C10P)	64

---

---

<b>Figure (14)</b>	FTIR-spectrum of poly 12-(3-amino phenoxy) dodecane-1- thiol (C12P)	64
<b>Figure (15)</b>	TGA &DSC Chart of poly 6-(3-amino phenoxy) hexane-1- thiol (C6P)	66
<b>Figure (16)</b>	TGA &DSC Chart of poly 8-(3-amino phenoxy) octane-1- thiol (C8P)	67
<b>Figure (17)</b>	TGA &DSC Chart of poly 10-(3-amino phenoxy) decane-1- thiol (C10P)	68
<b>Figure (18)</b>	TGA &DSC Chart of poly 12-(3-amino phenoxy) dodecane-1- thiol (C12P)	69
<b>Figure (19)</b>	XRD spectra of poly 6-(3-amino phenoxy) hexane-1- thiol (C6P)	70
<b>Figure (20)</b>	XRD spectra of poly 8-(3-amino phenoxy) octane-1- thiol (C8P)	71
<b>Figure (21)</b>	XRD spectra of poly 10-(3-amino phenoxy) decane-1- thiol (C10P)	71
<b>Figure (22)</b>	XRD spectra of poly 12-(3-amino phenoxy) dodecane-1- thiol (C12P)	72
<b>Figure (23)</b>	FTIR-spectrum of 6-(3-amino phenoxy) hexane-1- thiol (C6M) with AgNPs	74
<b>Figure (24)</b>	FTIR-spectrum of 8-(3-amino phenoxy) octane-1- thiol(C8M) with AgNPs	74
<b>Figure (25)</b>	FTIR-spectrum of 10-(3-amino phenoxy) decane-1- thiol (C10M) With AgNPs	75
<b>Figure (26)</b>	FTIR-spectrum of 12-(3-amino phenoxy) dodecane-1- thiol (C12M) With AgNPs	75
<b>Figure (27)</b>	UV spectra of prepared silver nanoparticles (AgNPs)	76

---

---

<b>Figure (28)</b>	UV-spectrum of 6-(3-amino phenoxy) hexane-1-thiol with AgNPs (C6M+AgNPs)	77
<b>Figure (29)</b>	UV -spectrum of 8-(3-amino phenoxy) octane-1-thiol with AgNPs (C8M+AgNPs)	77
<b>Figure (30)</b>	UV -spectrum of 10-(3-amino phenoxy) decane-1-thiol With AgNPs(C10M+AgNPs)	78
<b>Figure (31)</b>	UV -spectrum of 12-(3-amino phenoxy) dodecane-1- thiol With AgNPs (C12M+AgNPs)	78
<b>Figure (32)</b>	TEM imageof silver nanoparticles (AgNPs)	79
<b>Figure (33)</b>	TEM imageof 6-(3-amino phenoxy) hexane-1-thiol (C6-M) with AgNP	80
<b>Figure (34)</b>	TEM image of 8-(3-amino phenoxy). octane-1-thiol with AgNPs (C8M+AgNPs)	80
<b>Figure (35)</b>	TEM imageof 10-(3-amino phenoxy) decane-1-thiol With AgNPs (C10-M+AgNPs)	81
<b>Figure (36)</b>	TEM imageof 12-(3-amino phenoxy) dodecane-1-thiol With AgNPs (C12M+AgNPs)	81
<b>Figure (37)</b>	XRD spectra of prepared Silver nanoparticles (AgNPs)	82
<b>Figure (38)</b>	XRD spectra of 6-(3-amino phenoxy) hexane-1-thiol with AgNPs (C6M+AgNPs)	83
<b>Figure (39)</b>	XRD spectra of 8-(3-amino phenoxy) octane-1-thiol with AgNPs (C8M+ AgNPs)	83
<b>Figure (40)</b>	XRD spectra of 10-(3-amino phenoxy) decane-1-thiol with AgNPs (C10M+AgNPs)	84
<b>Figure (41)</b>	XRD spectra of 12-(3-amino phenoxy) dodecane-1- thiol With AgNPs (C12M+AgNPs)	84

---

---

<b>Figure (42)</b>	FTIR-spectrum of poly 6-(3-amino phenoxy) hexane-1- thiol with AgNPs (C6P+AgNPs)	86
<b>Figure (43)</b>	FTIR-spectrum of poly 8-(3-amino phenoxy) octane-1- thiol with AgNPs (C8P+AgNPs)	86
<b>Figure (44)</b>	FTIR-spectrum of poly 10-(3-amino phenoxy) decane-1- thiol With AgNPs (C10P+AgNPs)	87
<b>Figure (45)</b>	FTIR-spectrum of poly 12-(3-amino phenoxy) dodecane-1- thiol with AgNPs (C12P+AgNPs)	87
<b>Figure (46)</b>	UV-spectrum of poly 6-(3-amino phenoxy) hexane-1- thiol with AgNPs (C6P+AgNPs)	88
<b>Figure (47)</b>	UV-spectrum of poly 8-(3-amino phenoxy) octane-1- thiol with AgNPs (C8P+AgNPs)	88
<b>Figure (48)</b>	UV-spectrum of poly 10-(3-amino phenoxy) decane-1- thiol With AgNPs (C10P+AgNPs)	89
<b>Figure (49)</b>	UV-spectrum of poly 12-(3-amino phenoxy) dodecane-1- thiol with AgNPs (C12P+AgNPs)	89
<b>Figure (50)</b>	TEM image of poly 6-(3-amino phenoxy) hexane-1- thiol with AgNPs (C6P+AgNPs)	90
<b>Figure (51)</b>	TEM image of poly 8-(3-amino phenoxy) octane-1- thiol with AgNPs (C8P+AgNPs)	91
<b>Figure (52)</b>	TEM image of poly 10-(3-amino phenoxy) decane-1- thiol With AgNPs (C10P+AgNPs)	91
<b>Figure (53)</b>	TEM image of poly 12-(3-amino phenoxy) dodecane-1- thiol with AgNPs (C12P+AgNPs)	92
<b>Figure (54)</b>	XRD-spectrum of poly 6-(3-amino phenoxy) hexane-1- thiol with AgNPs (C6P+AgNPs)	93
<b>Figure (55)</b>	XRD-spectrum of poly 8-(3-amino phenoxy) octane-1- thiol with AgNPs (C8P+AgNPs)	94

---

---

<b>Figure (56)</b>	XRD-spectrum of poly 10-(3-amino phenoxy) decane-1- thiol With AgNPs (C10P+AgNPs)	94
<b>Figure (57)</b>	XRD-spectrum of poly 12-(3-amino phenoxy) dodecane-1- thiol with AgNPs (C12P+AgNPs)	95
<b>Figure (58)</b>	Relationship between surface tension and – logarithm concentration of the synthesized monomeric thiol surfactants	98
<b>Figure (59)</b>	Relationship between surface tension and – logarithm concentration of the synthesized monomeric thiol surfactants with silver nanoparticles	98
<b>Figure (60)</b>	Relationship between surface tension and –logarithm concentration of the synthesized polymeric thiol surfactants	99
<b>Figure (61)</b>	Relationship between surface tension and – logarithm concentration of the synthesized polymeric thiol surfactants with silver nanoparticles	99
<b>Figure (62)</b>	Relationship between corrosion rate of steel and concentration of the synthesized monomeric thiol surfactants	105
<b>Figure (63)</b>	Relationship between corrosion rate of steel and concentration of the synthesized monomeric thiol surfactants with silver nanoparticles	105
<b>Figure (64)</b>	Relationship between corrosion rate of steel and concentration of the synthesized polymeric thiol surfactants	106

---

---

<b>Figure (65)</b>	Relationship between corrosion rate of steel and concentration of the synthesized polymeric thiol surfactants with silver nanoparticles	106
<b>Figure (66)</b>	The Relation between inhibition efficiency and concentration of the synthesized monomeric thiol surfactants in 1 M HCl for the carbon steel sample 25°C.	112
<b>Figure (67)</b>	The Relation between inhibition efficiency and concentration of the synthesized monomeric thiol surfactants with silver nanoparticles in 1 M HCl for the carbon steel sample at 25°C	112
<b>Figure (68)</b>	The Relation between inhibition efficiency and concentration of the synthesized polymeric thiol surfactants in 1 M HCl for the carbon steel sample at 25°C.	113
<b>Figure (69)</b>	The relation between inhibition efficiency and concentration of the synthesized polymeric thiol surfactants with silver nanoparticles in 1 M HCl for the carbon steel sample at 25°C.	113
<b>Figure (70)</b>	Tafel line for the carbon steel sample in 1 M HCl and in presence different concentrations compound C12M	116
<b>Figure (71)</b>	Tafel line for the carbon steel sample in 1 M HCL and in presence different concentrations compound C12M+AgNP	117
<b>Figure (72)</b>	Tafel line for the carbon steel sample in 1 M HCL and in presence different concentrations compound (C12P)	118

---

- 
- Figure (73)** Tafel line for the carbon steel sample in 1 M HCL and in presence different concentrations compound (C12P+AgNPs). 119
- Figure (74)** Energy dispersive X-rays analysis (EDAX) of carbon steel samples: (a) After immersion in 1 M HCl solution for 24 h. (b) After immersion in 1 M HCl solution for 24 h in the presence of C12M. (C) After immersion in 1 M HCl solution for 24 h in the presence of C12M self-assembled on silvernanoparticles. 121
- Figure (75)** Energy dispersive X-rays analysis (EDAX) of carbon steel samples: (a) after immersion in 1 M HCl solution for 24 h in the presence of C12P. (b) after immersion in 1 M HCl solution for 24 h in the presence of C12P self-assembled on silver nanoparticles. 122
-