

## LISTT OF TABLES

No	Title	Page
1.	Scientific and Arabic names of the plants used in the present study as well as theirArabic names.....	40
2.	Population dynamic of four land snails on Egyptian clover at Gharbia Governorate, during 2004 / 2005 season, in relation to temperature and relative humidity(R.H.).....	54
3.	Population dynamic of four land snails on Egyptian clover at Gharbia Governorate , during 2005 / 2006 season, in relation to temperature and relative humidity(R.H.).....	55
4.	Population dynamic of four land snails on Cotton at Gharbia Governorate during 2004 / 2005 season, in relation to Temperature and relative humidity (R.H.)...	60
5.	Population dynamic of four land snails on Cotton at Gharbia Governorate, during 2005 / 2006 season, in relation to temperature and relative humidity (R.H.).....	61
6.	Population dynamic of four land snails on Egyptian clover at Fayoum Governorate , during 2004 / 2005 season, in relation to temperature and relative humidity (R.H.).....	65
7.	Population dynamic of four land snails on Egyptian clover at Fayoum Governorate , during 2005 /2006 season, in relation to temperature and relative humidity (R.H.).....	66

8.	Population dynamic of four snails on Cotton at Fayoum Governorate, during 2004 / 2005 season, in relation to temperature and relative humidity (R.H.).....	72
9.	Population dynamic of four land snails on Cotton at Fayoum Governorate , during 2005 / 2006 season, in relation to Temperature andrelative humidity (R.H.).....	73
10.	Toxicity action of some chemicals and mineral oils by different techniques against <i>Monacha obstruct</i> .....	82
11.	LC <sub>50</sub> , LC <sub>90</sub> and Slope values of some chemicals and mineral oils against <i>Monacha obstructa</i> by using different techniques.....	83
12.	Average repellency and attractancy percentage (RP%) of some chemicals against <i>Monacha obstructa</i> .....	89
13.	Average repellency and attractancy (RP%) of some mineral oils against <i>Monacha obstructa</i> .....	87
14.	Toxic action and average repellency and attractancy of some plan extracts against M. obstructa by using four Techniques.....	99
15.	C <sub>50</sub> , LC <sub>90</sub> and Slope values of some plant extracts used by different techniques against <i>Monacha obstructa</i> .....	96-97

<b>8.</b> Population dynamic of four land snails on the Cotton at Fayoum Governorate , during 2004 / 2005 seasons in relation to temperature and relative humidity (R.H.).....	74
<b>9.</b> Population dynamic of four land snails on the Cotton at Fayoum Governorate , during 2005 /2006 seasons in relation to temperature and relative humidity (R.H.).....	74
<b>10.</b> Toxicity lines of Methomyl, Copper sulfate and Sodium borate as baits technique against <i>Monacha obstructa</i> .....	84
<b>11.</b> Toxicity lines of Methomyl, Copper sulfate and Sodium borate as residual film technique against <i>Monacha obstructa</i> .....	85
<b>12.</b> Toxicity lines of CAPL-1, CAPL-2 and Sol.EC as residual film technique against <i>Monacha obstructa</i> .....	86
<b>13.</b> Toxicity lines of Methomyl, Copper sulfate and Sodium borate dipping technique against <i>Monacha obstructa</i> .....	88
<b>13.</b> Toxicity lines of CAPL-1, CAPL-2 and Sol.EC as dipping technique against <i>Monach obstructa</i> .....	89
<b>14.</b> Repellency and attractancy of Methomyl, Copper sulfate and Sodium borate against <i>Monacha obstructa</i> .....	90
<b>15.</b> Repellency and attractancy of CAPL-1, CAPL-2 and Sol.EC against <i>Monacha obstructa</i> .....	99
<b>16.</b> Toxicity lines of some plant extracts as bait technique against <i>Monacha obstructa</i> .....	100
<b>18.</b> Toxicity lines of some plant extracts as residual film	

technique against <i>Monacha obstructa</i> .....	101
<b>19.</b> Toxicity lines of some plant extracts as dipping technique against <i>Monacha obstructa</i> .....	102
<b>20.</b> Repellency and attractancy of some plant extract against <i>Monacha obstructa</i> .....	100
<b>21.</b> Thin layer chromatograms of plant extracts.....	104